Miles Nelson®
Commercial



COMMERCIAL

MILES NELSON 2027 COMMERCIAL
HARDWARE RANGE

QUALITY ARCHITECTURAL HARDWARE FOR RESIDENTIAL AND COMMERCIAL PROJECTS.

Since 1928.

Founded in 1928, Miles Nelson is one of New Zealand's most trusted hardware companies and is proud to be 100% privately New Zealand owned and operated.

Based in Auckland, Miles Nelson distributes nationwide and internationally, and is well known for its quality product range, innovative design, and commitment to customer service.

Miles Nelson's long history as a manufacturer, coupled with in-house technical expertise and custom designed proprietary products means that our range is specifically designed and manufactured to suit the New Zealand market.

The use of quality materials, along with a range of high-quality finishes and a suite of styles, makes the Miles Nelson range the ideal choice for commercial and residential projects.

CONTENTS

Section 1.

MNC Hardware

10 **Door Closers**

12 - Tech Data Sheets

24 - Accessories

26 **Door Hardware Kits**

28 - 87 Lever Kits

30 - 90 Lever Kits

32 **Mortice Locks**

34 - Wide Style Mortice Locks

52 - Narrow Style Mortice Locks

68 **How to Read Functions**

70 **Cam & Snib Matrix**

72 **Door Furniture**

74 - Wide Style Levers

78 - Narrow Style Levers

84 - Rose Handles & Accessories

86 - Plates & Pull Handles

88 - Square Plate Handles

92 **Specialty Solutions**

96 **Panic Exit Devices**

98 **Accessories**

98 - Adaptors & Cams

100 - Cylinders

Section 3.

GAIT Commercial

106 **Knobsets**
106 - Bala Knobsets
108 **Leversets**
108 - Empire Leversets
110 - Raglan Leversets
111 **Knob / Lever sets**
112 **Deadbolts**
112 - Light Commercial Deadbolts
113 - Heavy Commercial Deadbolts

Section 4.

Federal Padlocks

114 **Combination padlocks**
116 - Solid Steel Combination Padlocks
117 - Solid Brass Combination Padlocks
118 **Stainless Steel Padlocks**
119 **Solid Brass Padlocks**
121 **Heavy Duty Padlocks**
121 - Heavy Duty Concealed Shackle
121 - Heavy Duty Shackleless
122 **Lock Boxes**
123 **Accessories**
123 - Shackles

Section 2.

General Hardware

126 **Locking & Entry**
126 - Digital Locks
129 - Blocker Plates
130 - Pull Handles
132 **Hinges**
134 **Door Furniture**
136 - Light Commercial
140 - Door Fittings
144 **Bannister Brackets**
150 **Door Stops**
150 - Floor Mount
151 - Wall Mount
152 - Latching
154 **Plates & Signage**
156 **Bathroom hardware**

Section 5.

Warranty Information

158 **Warranty Information**
158 - 2 Year Electric & Mechanical Warranty
158 - 5 Year Warranty
158 - 10 Year Mechanical Warranty
159 - 25 Year Mechanical Warranty
159 - Brass Lifetime Guarantee
159 - Stainless Steel Warranties

Experience you can count on.

TECHNICAL SUPPORT

Technical support, including a qualified locksmith as a team member to assist with any technical issues.

COLLABORATION

We love to hear your ideas and include you in our product development program.

SERVICE

Send us your plans and our in-house scheduling team will take care of all your specification requirements in a timely manner.

DIFOT

Our supply / order fill rate is amongst the highest in the country, so we will always have sufficient stock on hand.



For **98 years** Miles Nelson has been a trusted name in architectural hardware across New Zealand.

NZ OWNED & OPERATED

Proudly NZ owned and operated with a rich history dating back to 1928

EXPERIENCE

A vastly experienced team covering all aspects of hardware supply.





01

MNC Hardware

Miles Nelson Commercial hardware range.

To view this commercial catalogue online, visit milesnelson.co.nz
Or scan the link below:



MNC DOOR CLOSERS & ACCESSORIES

10 YEAR MECHANICAL WARRANTY

Product	Description	Page
MNC9625CA	Cam action EN 2-6	12
MNC8624CA	Cam action EN 2-4	14
MNC8626BC/DA	Rack and pinion EN 2-6	16
MNC8626SABC/DA	Rack and pinion EN 2-4 - With slide arm	18
MNC8404BC/DA	Rack and pinion EN 3-4	20
MNC8404SABC/DA	Rack and pinion EN 2 - With slide arm	22
Accessories	Accessories for 8000 and 9000 series door closers	24




Miles Nelson

9625 CAM ACTION DOOR CLOSER
WITH SLIDE ARM - EN POWER 2 - 6



1. Slide Arm Track

Aluminium track. Has pre-drilled holes to suit pull or push side mounting.

2. Hold Open

Adjustable hold open feature. Can be positioned according to door angle requirement. Easily removed for fire doors.

3. Closer Arm

Supplied with alternative arms to suit either pull or push side installation. Works for both left and right hung doors.

4. Cover

Stainless box cover. Secure top side screw fixing.

5. Hydraulic Fluid

Adjustable valves to control the closing speed, latching speed, backcheck, and delayed closing.

6. EN Power 2-6

Spring adjustment to set door power to suit environmental conditions.

7. Cam Action

Roller and cam mechanism aids ease of use while maintaining power.

8. Installation

Can fit into 35mm gap between top of door and ceiling.

10 YEAR MECHANICAL WARRANTY

FIRE RATED*

HIGH DURABILITY

500K CYCLES

*Check website for details


Available Finishes

Stainless Steel



Matt Black





Product Details

Code	Finish
MNC9625CA	Satin Chrome
MNC9625CA-BLK	Matt Black

Accessories (page 24 - 25)	Description
MNC9625DP	Drop plate or packer - Satin Chrome
MNC9625DP-BLK	Drop plate or packer - Matt Black
MNCD002	Double door selector

Model	Power	Fire Rated	Adjustable Closing Speed	Adjustable Latching Speed	Backcheck	Delayed Action	Opening Angle Push	Opening Angle Pull	Max. Door Weight (kg)	Max. Door Width (mm)
MNC9625CA	EN2-6	✓	✓	✓	✓	✓	120°	170°	40-120	850-1400

8624 CAM ACTION DOOR CLOSER
WITH SLIDE ARM - EN POWER 2 - 4



1. Slide Arm

Aluminium slide arm track. Has pre-drilled holes to suit pull or push side mounting.

2. Hold Open

Adjustable hold open feature. Can be positioned according to door angle requirement. Easily removed for fire doors.

3. Closer Arm

Solid steel arm suits both inward and outward direction doors. Designed for use on left or right hung doors.

4. Magnetic Cover

Magnetic cover trim plate for ease of use and clean aesthetic.

5. Hydraulic Fluid

Adjustable valves to control the closing speed, latching speed, backcheck, and delayed action.

6. EN Power 2-4

Spring adjustment to set door power to suit environmental conditions.

7. Cam Action

Roller and cam mechanism aids ease of use while maintaining power.

8. Installation

Can fit into 30mm gap between top of door and ceiling. Packer available for clearing 18mm architrave on pull side of door.

10 YEAR MECHANICAL WARRANTY

HIGH DURABILITY

500K CYCLES


Available Finishes

Stainless Steel



Matt Black





Product Details

Code	Finish
MNC8624CA	Satin Chrome
MNC8624CA-BLK	Matt Black

Accessories (page 24 - 25)	Description
MNC8000DP	Drop plate
MNCD002	Double door selector
MNC8626PR	Packer - Satin Chrome
MNC8626PR-BLK	Packer - Matt Black

Model	Power	Fire Rated	Adjustable Closing Speed	Adjustable Latching Speed	Backcheck	Delayed Action	Opening Angle Push	Opening Angle Pull	Max. Door Weight (kg)	Max. Door Width (mm)
MNC8624CA	EN2-4		✓	✓			105°	120°	25-85	750-1100

8626 RACK & PINION DOOR CLOSER
EN POWER 2 - 6



1. Closer Arm
Solid steel arm suits both inward and outward direction doors. Designed for use on left or right hung doors.

2. Parallel Arm Fixing
Parallel arm fixing mounting bracket included with a 10mm packer for aluminium joinery clearance.

3. Magnetic Cover
Magnetic cover trim plate for ease of use and clean aesthetic.

4. Hydraulic Fluid
Adjustable valves to control the closing speed, latching speed, backcheck, and delayed action.

5. EN Power 2-6
Spring adjustment to set door power to suit environmental conditions.

6. Rack & Pinion
Rack and pinion mechanism.

7. Adjustable Closing
Latching speeds, backcheck and delayed action.

10 YEAR MECHANICAL WARRANTY

FIRE RATED*

HIGH DURABILITY

500K CYCLES

*Check website for details


Available Finishes

Stainless Steel



Matt Black





Product Details

Code	Finish
MNC8626BC/DA	Satin Chrome
MNC8626BC/DA-BLK	Matt Black

Accessories (page 24 - 25)	Description
MNC8000DP	Drop plate
MNC8000ZB	Z bracket
MNC8000PAP (INCLUDED)	Parallel bracket packer 10mm
MNC8626HO	Hold open arm
MNC8626SA	Slide arm
MNC8626SA-BLK	Slide arm - Matt Black finish
MNCD002	Double door selector

Model	Power	Fire Rated	Adjustable Closing Speed	Adjustable Latching Speed	Backcheck	Delayed Action	Opening Angle Push	Opening Angle Pull	Max. Door Weight (kg)	Max. Door Width (mm)
MNC8626BC/DA	EN2-6	✓	✓	✓	✓	✓	150°	180°	25-120	800-1400

8626 RACK & PINION DOOR CLOSER
WITH SLIDE ARM - EN POWER 2 - 4



1. Slide Arm

Aluminium slide arm track. Has pre-drilled holes to suit pull or push side mounting.

2. Hold Open

Adjustable hold open feature. Can be positioned according to door angle requirement. Easily removed for fire doors.

3. Closer Arm

Solid steel arm suits both inward and outward direction doors. Designed for use on left or right hung doors.

4. Magnetic Cover

Magnetic cover trim plate for ease of use and clean aesthetic.

5. Hydraulic Fluid

Adjustable valves to control the closing speed, latching speed, backcheck, and delayed action.

6. EN Power 2-4

Spring adjustment to set door power to suit environmental conditions.

7. Rack & Pinion

Rack and pinion mechanism.

8. Installation

Can fit into 30mm gap between top of door and ceiling.

10 YEAR MECHANICAL WARRANTY

FIRE RATED*

HIGH DURABILITY

500K CYCLES

*Check website for details


Available Finishes

Stainless Steel



Matt Black






Product Details

Code	Finish
MNC8626SABC/DA	Satin Chrome
MNC8626SABC/DA-BLK	Matt Black

Accessories (page 24 - 25)	Description
MNC8000DP	Drop plate
MNC8626PR	Packer - Satin Chrome
MNC8626PR-BLK	Packer - Matt Black
MNCD002	Double door selector

Model	Power	Fire Rated	Adjustable Closing Speed	Adjustable Latching Speed	Backcheck	Delayed Action	Opening Angle Push	Opening Angle Pull	Max. Door Weight (kg)	Max. Door Width (mm)
MNC8626SABC/DA	EN2-4	✓	✓	✓	✓	✓	105°	120°	15-100	750-1100

8404 RACK & PINION DOOR CLOSER
EN POWER 3 - 4



1. Closer Arm
Closer arm solid steel arm suits pull and push side installation.

2. Parallel Arm Fixing
Parallel arm fixing mounting bracket included with a 10mm packer for aluminium joinery clearance.

3. Magnetic Cover
Magnetic cover trim plate for ease of use and clean aesthetic.

4. Hydraulic Fluid
Adjustable valves control the closing speed, latching speed, backcheck and delayed action.

5. EN Power 3-4
EN power 3-4 set power.

6. Rack and Pinion
Rack and pinion mechanism.

7. Adjustable Closing
Latching speeds, backcheck and delayed action.

10 YEAR MECHANICAL WARRANTY

FIRE RATED*

HIGH DURABILITY


500K CYCLES

*Check website for details

Available Finishes

Stainless Steel





Door Closer

Code	Finish
MNC8404BC/DA	Satin Chrome

Accessories (page 24 - 25)	Description
MNC8000DP	Drop plate
MNC8000ZB	Z bracket
MNC8000PAP (INCLUDED)	Parallel bracket packer 10mm
MNC8404HO	Hold open arm
MNC8404SA	Slide arm
MNCD002	Double door selector

Model	Power	Fire Rated	Adjustable Closing Speed	Adjustable Latching Speed	Backcheck	Delayed Action	Opening Angle Push	Opening Angle Pull	Max. Door Weight (kg)	Max. Door Width (mm)
MNC8404BC/DA	EN3-4	✓	✓	✓	✓	✓	150°	180°	40-85	930-1100

8404 RACK & PINION DOOR CLOSER
WITH SLIDE ARM - EN POWER 2



1. Slide Arm

Aluminium slide arm track. Has pre-drilled holes to suit pull or push side mounting.

2. Hold Open

Adjustable hold open feature. Can be positioned according to door angle requirement. Easily removed for fire doors.

3. Closer Arm

Solid steel arm suits both inward and outward direction doors. Designed for use on left or right hung doors.

4. Magnetic Cover

Magnetic cover trim plate for ease of use and clean aesthetic.

5. Hydraulic Fluid

Adjustable valves to control the closing speed, latching speed, backcheck, and delayed action.

6. EN Power 2

EN Power 2 set power.

7. Rack & Pinion

Rack and pinion mechanism.

8. Installation

Can fit into 30mm gap between top of door and ceiling.

10 YEAR MECHANICAL WARRANTY

FIRE RATED*

HIGH DURABILITY


500K CYCLES

*Check website for details

Available Finishes

Stainless Steel





Product Details

Code	Finish
MNC8404SABC/DA	Satin Chrome

Accessories (page 24 - 25)	Description
MNC8000DP	Drop plate
MNCD002	Double door selector

Model	Power	Fire Rated	Adjustable Closing Speed	Adjustable Latching Speed	Backcheck	Delayed Action	Opening Angle Push	Opening Angle Pull	Max. Door Weight (kg)	Max. Door Width (mm)
MNC8404SABC/DA	EN2	✓	✓	✓	✓	✓	105°	120°	25-65	750-950

ACCESSORIES

8404 Slide Arm Kit

- Removable hold open feature
- Requires minimum 30mm gap between top of door and ceiling
- Door opens 120° wide with slide arm on pullside and 105° on pushside



Code	Finish
MNC8404SA	Satin Chrome

8626 Slide Arm Kit

- Removable hold open feature
- Requires minimum 30mm gap between top of door and ceiling
- Door opens 120° wide with slide arm on pullside and 105° on pushside



Code	Finish
MNC8626SA	Satin Chrome
MNC8626SA-BLK	Matt Black

Hold Open Arm

- Can be installed on pull or push side
- Adjustable strength
- Positive ball joint



Code	Finish
MNC8404HO	Satin Chrome
MNC8626HO	Satin Chrome

Door Selector

- For double doors
- Allows self-latching doors to close in correct sequence
- Fixings included
- 300mm length



FIRE RATED

Code	Finish
MNCD002	Stainless Steel

Z Bracket



- Suits 8404 and 8626
- Fixings included
- For flush mount parallel fixing

Code	Finish
MNC8000ZB	Satin Chrome

Parallel Bracket Packer



- 10mm thick
- For use with aluminium joinery
- Supplied with closer

Code	Finish
MNC8000PAP	Silver

8000 Drop Plate



- Installation over glass on aluminium doors
- Suits 8404 and 8626
- 4mm steel plate

Code	Finish
MNC8000DP	Satin Chrome

8000 Packer



- 10mm thick aluminium block
- Helps clear thicker 18mm architrave
- Suits 8626

Code	Finish
MNC8626PR	Satin Chrome
MNC8626PR-BLK	Matt Black

9625 Dual Purpose Drop Plate / Packer



- Installation over glass on aluminium doors
- Helps clear thicker 18mm architrave
- 7mm thick steel plate

Code	Finish
MNC9625DP	Satin Chrome
MNC9625DP-BLK	Matt Black

DOOR HARDWARE KITS
87 LEVER & 90 LEVER

25 YEAR MECHANICAL WARRANTY

FIRE RATED*

Product	Page
Wide Style 87 Lever Kits	28
Wide Style 90 Lever Kits	30



*Check website for details


MORTICE LOCK
AND HANDLE KIT
Miles Nelson
Commercial
MNC

MNC KITS
87 LEVER

Entrance Lock Kit (Non-handed)

Components
- Mortice lock: MNC5000
- Lever: MNC151/87
  Lever: MNC154/87
- Snib adaptor: MNCAD5200-01
- Key barrel: MNC570 incl keys



Code	Description	Finish
MNCKITEL-NC/87	No key cylinder	Satin Chrome
MNCKITEL/87	Includes 34mm key cylinder (up to 53mm doors)	Satin Chrome
MNCKITEL-EXTC/87	Includes extended 41mm key cylinder (54-60mm doors)	Satin Chrome
MNCKITEL-NC/87BLK	No key cylinder	Matt Black
MNCKITEL/87BLK	Includes 34mm key cylinder (up to 53mm doors)	Matt Black
MNCKITEL-EXTC/87BLK	Includes extended 41mm key cylinder (54-60mm doors)	Matt Black

Storeroom / Classroom Lock Kit (Non-handed)

Components
- Mortice lock: MNC5000
- Lever: MNC151/87
  Lever: MNC156/87
- Key barrel: MNC570 incl keys
- Cams for storeroom & classroom functions



Code	Description	Finish
MNCKITST-NC/87	No key cylinder	Satin Chrome
MNCKITST/87	Includes 34mm key cylinder (up to 53mm doors)	Satin Chrome
MNCKITST-EXTC/87	Includes extended 41mm key cylinder (54-60mm doors)	Satin Chrome
MNCKITST-NC/87BLK	No key cylinder	Matt Black
MNCKITST/87BLK	Includes 34mm key cylinder (up to 53mm doors)	Matt Black
MNCKITST-EXTC/87BLK	Includes extended 41mm key cylinder (54-60mm doors)	Matt Black

Double Key Lock Kit (Non-handed)

Components
- Mortice lock: MNC5000
- Lever: MNC151/87
  Lever: MNC152/87
- Key barrel: MNC570 incl keys



Code	Description	Finish
MNCKITKK-NC/87	No key cylinder	Satin Chrome
MNCKITKK/87	Includes 34mm key cylinder (up to 53mm doors)	Satin Chrome
MNCKITKK-EXTC/87	Includes extended 41mm key cylinder (54-60mm doors)	Satin Chrome
MNCKITKK-NC/87BLK	No key cylinder	Matt Black
MNCKITKK/87BLK	Includes 34mm key cylinder (up to 53mm doors)	Matt Black
MNCKITKK-EXTC/87BLK	Includes extended 41mm key cylinder (54-60mm doors)	Matt Black

Passage Set Kit (Non-handed)

Components
- Mortice lock: MNC5409
- Lever: MNC155/87
- Lever: MNC156/87



Code	Finish
MNCKITPS/87	Satin Chrome
MNCKITPS/87BLK	Matt Black

Privacy Lock Kit (non-handed)

Components
- Mortice lock: MNC5000
- Lever: MNC153I/87
- Lever: MNC154/87
- Snib adaptor: MNCAD5200-02 kick off + MNCAD5200-01



Code	Finish
MNCKITPR/87	Satin Chrome
MNCKITPR/87BLK	Matt Black

Large Turn Indicating Privacy Lock Kit (Non-handed)

Components
- Mortice lock: MNC5000
- Lever: MNC153I/87
- Lever: MNC154iCLT/87
- Snib adaptor: MNCAD5200-02 kick off + MNCAD5200-01



Code	Finish
MNCKITPRDA/87	Satin Chrome
MNCKITPRDA/87BLK	Matt Black

MNC KITS
90 LEVER

Entrance Lock Kit (Non-handed)

Components
- Mortice lock: MNC5000
- Lever: MNC151/90
  Lever: MNC154/90
- Snib adaptor: MNCAD5200-01
- Key barrel: MNC570 incl keys



Code	Description	Finish
MNCKITEL-NC	No key cylinder	Satin Chrome
MNCKITEL	Includes 34mm key cylinder (up to 53mm doors)	Satin Chrome
MNCKITEL-EXTC	Includes extended 41mm key cylinder (54-60mm doors)	Satin Chrome
MNCKITEL-NC/BLK	No key cylinder	Matt Black
MNCKITEL/BLK	Includes 34mm key cylinder (up to 53mm doors)	Matt Black
MNCKITEL-EXTC/BLK	Includes extended 41mm key cylinder (54-60mm doors)	Matt Black

Storeroom / Classroom Lock Kit (Non-handed)

Components
- Mortice lock: MNC5000
- Lever: MNC151/90
  Lever: MNC156/90
- Key barrel: MNC570 incl keys
- Cams for storeroom & classroom functions



Code	Description	Finish
MNCKITST-NC	No key cylinder	Satin Chrome
MNCKITST	Includes 34mm key cylinder (up to 53mm doors)	Satin Chrome
MNCKITST-EXTC	Includes extended 41mm key cylinder (54-60mm doors)	Satin Chrome
MNCKITST-NC/BLK	No key cylinder	Matt Black
MNCKITST/BLK	Includes 34mm key cylinder (up to 53mm doors)	Matt Black
MNCKITST-EXTC/BLK	Includes extended 41mm key cylinder (54-60mm doors)	Matt Black

Double Key Lock Kit (Non-handed)

Components
- Mortice lock: MNC5000
- Lever: MNC151/90
  Lever: MNC152/90
- Key barrel: MNC570 incl keys



Code	Description	Finish
MNCKITKK-NC	No key cylinder	Satin Chrome
MNCKITKK	Includes 34mm key cylinder (up to 53mm doors)	Satin Chrome
MNCKITKK-EXTC	Includes extended 41mm key cylinder (54-60mm doors)	Satin Chrome
MNCKITKK-NC/BLK	No key cylinder	Matt Black
MNCKITKK/BLK	Includes 34mm key cylinder (up to 53mm doors)	Matt Black
MNCKITKK-EXTC/BLK	Includes extended 41mm key cylinder (54-60mm doors)	Matt Black

Passage Set Kit (Non-handed)

Components
- Mortice lock: MNC5409
- Lever: MNC155/90
- Lever: MNC156/90



Code	Finish
MNCKITPS	Satin Chrome
MNCKITPS/BLK	Matt Black

Privacy Lock Kit (non-handed)

Components
- Mortice lock: MNC5000
- Lever: MNC153I/90
- Lever: MNC154/90
- Snib adaptor: MNCAD5200-02 kick off + MNCAD5200-01



Code	Finish
MNCKITPR	Satin Chrome
MNCKITPR/BLK	Matt Black

Large Turn Indicating Privacy Lock Kit (Non-handed)

Components
- Mortice lock: MNC5000
- Lever: MNC153I/90
- Lever: MNC154iCLT/90
- Snib adaptor: MNCAD5200-02 kick off + MNCAD5200-01




Code	Finish
MNCKITPRDA	Satin Chrome
MNCKITPRDA/BLK	Matt Black

MNC WIDE STYLE
MORTICE LOCKS

25 YEAR MECHANICAL WARRANTY

Product	Description	Page
MNC5000	60mm backset mortice lock	34
MNC5409	60mm backset mortice passage latch	42
MNC5100	60mm backset mortice deadbolt	44
MNC5300	60mm backset mortice sliding door deadbolt	48


TOP
IMPORTANT
Set Handing piece
BEFORE installation
View installation
instructions for
more information
STAINLESS
STEEL

5000 SERIES MORTICE LOCK
PRODUCT INFORMATION

1. Keying

Standard oval brass cylinders and brass barrels. Inline C4 profile keyway. Compatible with restricted profiles.

2. Latch

Stainless steel fire rated latch mechanism. Stainless auxiliary deadlatch pin for anti-jemmy door security.

3. Faceplate

Stainless steel faceplate. 25mm width suits industry standard installer jigs.

4. Multi-Function

Handing piece for setting up multi-functions including free egress, anti-lockout, and kickoff features.

5. 33° Handle Rotation

Unique design allows full latch retraction at minimal 33 degree handle rotation. Brass bush with stainless hub. Suits 8mm spindle for universal door furniture compatibility.

6. Lock Case

5000 locks have been engineered for strength, precision, and durability using the highest quality components inside a high purity zinc alloy pressure cast lock body.

7. Rose Furniture

Through fixing option for turn-snibs and escutcheons. Unique MNC design increases durability.



25 YEAR MECHANICAL WARRANTY

FIRE RATED*

96 HOURS SALT SPRAY

HIGH DURABILITY

600K CYCLES

MULTI-FUNCTION


*Check website for details

Available Finishes

Stainless Steel

Matt Black





Product Details

Features:

- Spindle supplied suits doors up to 60mm thick
- For full range of accessories and key barrels, see pages 98-103

Code	Description	Finish
MNC5000	Primary lock body (does not include key barrel or turn adaptor)	Stainless Steel
MNC5000-BLK	Primary lock body (does not include key barrel or turn adaptor)	Matt Black
MNC5000RK	Rebate kit	Stainless Steel
MNC5000RK-BLK	Rebate kit	Matt Black

Accessories	Description	Finish
MNCAD5200-01	Standard turn adaptor	-
MNCAD5200-02RH	Anti-lockout / kickoff right hand door	-
MNCAD5200-02LH	Anti-lockout / kickoff left hand door	-
MNCSPINDLE45	Suits up to 90mm thick doors	-
MNC5000-03	Extended strike plate	Stainless Steel
MNC5000-03BLK	Extended strike plate	Matt Black


Testing	Duration	Pass / Fail
Cycles Tested	600,000 cycles	PASS
Salt Spray Test	96 hours	PASS
Fire Rated	See website for details	PASS

5000 SERIES MORTICE LOCK
AVAILABLE FUNCTIONS

Nightlatch Functions (no handles)

Nightlatch
Cylinder & Turnsnib


Outside: Key opens latch.
Inside: Turnsnib opens latch
Non-handed.



Code	Finish
MNC5005SC	Satin Chrome
MNC5005BLK	Matt Black

Cylinder Nightlatch
Single Cylinder


Outside: Key opens latch.
Inside: No inside operation
Non-handed.



Code	Finish
MNC5001SC	Satin Chrome
MNC5001BLK	Matt Black

Communicating Door Lock
Double Cylinder

Outside: Key opens latch.
Inside: Key opens latch
Non-handed.



Code	Finish
MNC5002SC	Satin Chrome
MNC5002BLK	Matt Black

Exit Door Latch
Turnsnib

Outside: No outside operation.
Inside: Turnsnib opens latch
Non-handed.




Code	Finish
MNC5003SC	Satin Chrome
MNC5003BLK	Matt Black

Note: Product codes include cylinder + relevant cams and turn snib adaptors.
Order handles, escutcheons, and turn snibs separately.
Refer to pages 68 - 71 for code breakdown, door handing, cam, and adaptor info.

Vestibule Functions (inside handle always free)

Vestibule or Entrance Lock
Cylinder & Turnsnib


Outside: Lockable handle, key retracts latch. Handle locked and unlocked by turn snib.
Inside: Always free handle.



Code	Description	Finish
MNC5200SC	Non-handed	Satin Chrome
MNC5200BLK	Non-handed	Matt Black
MNC5200LHSCK	Left hand anti lockout / kickoff	Satin Chrome
MNC5200LHBLKK	Left hand anti lockout / kickoff	Matt Black
MNC5200RHSCK	Right hand anti lockout / kickoff	Satin Chrome
MNC5200RHBLKK	Right hand anti lockout / kickoff	Matt Black

Exit Door Latch
Turnsnib


Outside: Turnsnib locks handle.
Inside: Always free handle.



Code	Description	Finish
MNC5203SC	Non-handed	Satin Chrome
MNC5203BLK	Non-handed	Matt Black
MNC5203LHSCK	Left hand anti lockout / kickoff	Satin Chrome
MNC5203LHBLKK	Left hand anti lockout / kickoff	Matt Black
MNC5203RHSCK	Right hand anti lockout / kickoff	Satin Chrome
MNC5203RHBLKK	Right hand anti lockout / kickoff	Matt Black

Class Room Lock
Single Cylinder


Outside: Key locks/unlocks handle.
Inside: Always free handle
Non-handed.



Code	Finish
MNC5201SC	Satin Chrome
MNC5201BLK	Matt Black

Exterior or Exit Door Lock
Double Cylinder


Outside: Key locks/unlocks handle, key retracts latch.
Inside: Always free handle
Non-handed.



Code	Finish
MNC5202SC	Satin Chrome
MNC5202BLK	Matt Black

Storeroom Lock
Single Cylinder


Outside: Rigid handle, key retracts latch.
Inside: Always free handle
Non-handed.



Code	Finish
MNC5204SC	Satin Chrome
MNC5204BLK	Matt Black

Office Lock
Cylinder & Turnsnib

Outside: Key or turnsnib locks/unlocks handle.
Inside: Always free handle.




Code	Description	Finish
MNC5205SC	Non-handed	Satin Chrome
MNC5205BLK	Non-handed	Matt Black
MNC5205LHSCK	Left hand anti lockout / kickoff	Satin Chrome
MNC5205LHBLKK	Left hand anti lockout / kickoff	Matt Black
MNC5205RHSCK	Right hand anti lockout / kickoff	Satin Chrome
MNC5205RHBLKK	Right hand anti lockout / kickoff	Matt Black

5000 SERIES MORTICE LOCK
AVAILABLE FUNCTIONS

Vestibule Functions (inside handle always free)

Exit Door Lock
Single Cylinder


Outside: Inside cylinder locks/ unlocks handle.
Inside: Handle retracts latchbolt
Non-handed..



Code	Finish
MNC5206SC	Satin Chrome
MNC5206BLK	Matt Black

Exit Door Latch
No Cylinder or Turnsnib


Outside: No outside handle.
Inside: Handle retracts latchbolt
Non-handed..



Code	Finish
MNC5207SC	Satin Chrome
MNC5207BLK	Matt Black

Special Classroom Lock
Cylinder & Turnsnib


Outside: Key or turnsnib locks and unlocks handle. Key also retracts latch.
Inside: Always free handle.



Code	Description	Finish
MNC5208PWDLHSC	Left hand	Satin Chrome
MNC5208PWDLHBLK	Left hand	Matt Black
MNC5208PWDRHSC	Right hand	Satin Chrome
MNC5208PWDRHBLK	Right hand	Matt Black

Privacy Lock
Turnsnib & Release

Outside: Locked with turn snib and unlocked with turn snib or emergency release.
Inside: Always free handle with optional kick-off function.




Code	Description	Finish
MNC5210SC	Non-handed	Satin Chrome
MNC5210BLK	Non-handed	Matt Black
MNC5210LHSCK	Left hand anti lockout / kickoff	Satin Chrome
MNC5210LHBLKK	Left hand anti lockout / kickoff	Matt Black
MNC5210RHSCK	Right hand anti lockout / kickoff	Satin Chrome
MNC5210RHBLKK	Right hand anti lockout / kickoff	Matt Black

Note: Product codes include cylinder + relevant cams and turn snib adaptors.
Order handles, escutcheons, and turn snibs separately.
Refer to pages 68 - 71 for code breakdown, door handing, cam, and adaptor info.

Combination Functions (inside handle locked when outside locked)

Entrance Door Lock
Single Cylinder


Outside: Key locks/unlocks both handles.
Inside: Key locks/unlocks both handles.
Non-handed.



Code	Finish
MNC5401SC	Satin Chrome
MNC5401BLK	Matt Black

Glass Door Lock
Double Cylinder


Outside: Key locks/unlocks both handles.
Inside: Key locks/unlocks both handles.
Non-handed.



Code	Finish
MNC5402SC	Satin Chrome
MNC5402BLK	Matt Black

Patio Door Lock
Turnsnib


Outside: Turnsnib locks/unlocks both handles.
Inside: Turnsnib locks/unlocks both handles.



Code	Description	Finish
MNC5403LHSCK	Left hand anti lockout	Satin Chrome
MNC5403LHBLKK	Left hand anti lockout	Matt Black
MNC5403RHSCK	Right hand anti lockout	Satin Chrome
MNC5403RHBLKK	Right hand anti lockout	Matt Black

Combination Entrance Lock
Cylinder & Turnsnib


Outside: Key or turnsnib locks/unlocks both handles.
Inside: Key or turnsnib locks/unlocks both handles.



Code	Description	Finish
MNC5400SC		Satin Chrome
MNC5400BLK		Matt Black
MNC5400LHSCK	Left hand anti lockout	Satin Chrome
MNC5400LHBLKK	Left hand anti lockout	Matt Black
MNC5400RHSCK	Right hand anti lockout	Satin Chrome
MNC5400RHBLKK	Right hand anti lockout	Matt Black

Entrance Office Lock
Cylinder & Turnsnib


Outside: Key retracts latch, turnsnib locks/unlocks both handles.
Inside: Turnsnib locks/unlocks both handles.



Code	Description	Finish
MNC5405SC	Non-handed	Satin Chrome
MNC5405BLK	Non-handed	Matt Black

Passage Latch
Non-locking

Outside: Always free handle.
Inside: Always free handle.




Code	Finish
MNC5409SC	Satin Chrome
MNC5409BLK	Matt Black

5000 SERIES MORTICE LOCK
AVAILABLE FUNCTIONS

Combination Functions (inside handle always locked when outside locked)

Privacy Lock
Turnsnib & Release


Outside: Turnsnib locks/unlocks both handles.
Inside: Turnsnib locks/unlocks both handles with anti-lockout option function.



Code	Description	Finish
MNC5410SC		Satin Chrome
MNC5410BLK		Matt Black
MNC5410LHSCK	Left hand anti lockout	Satin Chrome
MNC5410LHBLKK	Left hand anti lockout	Matt Black
MNC5410RHSCK	Right hand anti lockout	Satin Chrome
MNC5410RHBLKK	Right hand anti lockout	Matt Black

Courtroom Lock
Double Cylinder


Outside: Key locks/unlocks both handles and retracts latch.
Inside: Inside key locks/unlocks both handles and retracts latch.



Code	Finish
MNC5428SC	Satin Chrome
MNC5428BLK	Matt Black

Glass Door Lock
Double Cylinder

Outside: Key retracts latch.
Inside: Inside key locks/unlocks both handles.



Code	Finish
MNC5422SC	Satin Chrome
MNC5422BLK	Matt Black

Note: Product codes include cylinder + relevant cams and turn snib adaptors.
Order handles, escutcheons, and turn snibs separately.
Refer to pages 68 - 71 for code breakdown, door handing, cam, and adaptor info.

5409 MORTICE PASSAGE LATCH
PRODUCT INFORMATION

1. Strike Plate

Special heavy duty powder coat. Increases resistance to scarring on black finish.

2. Commercial Latch

Fire rated stainless steel latch mechanism. Reversible for in and outward opening direction.

3. Faceplate

Stainless steel faceplate. 25mm width suits industry standard installer jigs.

4. Passage Function

Locking bar components removed to save cost on doors that do not require locking.

5. 33° Handle Rotation

Unique design allows full latch retraction at minimal 33 degree handle rotation. Brass bush with stainless hub. Suits 8mm spindle for universal door furniture compatibility.

6. Lock Case

5000 locks have been engineered for strength, precision, and durability using the highest quality components inside a high purity zinc alloy pressure cast lock body.



25 YEAR MECHANICAL WARRANTY

FIRE RATED*

96 HOURS SALT SPRAY

HIGH DURABILITY

600K CYCLES

MULTI-FUNCTION


*Check website for details

Available Finishes

Stainless Steel

Matt Black





Product Details

Features:

- Sprindle supplied suits doors up to 60mm thick
- For full range of accessories, see pages 98-103

Code	Description	Finish
MNC5409	Passage mortice	Stainless Steel
MNC5409BLK	Passage mortice	Matt Black
MNC5000RK	Rebate kit	Stainless Steel
MNC5000RK-BLK	Rebate kit	Matt Black

Accessories	Description	Finish
MNCSPINDLE45	Suits up to 90mm thick doors	-
MNC5000-03	Extended strike plate	Stainless Steel
MNC5000-03BLK	Extended strike plate	Matt Black

Testing	Duration	Pass / Fail
Cycles Tested	600,000 cycles	PASS
Salt Spray Test	96 hours	PASS
Fire Rated	See website for details	PASS

5100 SERIES MORTICE DEADBOLT
PRODUCT INFORMATION

1. Keying

Standard oval brass cylinders and brass barrels. Inline C4 profile keyway. Compatible with restricted profiles.

2. Deadbolt

Stainless steel deadlock mechanism. Often used as secondary lock for extra strength security. Also suits commercial cupboards and double doors with additional rebated option.

3. Faceplate

Stainless steel faceplate. 25mm width suits industry standard installer jigs.

4. Multi-Function


Can be setup to suit a combination of key, turn-snib, and privacy configurations.

5. Rose Furniture

Through fixing option for turn-snibs and escutcheons. Unique MNC design increases durability.

6. Lock Case

5000 series locks have been engineered for strength, precision, and durability using the highest quality components inside a high purity zinc alloy pressure cast lock body.



25 YEAR MECHANICAL WARRANTY

96 HOURS SALT SPRAY

HIGH DURABILITY

250K CYCLES


MULTI-FUNCTION

Available Finishes

Stainless Steel

Matt Black





Product Details

Features:

- For full range of accessories and key barrels, see page 98-103
- Cylinder cams and turn adaptor supplied with lock

Code	Description	Finish
MNC5100	Primary lock body (includes turn snib adaptor & cylinder cams)	Stainless Steel
MNC5100-BLK	Primary lock body (includes turn snib adaptor & cylinder cams)	Matt Black
MNC5100RK	Rebate kit	Stainless Steel
MNC5100RK-BLK	Rebate kit	Matt Black

Accessories	Description	Finish
MNCR53CE	Oval cylinder escutcheon	Satin Chrome
MNCR53TS	Turn-snib	Satin Chrome
MNCR53iTSDA2	Lever turn-snib indicating	Satin Chrome
MNCR53ERIND2	Emergency release indicating	Satin Chrome
MNCR53CE-BLK	Oval cylinder escutcheon	Matt Black
MNCR53TS-BLK	Turn-snib	Matt Black
MNCR53iTSDA2-BLK	Lever turn-snib indicating	Matt Black
MNCR53ERIND2-BLK	Emergency release indicating	Matt Black


Testing	Duration	Pass / Fail
Cycles Tested	250,000 cycles	PASS
Salt Spray Test	96 hours	PASS

5100 SERIES MORTICE DEADBOLT
AVAILABLE FUNCTIONS

Deadbolt Functions

Glass Door Deadbolt
Double Cylinder

Outside: Key opens bolt.
Inside: Key opens bolt.
Non-handed.



Code	Finish
MNC5102SC	Satin Chrome
MNC5102BLK	Matt Black

Exit Deadbolt
Turnsnib


Outside: No outside operation.
Inside: Turnsnib opens bolt.
Non-handed.



Code	Finish
MNC5103SC	Satin Chrome
MNC5103BLK	Matt Black

Deadlock
Cylinder & Turnsnib


Outside: Key opens bolt.
Inside: Turnsnib opens bolt.
Non-handed.



Code	Finish
MNC5105SC	Satin Chrome
MNC5105BLK	Matt Black

Lockup Shop Deadlock
Single Cylinder

Outside: Key opens bolt.
Inside: No inside operation.
Non-handed.



Code	Finish
MNC5101SC	Satin Chrome
MNC5101BLK	Matt Black

Note: Product codes include cylinder + relevant cams and turn snib adaptors.
Order, escutcheons, and turn snibs separately.
Refer to pages 68 - 71 for code breakdown, door handing, cam, and adaptor info.

5300 SERIES MORTICE SLIDING DOOR DEADBOLT
PRODUCT INFORMATION

1. Keying

Standard oval brass cylinders and brass barrels. Inline C4 profile keyway. Compatible with restricted profiles.

2. Hook Deadbolt

Stainless steel deadlock mechanism. Provides commercial grade security on sliding doors.

3. Faceplate

Stainless steel faceplate. 25mm width suits industry standard installer jigs.

4. Multi-Function

Can be setup to suit a combination of key, turn-snib, and privacy configurations.

5. Rose Furniture

Through fixing option for turn-snibs and escutcheons. Unique MNC design increases durability.

6. Lock Case

5000 series locks have been engineered for strength, precision, and durability using the highest quality components inside a high purity zinc alloy pressure cast lock body.



25 YEAR MECHANICAL WARRANTY

96 HOURS SALT SPRAY

HIGH DURABILITY

250K CYCLES


MULTI-FUNCTION

Available Finishes

Stainless Steel

Matt Black





Product Details

Features:

- For full range of accessories and key barrels, see page 98-103
- Cylinder cams and turn adaptor supplied with lock

Code	Description	Finish
MNC5300	Primary lock body (includes turn snib adaptor & cylinder cams)	Stainless Steel
MNC5300-BLK	Primary lock body (includes turn snib adaptor & cylinder cams)	Matt Black

Accessories	Description	Finish
MNCR53CE	Oval cylinder escutcheon	Satin Chrome
MNCR53TS	Turn-snib	Satin Chrome
MNCR53iTSDA2	Lever turn-snib indicating	Satin Chrome
MNCR53ERIND2	Emergency release indicating	Satin Chrome
MNCR53CE-BLK	Oval cylinder escutcheon	Matt Black
MNCR53TS-BLK	Turn-snib	Matt Black
MNCR53iTSDA2-BLK	Lever turn-snib indicating	Matt Black
MNCR53ERIND2-BLK	Emergency release indicating	Matt Black


Testing	Duration	Pass / Fail
Cycles Tested	250,000 cycles	PASS
Salt Spray Test	96 hours	PASS

5300 SERIES MORTICE SLIDING DOOR DEADBOLT
AVAILABLE FUNCTIONS

Sliding Door Deadbolt Functions

Sliding Door Deadlock
Cylinder & Turnsnib


Outside: Key opens bolt.
Inside: Turnsnib opens bolt.
Non-handed.



Code	Finish
MNC5305SC	Satin Chrome
MNC5305BLK	Matt Black

Lock Up Shop Sliding Deadlock
Single Cylinder


Outside: Key opens bolt.
Inside: No inside operation.
Non-handed.



Code	Finish
MNC5301SC	Satin Chrome
MNC5301BLK	Matt Black

Sliding Glass Door
Double Cylinder


Outside: Key opens bolt.
Inside: Key opens bolt.
Non-handed.



Code	Finish
MNC5302SC	Satin Chrome
MNC5302BLK	Matt Black

Exit Sliding Door
Turnsnib

Outside: No outside operation.
Inside: Turnsnib opens bolt.
Non-handed.



Code	Finish
MNC5303SC	Satin Chrome
MNC5303BLK	Matt Black

Note: Product codes include cylinder + relevant cams and turn snib adaptors.
Order, escutcheons, and turn snibs separately.
Refer to pages 68 - 71 for code breakdown, door handing, cam, and adaptor info.

MNC NARROW STYLE MORTICE LOCKS

10 YEAR MECHANICAL WARRANTY

Product	Description	Page
MNC2200	2200 series mortice lock	54
MNC2100	2100 series mortice deadbolt	60
MNC2300	2300 series mortice hook bolt	64



2200 SERIES MORTICE LOCK
PRODUCT INFORMATION



1. Keying

Standard oval brass cylinders and brass barrels. Inline C4 profile keyway. Compatible with restricted profiles.

2. Latch

Stainless steel latch mechanism. Stainless auxiliary deadlatch pin for anti-jemmy door security. Special design Reversible handing.

3. Faceplate

Stainless steel faceplate. 25mm width suits industry standard installer jigs.

4. Multi-Function

Handing piece for setting up multi-functions including free egress, privacy, passage, double key or key and turn options.

5. 33° Handle Rotation

Unique design allows full latch retraction at minimal 33 degree handle rotation. Brass bush with stainless hub. Suits 8mm spindle for universal door furniture compatibility.

6. Lock Case

Available in three different backsets, the 2200 narrow style locks have stainless components inside a high quality pressure zinc die-cast body. Additional features engineered into the lock case increase strength when lock comes under duress.

7. Auxillary Latch

Special design allows deadlatching to engage with door gap of up to 7.6mm. Important on aluminium doors that can have larger gaps.

10 YEAR MECHANICAL WARRANTY

96 HOURS SALT SPRAY

HIGH DURABILITY

300K CYCLES

MULTI-FUNCTION


Available Finishes

Stainless Steel


Matt Black




MNC2200



MNC2200E



MNC2200EE



Product Details

23mm Backset

- Does not include key barrel or turn adaptor
- Includes long and short faceplates

Code	Finish
MNC2200	Stainless Steel
MNC2200-BLK	Matt Black

28mm Backset

- Does not include key barrel or turn adaptor
- Includes long and short faceplates

Code	Finish
MNC2200E	Stainless Steel
MNC2200E-BLK	Matt Black

38mm Backset

- Does not include key barrel or turn adaptor
- Includes long faceplate only

Code	Finish
MNC2200EE	Stainless Steel
MNC2200EE-BLK	Matt Black

Accessories (page 98-103)	Description	Finish
MNCAD5200-01	Turn-snib adaptor	Stainless Steel
MNC2200RKL	Rebate kit left hand	Stainless Steel
MNC2200RKR	Rebate kit right hand	Stainless Steel
MNC5000-03	Extended strike plate	Stainless Steel
MNC5000-03BLK	Extended strike plate	Matt Black


Testing	Duration	Pass / Fail
Cycles Tested	300,000 cycles	PASS
Salt Spray Test	96 hours	PASS

2200 SERIES MORTICE LOCK
AVAILABLE FUNCTIONS

Vestibule Functions (inside handle always free)

Class Room Lock
Single Cylinder


Outside: Key locks/unlocks handle.
Inside: Always free handle.



Code Prefix	Description
MNC2201...	Narrow style - 23mm backset
MNCE2201...	Narrow style - 28mm backset
MNCEE2201...	Narrow style - 38mm backset

Exterior or Exit Door Lock
Double Cylinder


Outside: Key retracts latch.
Inside: Key locks/unlocks outside handle.



Code Prefix	Description
MNC2202...	Narrow style - 23mm backset
MNCE2202...	Narrow style - 28mm backset
MNCEE2202...	Narrow style - 38mm backset

Exit Door Latch
Turnsnib


Outside: Turnsnib locks handle.
Inside: Always free handle.



Code Prefix	Description
MNC2203...	Narrow style - 23mm backset
MNCE2203...	Narrow style - 28mm backset
MNCEE2203...	Narrow style - 38mm backset

Storeroom Lock
Single Cylinder


Outside: Rigid handle, key retracts latch
Inside: Always free handle



Code Prefix	Description
MNC2204...	Narrow style - 23mm backset
MNCE2204...	Narrow style - 28mm backset
MNCEE2204...	Narrow style - 38mm backset

Office Lock
Cylinder & Turnsnib

Outside: Key or turnsnib locks/ unlocks handle
Inside: Always free handle



Code Prefix	Description
MNC2205...	Narrow style - 23mm backset
MNCE2205...	Narrow style - 28mm backset
MNCEE2205...	Narrow style - 38mm backset


Note: Product codes include cylinder + relevant cams and turn snib adaptors.
Order handles, escutcheons, and turn snibs separately.
Refer to pages 68 - 71 for code breakdown, door handing, cam, and adaptor info.

Vestibule Functions (inside handle always free)

Exit Door Lock

Single Cylinder

Outside: Inside cylinder locks/ unlocks handle.
Inside: Always free handle.




Code Prefix	Description
MNC2206...	Narrow style - 23mm backset
MNCE2206...	Narrow style - 28mm backset
MNCEE2206...	Narrow style - 38mm backset

Exit Door Latch

No Cylinder or Turnsnib

Outside: No outside handle.
Inside: Always free handle.




Code Prefix	Description
MNC2207...	Narrow style - 23mm backset
MNCE2207...	Narrow style - 28mm backset
MNCEE2207...	Narrow style - 38mm backset

2200 SERIES MORTICE LOCK
AVAILABLE FUNCTIONS

Combination Functions (inside handle locked when outside locked)

Combination Entrance Lock
Cylinder & Turnsnib


Outside: Key or turnsnib locks/ unlocks both handles.
Inside: Key or turnsnib locks/ unlocks both handles.



Code Prefix	Description
MNC2400...	Narrow style - 23mm backset
MNCE2400...	Narrow style - 28mm backset
MNCEE2400...	Narrow style - 38mm backset

Entrance Door Lock
Single Cylinder


Outside: Key locks/unlocks both handles.
Inside: Key locks/unlocks both handles.



Code Prefix	Description
MNC2401...	Narrow style - 23mm backset
MNCE2401...	Narrow style - 28mm backset
MNCEE2401...	Narrow style - 38mm backset

Glass Door Lock
Double Cylinder


Outside: Key locks/unlocks both handles.
Inside: Key locks/unlocks both handles.



Code Prefix	Description
MNC2402...	Narrow style - 23mm backset
MNCE2402...	Narrow style - 28mm backset
MNCEE2402...	Narrow style - 38mm backset

Patio Door Lock
Turnsnib


Outside: Turnsnib locks/unlocks both handles.
Inside: Turnsnib locks/unlocks both handles.



Code Prefix	Description
MNC2403...	Narrow style - 23mm backset
MNCE2403...	Narrow style - 28mm backset
MNCEE2403...	Narrow style - 38mm backset

Entrance Office Lock
Cylinder & Turnsnib


Outside: Key retracts latch, turnsnib locks/unlocks both handles.
Inside: Turnsnib locks/unlocks both handles.



Code Prefix	Description
MNC2405...	Narrow style - 23mm backset
MNCE2405...	Narrow style - 28mm backset
MNCEE2405...	Narrow style - 38mm backset

Passage Latch
Non-locking

Outside: Always free handle.
Inside: Always free handle.




Code Prefix	Description
MNC2409...	Narrow style - 23mm backset
MNCE2409...	Narrow style - 28mm backset
MNCEE2409...	Narrow style - 38mm backset

Note: Product codes include cylinder + relevant cams and turn snib adaptors.
Order handles, escutcheons, and turn snibs separately.
Refer to pages 68 - 71 for code breakdown, door handing, cam, and adaptor info.

Combination Functions (inside handle locked when outside locked)

Privacy Lock
Turnsnib & Release


Outside: Turnsnib locks/unlocks both handles.
Inside: Turnsnib locks/unlocks both handles.



Code Prefix	Description
MNC2410...	Narrow style - 23mm backset
MNCE2410...	Narrow style - 28mm backset
MNCEE2410...	Narrow style - 38mm backset

Glass Door Lock
Double Cylinder

Outside: Key retracts latch.
Inside: Inside key locks/unlocks both handles.



Code Prefix	Description
MNC2422...	Narrow style - 23mm backset
MNCE2422...	Narrow style - 28mm backset
MNCEE2422...	Narrow style - 38mm backset

2100 SERIES MORTICE DEADBOLT
PRODUCT INFORMATION

1. Keying

Standard oval brass cylinders and brass barrels. Inline C4 profile keyway. Compatible with restricted profiles.

2. Bolt

Stainless bolt available in two different lengths

3. Mechanism

Utilises gear drive with proven rabbit ear cylinder cam.

4. Multi-Function


Lock can be ordered with key and or turnsnib configurations.

5. Strike Plate

Stainless steel strike plate.

6. Faceplate

Lock comes supplied with long stainless or short aluminium faceplate options to suit variety of joinery.



10 YEAR MECHANICAL WARRANTY

96 HOURS SALT SPRAY

HIGH DURABILITY


600K CYCLES

MULTI-FUNCTION

Available Throws



MNC2100S (Short Throw) **MNC2100L** (Long Throw)



Product Details

Short Throw

Code	Description	Finish
MNC2100S	Short Throw (lock only)	Stainless Steel
MNC2105SCS	Short throw + Cylinder & Turn	Stainless Steel
MNC2102SCS	Short throw + Cylinder & Cylinder	Stainless Steel

Long Throw

Code	Description	Finish
MNC2100L	Long Throw (lock only)	Stainless Steel
MNC2105SCL	Long Throw + Cylinder & Turn	Stainless Steel
MNC2102SCL	Long Throw + Cylinder & Cylinder	Stainless Steel


Accessories (page 98-103)	Description	Finish
MNC590CT	Oval cylinder turn snib	Satin Chrome
MNC590CLT	Large oval cylinder turn snib	Satin Chrome

2100 SERIES MORTICE DEADBOLT
AVAILABLE FUNCTIONS

Deadbolt Functions

Glass Door Deadbolt
Double Cylinder

Outside: Key opens bolt.
Inside: Key opens bolt.



Code	Description	Finish
MNC2102SCS	Short throw	Satin Chrome
MNC2102SCL	Long throw	Matt Black

Exit Deadbolt
Turnsnib


Outside: No outside operation.
Inside: Turnsnib opens bolt.



Code	Description	Finish
MNC2103SCS	Short throw	Satin Chrome
MNC2103SCL	Long throw	Matt Black

Deadlock
Cylinder & Turnsnib


Outside: Key opens bolt.
Inside: Turnsnib opens bolt.
Available in left and right handing



Code	Description	Finish
MNC2105SCS	Short throw	Satin Chrome
MNC2105SCL	Long throw	Matt Black

Lockup Shop Deadlock
Single Cylinder

Outside: Key opens bolt.
Inside: No inside operation.



Code	Description	Finish
MNC2101SCS	Short throw	Satin Chrome
MNC2101SCL	Long throw	Matt Black

2300 SERIES MORTICE HOOK BOLT
PRODUCT INFORMATION

1. Keying

Standard oval brass cylinders and brass barrels. Inline C4 profile keyway. Compatible with restricted profiles.

2. Bolt

Stainless steel hook bolt.

3. Mechanism

Utilizes gear drive with proven rabbit ear cylinder cam.

4. Multi-Function

Lock can be ordered with key and or turnsnib configurations.

5. Strike Plate

Brass sprung self latching strike box. Comes with short and long faceplates and multiple packers to suit various joinery.

6. Faceplate

Lock comes supplied with long stainless or short aluminium faceplate options to suit variety of joinery.



10 YEAR MECHANICAL WARRANTY

96 HOURS SALT SPRAY

HIGH DURABILITY


600K CYCLES

MULTI-FUNCTION

Available Finishes

Stainless Steel





Product Details

Code	Description	Finish
MNC2300	Hook bolt (lock body only)	Stainless Steel
MNC2305SC	Hook bolt + Cylinder & Turn	Stainless Steel
MNC2302SC	Hook bolt + Cylinder & Cylinder	Stainless Steel


Accessories (page 98-103)	Description	Finish
MNC590CT	Oval cylinder turn snib	Satin Chrome
MNC590CLT	Large oval cylinder turn snib	Satin Chrome

2300 SERIES MORTICE HOOK BOLT
AVAILABLE FUNCTIONS

Deadbolt Functions

Sliding Door Deadlock
Cylinder & Turnsnib


Outside: Key opens bolt.
Inside: Turnsnib opens bolt.



Code	Description	Finish
MNC2305SC	22mm backset	Satin Chrome

Lock Up Shop Sliding Deadlock
Single Cylinder


Outside: Key opens bolt.
Inside: No inside operation.



Code	Description	Finish
MNC2301SC	22mm backset	Satin Chrome

Sliding Glass Door
Double Cylinder


Outside: Key opens bolt.
Inside: Key opens bolt.



Code	Description	Finish
MNC2302SC	22mm backset	Satin Chrome

Exit Sliding Door
Turnsnib

Outside: No outside operation.
Inside: Turnsnib opens bolt.



Code	Description	Finish
MNC2303SC	22mm backset	Satin Chrome

HOW TO READ MORTICE LOCK FUNCTIONS

How to Specify

1 ••• Nominate the correct backset as required – (e.g. 5 = 60mm Backset).

2 ••• Select the correct lock function – (e.g. 2 = Vestibule).

3 ••• Select sub function – Select the correct locking requirements (e.g. 00 = Cylinder & Turnsnib).

4 ••• Specify handing of lock – This is to determine the hand of the lock (e.g. RH = Right Hand).

Only required on locks with handed turn-adaptors.

5 ••• Specify finish – (e.g. SC = Satin Chrome).

6 ••• Options – To select additional options such as: H = Hold Back, K = Kick Off.

L = Long throw


S = Short throw


Door Handing

In New Zealand doors are handed in accordance with British practice and the direction of opening is always viewed from the OUTSIDE. The closing face of the door is the one closing against the stop bead. Which side of the door is the outside?

- The outside of an exterior door is the street side or entry side
- The outside of a room door is the corridor side
- The outside of a cupboard or closet door is the room, corridor or hall side
- The outside of a single communicating door is the side from which the butt hinges are invisible when the door is closed.
- The outside of double communicating doors is the space between the two doors.

A Right Hand Sliding Door is one which closes to the right and has the lock on the right hand edge, viewed always from the outside.
Patio or Privacy locks are used on either patio or toilet doors. Operation to lock or unlock handles are either turnsnibs or outside emergency release.





Example:

MNC5200LHSCK

Vestibule 60mm Exit Latch left hand anti lockout

Backset

MNC5000 Series	**60mm**	**=**	**5**
MNC2000 Series	23mm	=	2
MNC2000 Series	28mm	=	E2
MNC2000 Series	38mm	=	EE2

5

Function

Nightlatch		=	0
Deadlock		=	1
Vestibule	Inside always free	**=**	**2**
Sliding Door		=	3
Combination	Outside = Inside	=	4

2

Sub Function

Outside	Inside		
Cylinder	**Turnsnib**	**=**	**00**
Cylinder	-	=	01
Cylinder	Cylinder	=	02
-	Turnsnib	=	03
Fixed Lever Cylinder	-	=	04
Cylinder	Turnsnib	=	05
-	Cylinder	=	06
Blank	Lever	=	07
Cylinder	Blank	=	08
Blank	Blank		09
Emergency Snib	Turnsnib	=	10
Cylinder	Cylinder	=	22
Cylinder	Cylinder	=	28

00

Handing

Left Hand	**=**	**LH**
Right Hand	=	RH

LH

Standard Finish

Satin Chrome	**=**	**SC**
Matt Black	=	BLK

SC

Options

Hold Back	=	H
Kick off (Anti Lockout)	**=**	**K**
Long Throw Bolt	=	L
Short Throw Bolt	=	S

Kick off only available with MNC5200 & MNC5400 series mortice locks.

Long and Short Throw bolts only available with MNC2100 series mortice locks.

K


MNC CAM & SNIB MATRIX

Note: The 2000 series Deadlatches use the same Cams and Adaptors as this chart. The 2100 and 2300 Deadbolts use rabbit ears Cams which are supplied with the lock.

KEY

- • Required
- Select L/H or R/H
- • Optional
- * Fit Cam upside down

	5000		5001		5002		5003		5100		5101		5102		5103		5200		5201		5202		5203		5204	
	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN
CAMS																										
MNCK2CAM																										
MNCW2CAM									•																	
MNCX2CAM	•		•		•	•											•				•				•	
MNCY2CAM											•		•	•												
MNCZ2CAM																			•			•				
MNCXZCAM																										
SNIB Adaptors																										
MNCAD5000-01LH Special Classroom																										
MNCAD5000-01RH Special Classroom																										
MNCAD5100-01 Deadbolt										•						•										
MNCAD5200-01 Standard																		•						•		
MNCAD5200-02RH Anti-lockout Kickoff																		◦						◦		
MNCAD5200-02LH Anti-lockout Kickoff																		◦						◦		
MNCAD5000-01A Nightlatch		•						•																		


SNIB Adaptors
CAMS
OUT
IN
5205
5206
5207
5208-pwd
5210
5300
5301
5302
5303
5400
5401
5402
5403
5405
5409
5410
5422



MNC DOOR FURNITURE
LEVERS, ROSE HANDLES & ACCESSORIES

10 YEAR MECHANICAL WARRANTY

Product	Page
Wide Style 87 Lever	74
Wide Style 90 Lever	76
Narrow Style 87 Lever	78
Narrow Style 90 Lever	80
Rose Handle & Accessories	82
Plates & Pull Handles	86
Square Plate Handles	88





MNC WIDE STYLE LEVERS
87 LEVER

10 YEAR MECHANICAL WARRANTY

SOLID BRASS

External Plain

- External
- Disability compliant
- Plain
- Solid Brass





Code	Finish
MNC155/87	Satin Chrome
MNC155/87BLK	Matt Black

Internal Plain

- Internal
- Disability compliant
- Plain
- Solid Brass





Code	Finish
MNC156/87	Satin Chrome
MNC156/87BLK	Matt Black

Indicator & Emergency Release

- External
- Disability compliant
- Indicator & emergency release
- Solid Brass





Code	Finish
MNC153i/87	Satin Chrome
MNC153i/87BLK	Matt Black

Large Turn Indicating / Non-Handed

- Internal
- Disability compliant
- Large turn indicating / non-handed
- Solid Brass





Code	Finish
MNC154iCLT/87	Satin Chrome
MNC154iCLT/87BLK	Matt Black

Quick Handing Change Design



Door Handle Specifications:

Base

Length:	175mm
Width:	48mm
Depth:	11.5mm
Screwfix CTC:	158mm
Screw:	M4 x 80mm
Spindle:	7.6mm
Material:	Brass
Warranty:	10 years

External Cylinder Hole

- External
- Disability compliant
- Cylinder hole
- Solid Brass





Code	Finish
MNC151/87	Satin Chrome
MNC151/87BLK	Matt Black

Internal Cylinder Hole

- Internal
- Disability compliant
- Cylinder hole
- Solid Brass





Code	Finish
MNC152/87	Satin Chrome
MNC152/87BLK	Matt Black

Internal Turn Snib

- Internal
- Disability compliant
- Turn snib
- Solid Brass





Code	Finish
MNC154/87	Satin Chrome
MNC154/87BLK	Matt Black

MNC WIDE STYLE LEVERS
90 LEVER

10 YEAR MECHANICAL WARRANTY

SOLID BRASS

External Plain

- External
- Disability compliant
- Plain
- Solid Brass





Code	Finish
MNC155/90	Satin Chrome
MNC155/90BLK	Matt Black

Indicator & Emergency Release

- External
- Disability compliant
- Indicator & emergency release
- Solid Brass





Code	Finish
MNC153i/90	Satin Chrome
MNC153i/90BLK	Matt Black

Internal Plain

- Internal
- Disability compliant
- Plain
- Solid Brass





Code	Finish
MNC156/90	Satin Chrome
MNC156/90BLK	Matt Black

Large Turn Indicating / Non-Handed

- Internal
- Disability compliant
- Large turn indicating / non-handed
- Solid Brass





Code	Finish
MNC154iCLT/90	Satin Chrome
MNC154iCLT/90BLK	Matt Black

Quick Handing Change Design



Door Handle Specifications:

Base

Length:	175mm
Width:	48mm
Depth:	11.5mm
Screwfix CTC:	158mm
Screw:	M4 x 80mm
Spindle:	7.6mm
Material:	Brass
Warranty:	10 years

External Cylinder Hole

- External
- Disability compliant
- Cylinder hole
- Solid Brass





Code	Finish
MNC151/90	Satin Chrome
MNC151/90BLK	Matt Black

Internal Cylinder Hole

- Internal
- Disability compliant
- Cylinder hole
- Solid Brass





Code	Finish
MNC152/90	Satin Chrome
MNC152/90BLK	Matt Black

Internal Turn Snib

- Internal
- Disability compliant
- Turn snib
- Solid Brass





Code	Finish
MNC154/90	Satin Chrome
MNC154/90BLK	Matt Black

MNC NARROW STYLE LEVERS
87 LEVER

10 YEAR MECHANICAL WARRANTY

SOLID BRASS

External Plain

- External
- Plain
- Solid Brass





Code	Finish
MNC155N/87	Satin Chrome
MNC155N/87BLK	Matt Black

Internal Plain

- Internal
- Plain
- Solid Brass





Code	Finish
MNC156N/87	Satin Chrome
MNC156N/87BLK	Matt Black

External Cylinder Hole

- External
- Cylinder Hole
- Solid Brass





Code	Finish
MNC151N/87	Satin Chrome
MNC151N/87BLK	Matt Black

Internal Cylinder Hole

- Internal
- Cylinder Hole
- Solid Brass





Code	Finish
MNC152N/87	Satin Chrome
MNC152N/87BLK	Matt Black

Quick Handing Change Design

Door Handle Specifications:

Base

Length:	185mm
Width:	26mm
Depth:	12.5mm
Screwfix CTC:	159mm
Screw:	M4 x 80mm
Spindle:	7.6mm
Material:	Brass
Warranty:	10 years



Internal Turn Snib

- Internal
- Turn Snib
- Solid Brass





Code	Finish
MNC154N/87	Satin Chrome
MNC154N/87BLK	Matt Black

Indicator & Emergency Release

- External
- Indicator and emergency release
- Solid Brass



Code	Finish
MNC153iN/87	Satin Chrome

Large Turn Indicating / Non-Handed

- External
- Indicator and emergency release
- Solid Brass



Code	Finish
MNC154iCLTN/87	Satin Chrome

MNC NARROW STYLE LEVERS
90 LEVER

10 YEAR MECHANICAL WARRANTY

SOLID BRASS

External Plain

- External
- Plain
- Solid Brass





Code	Finish
MNC155N/90	Satin Chrome
MNC155N/90BLK	Matt Black

Internal Plain

- Internal
- Plain
- Solid Brass





Code	Finish
MNC156N/90	Satin Chrome
MNC156N/90BLK	Matt Black

External Cylinder Hole

- External
- Cylinder Hole
- Solid Brass





Code	Finish
MNC151N/90	Satin Chrome
MNC151N/90BLK	Matt Black

Internal Cylinder Hole

- Internal
- Cylinder Hole
- Solid Brass





Code	Finish
MNC152N/90	Satin Chrome
MNC152N/90BLK	Matt Black

Quick Handing Change Design

Door Handle Specifications:

Base

Length:	185mm
Width:	26mm
Depth:	12.5mm
Screwfix CTC:	159mm
Screw:	M4 x 80mm
Spindle:	7.6mm
Material:	Brass
Warranty:	10 years



Internal Turn Snib

- Internal
- Turn Snib
- Solid Brass





Code	Finish
MNC154N/90	Satin Chrome
MNC154N/90BLK	Matt Black

Indicator & Emergency Release

- External
- Indicator and emergency release
- Solid Brass



Code	Finish
MNC153iN/90	Satin Chrome

Large Turn Indicating / Non-Handed

- External
- Indicator and emergency release
- Solid Brass



Code	Finish
MNC154iCLTN/90	Satin Chrome

MNC ROSE HANDLES & ACCESSORIES

10 YEAR MECHANICAL WARRANTY

MNC Round Rose 87 lever

- Accessible compliant lever
- 53mm screw on rose with 41mm CTC horizontal fixings
- Solid brass lever



Code	Description	Finish
MNCR53/87	Leverset - Solid Brass	Satin Chrome
MNCR53/87BLK	Leverset - Solid Brass	Matt Black

MNC Round Rose Oval Cylinder Escutcheon

- 53mm screw on rose cap
- Can be through fixed with MNCR53TS turn snib for durability and security
- Use with MNC5000 series mortice locks



Code	Finish
MNCR53CE	Satin Chrome
MNCR53CE-BLK	Matt Black

MNC Round Rose Large Turn Snib (Indicating)

- Non-handed
- Can be through fixed with emergency release and escutcheon options for durability
- Use with MNC5000 mortice lock
- For 5100 + 5300 locks use MNCR53iTSDA2 on page 84



Code	Finish
MNCR53iTSDA	Satin Chrome
MNCR53iTSDA-BLK	Matt Black

MNC Round Rose Emergency Release (Non-Indicating)

- 53mm screw on rose cap
- Can be through fixed with MNCR53TS or TSDA
- Use with MNC5000 mortice lock



Code	Finish
MNCR53ER	Satin Chrome
MNCR53ER-BLK	Matt Black

MNC Round Rose 90 lever

- Accessible compliant lever
- 53mm screw on rose with 41mm CTC horizontal fixings
- Solid brass lever



Code	Description	Finish
MNCR53/90	Leverset - Solid Brass	Satin Chrome
MNCR53/90BLK	Leverset - Solid Brass	Matt Black

MNC Round Rose Turn Snib (Non-Indicating

- 53mm screw on rose cap
- Can be through fixed with emergency release and escutcheon options for durability
- Use with MNC5000 mortice lock



Code	Finish
MNCR53TS	Satin Chrome
MNCR53TS-BLK	Matt Black

MNC Round Rose Emergency Release (Indicating)

- 53mm screw on rose cap
- Can be through fixed with MNCR53TS or TSDA
- Use with MNC5000 mortice lock
- For 5100 + 5300 locks use MNCR53ERIND2 on page 84



Code	Finish
MNCR53ERIND	Satin Chrome
MNCR53ERIND-BLK	Matt Black

MNC Round Rose Blank

- Fixings included for back to back and face fixing
- For through fixing use with MNCR53CE
- Use with MNC5000 series mortice locks



Code	Description	Finish
MNCR53B	Internal	Satin Chrome
MNCR53B2	External	Satin Chrome

MNC ROSE HANDLES & ACCESSORIES

10 YEAR MECHANICAL WARRANTY

Privacy Bolt Kit

- Large turn suits disability
- Indicating / non-handed
- 2mm thick flat spindle



Code	Finish
MNCR53TB-KIT	Satin Chrome
MNCR53TB-KIT-BLK	Matt Black

MNC Round Rose Emergency Release indicating

- Use with 5100, 5300 mortice deadbolts and tubular bolts
- Not for use with MNC5000



Code	Finish
MNCR53ERIND2	Satin Chrome
MNCR53ERIND2-BLK	Matt Black

MNC Round Rose Large Turn Indicating

- Use with 5100, 5300 mortice deadbolts and tubular bolts
- Not for use with MNC5000



Code	Finish
MNCR53iTSDA2	Satin Chrome
MNCR53iTSDA2-BLK	Matt Black

Privacy Bolt

- 6 x 2mm flat bar spindle
- 60mm Backset





Code	Finish
MNCR53TB	Satin Chrome
MNCR53TB-BLK	Matt Black

Tubular Latch 60mm Backset

- 7.6mm spindle
- 60mm backset
- Use with MNC round rose levers





Code	Finish
MNCR53TL	Satin Chrome
MNCR53TL-BLK	Matt Black

Tubular Latch 45mm Backset

- 7.6mm spindle
- 45mm backset
- Use with MNC round rose levers





Code	Finish
MNCR53TL45	Satin Chrome
MNCR53TL45-BLK	Matt Black

PLATES & PULL HANDLES

10 YEAR MECHANICAL WARRANTY

SOLID BRASS

Narrow Plate - Cylinder Hole

- External
- Cylinder hole
- Screwfix CTC: 159mm



Code	Finish
MNC101N	Satin Chrome

Narrow Plate - Cylinder Hole

- Internal
- Cylinder hole
- Screwfix CTC: 159mm



Code	Finish
MNC102N	Satin Chrome

Narrow Plate - Plain

- External
- No cylinder hole
- Screwfix CTC: 159mm



Code	Finish
MNC105N	Satin Chrome

Narrow Plate - Plain

- Internal
- No cylinder hole
- Screwfix CTC: 159mm



Code	Finish
MNC106N	Satin Chrome

Wide Plate Cylinder Hole

- External
- Cylinder Hole
- 158mm CTC fixings



Code	Finish
MNC101	Satin Chrome

Wide Plate Plain

- Internal
- Cylinder hole
- 158mm CTC fixings



Code	Finish
MNC102	Satin Chrome

Wide Plate Plain

- External
- No Cylinder Hole
- 158mm CTC fixings



Code	Finish
MNC105	Satin Chrome

Wide Plate Plain

- Internal
- No cylinder hole
- 158mm CTC fixings



Code	Finish
MNC106	Satin Chrome

Wide Plate Double Cylinder Hole



- External
- Double Cylinder Hole
- Use With MNC5000DC

Code	Finish
MNC101DC	Satin Chrome

Wide Plate Plain



- Internal
- Double cylinder hole
- 158mm CTC fixings

Code	Finish
MNC102DC	Satin Chrome

Pull Handle (no face plate)



- Through fixings 159mm centre to centre
- Reversible handing
- Suits wide and narrow style MNC plates

Code	Finish
MNC-PULL	Satin Chrome

Wide Plate Pull Handle Double Cylinder Hole



- Double cylinder hole
- Reversible handing

Code	Finish
MNC102DC-PULL	Satin Chrome

Narrow Plate Pull Handle Plain



- No cylinder hole
- Reversible handing

Code	Finish
MNC106N-PULL	Satin Chrome

Narrow Plate Pull Handle Cylinder Hole



- Cylinder hole
- Reversible handing

Code	Finish
MNC102N-PULL	Satin Chrome

Wide Plate Pull Handle Cylinder Hole



- Cylinder hole
- Reversible handing

Code	Finish
MNC102-PULL	Satin Chrome

Wide Long Plate Pull Handle Plain



- No cylinder hole
- Reversible handing

Code	Finish
MNC106-PULL	Satin Chrome

SQUARE PLATE HANDLES
96 LEVER

10 YEAR MECHANICAL WARRANTY

316 MARINE GRADE STAINLESS STEEL


Indent ordering range. Enquire for lead time

Square Plate Dimensions

Specifications:

Plate

Height:	160mm
Width:	160mm
Thickness:	2mm
Screwfix CTC:	138mm
Screw:	M5
Spindle:	7.6mm
Material:	316 Stainless Steel



151 Square Lever on Plate

- External
- Cylinder hole


Left hand


Right hand

Code	Handing	Finish
MNC151S/96L	Left	Stainless Steel
MNC151S/96R	Right	Stainless Steel

152 Square Lever on Plate

- Internal
- Cylinder hole


Left hand


Right hand

Code	Handing	Finish
MNC152S/96L	Left	Stainless Steel
MNC152S/96R	Right	Stainless Steel

153 Square Lever on Plate

- External
- Red / green indicator
- Emergency release



Left hand



Right hand

Code	Handing	Finish
MNC153iS/96L	Left	Stainless Steel
MNC153iS/96R	Right	Stainless Steel

154 Square Lever on Plate

- Internal
- Turn snib



Left hand



Right hand

Code	Handing	Finish
MNC154S/96L	Left	Stainless Steel
MNC154S/96R	Right	Stainless Steel

154i Square Lever on Plate

- Internal
- Large turn
- Red / green indicator



Left hand



Right hand

Code	Handing	Finish
MNC154iSCLT/96L	Left	Stainless Steel
MNC154iSCLT/96R	Right	Stainless Steel

SQUARE PLATE HANDLES
96 LEVER

10 YEAR MECHANICAL WARRANTY

316 MARINE GRADE STAINLESS STEEL

155 Square Lever on Plate

- External
- Plain



Left hand



Right hand

Code	Handing	Finish
MNC155S/96L	Left	Stainless Steel
MNC155S/96R	Right	Stainless Steel

156 Square Lever on Plate

- Internal
- Plain



Left hand



Right hand

Code	Handing	Finish
MNC156S/96L	Left	Stainless Steel
MNC156S/96R	Right	Stainless Steel

101 Square Pull on Plate

- Fixed pull handle
- External
- Cylinder hole



Left hand



Right hand

Code	Handing	Finish
MNC101S/PULLL	Left	Stainless Steel
MNC101S/PULLR	Right	Stainless Steel

102 Square Pull on Plate

- Fixed pull handle
- Internal
- Cylinder hole



Left hand



Right hand

Code	Handing	Finish
MNC102S/PULLL	Left	Stainless Steel
MNC102S/PULLR	Right	Stainless Steel

105 Square Pull on Plate

- Fixed pull handle
- External
- Plain



Code	Finish
MNC105S/PULL	Stainless Steel

106 Square Pull on Plate

- Fixed pull handle
- Internal
- Plain



Code	Finish
MNC106S/PULL	Stainless Steel

SPECIALTY SOLUTIONS

10 YEAR MECHANICAL WARRANTY

Dual Lock Egress Furniture

The Dual Lock Lever Handle Turn Snib has been designed and developed exclusively for single lever action to open dual lock doors, simultaneously with one action

This overcomes the existing problem of having to use a double handed action with dual locks to open a door.

Description

- Security upgrade for egress doors
- Single lever action retracts both locks on egress side
- Heavy duty stainless
- Suits using with wide style mortice latch and mortice bolt
- Heavy duty lever return spring
- Concealed fixing from outside
- Smooth lever handle operation
- Height: 389mm
- Width: 43mm

Applications

- Secure Rooms
- Commercial offices
- High security buildings
- Critical infrastructure
- Airports
- Universities and schools
- Hospitals
- Major Utilities



Left hand shown

Code	Description	Finish
MNC101L/PULLSS	External pull handle (reversible handing)	Stainless Steel
MNC154LCLT/96RHSS	Internal right hand large turn	Stainless Steel
MNC154LCLT/96LHSS	Internal left hand large turn	Stainless Steel
MNC151L/96SS	External lever (reversible handing)	Stainless Steel

Dual Function Bathroom Privacy Kit

MNC Special Key and Large Turn Indicating Privacy Lock – Secure, Accessible & Override-Ready

The **MNC Special Key Privacy Lock** is a purpose-built solution for controlling access to toilets and bathrooms, while retaining the standard privacy function users expect. This all-in-one unit is ideal for accessible and public-use environments, providing intuitive use, clear visual indication, and reliable emergency access.

It features a **large, easy-to-operate turn snib with anti-lockout and kick-off override**, making it compliant and practical for accessibility-focused installations. The integrated **MNC5000 mortice lock** (60mm backset) ensures solid performance and smooth operation.

A standout feature is the special key override system:

- When the indicator shows green (unoccupied), the key retracts the latch to open the door.
- When the indicator is red (occupied), the lock protects the user's privacy—but in an emergency, access can still be gained using the external emergency release. Once released, the key can then retract the latch.

Finished with red/green occupancy-indicating satin chrome MNC door furniture, this lockset combines safety, privacy, and accessibility in a sleek, durable package.

Features:

- Complete privacy lock for toilets and bathrooms
- **Large turn snib with anti-lockout and kick-off functionality**
- **Special key override: engages latch when indicator is green**
- **Emergency release allows access when indicator is red**
- MNC5000 mortice lock with 60mm backset
- Red/green indicator with satin chrome finish
- **Ideal for accessible bathrooms, commercial spaces, and public buildings**
- Can easily be set up for left and right handed doors.

FIRE RATED



Code	Description	Finish
MNCKITPRDASP	MNC special privacy lock	Satin Chrome





Knob on Long Plate

Built for Busy Environments

These knobsets have been purposely designed to handle the rigours of high-traffic areas. Constructed from commercial-grade components, including forged brass knobs and plates, they're made to last without compromising on performance or safety.

Description

- Back-to-back plate installation: If you go for a concealed fixing on the outside, the inside plate will need to be visible fix.
- Designed for thicker doors: External plates come with screws that suit doors up to 55mm thick.
- Satin Chrome finish is kept in stock—so no long wait times.

What's the Difference between the Two?

- MNC151/K works with our MNC5000 60mm backset mortice lock series
- MNC151N/K suits the MNC2000 mortice lock series and suits outwards doors only on a 23mm backset.



Code	Description	Finish
MNC151/K	Wide Style	Satin Chrome
MNC151N/K	Narrow Style	Satin Chrome

Dual Cylinder Mortice Lock

- Either cylinder will independently retract latch
- Allows multi key-profile access
- Comes with adaptor for internal handle
- Internal handle: Use with MNC156, MNC102DC (See page 10 & 23)
- External handle: Use with MNC101DC, MNC102DC/PULL (See page 23)

FIRE RATED



Code	Finish
MNC5000DC	Stainless Steel

Wide Face Plate Double Cylinder Hole

- External
- Double Cylinder Hole
- Use With MNC5000DC



Code	Finish
MNC101DC	Satin Chrome

Wide Face Plate Plain

- Internal
- Double cylinder hole
- 158mm CTC fixings



Code	Finish
MNC102DC	Satin Chrome

Wide Plate Pull Handle Double Cylinder Hole

- Double cylinder hole
- Reversible handing



Code	Finish
MNC102DC-PULL	Satin Chrome

60mm Backset Mortice Lock (No Hub Disc)

- Use with through spindle handle escutcheons
- 8mm Open spindle hub
- Lever retracts latch at 33º
- No locking bar
- 88mm Case depth
- Tested and approved for fire door assemblies

FIRE RATED



Code	Description	Finish
MNC5000ND	60mm backset - Lockbody only	Stainless Steel
MNC5000ND-BLK	60mm backset - Lockbody only	Matt Black

29mm Backset Special Short Case Depth

- Short case depth of 39mm gets handle escutcheon away from edge of door
- Suits digital & card access lock options including Miles Nelson & Salto
- No locking bar / open spindle hub
- Lever retracts latch at 33°
- Comes with long & short faceplate
- 8mm open hub to suit through spindle



Code	Description	Finish
MNC2200EP	29mm backset - Lockbody only	Stainless Steel
MNC2200EP-BLK	29mm backset - Lockbody only	Matt Black

salto



TIME SAVER

Save installation time on your **Salto retrofit** with the following MNC products that have been engineered specifically for the Salto retrofit.

- Use with 8mm through spindle
- No locking bar
- Lever retracts latch at 33 degree

PANIC EXIT DEVICES

10 YEAR MECHANICAL WARRANTY



Vertical Rod Extension

- For use with MNC5711 for fitting to an over height door
- Max Door height: 2400mm
- Dimensions: 1446mm x 26mm x 20mm



Code	Finish
MNC5711EXTSLV	Satin Chrome



Vertical Rod Touch Bar Panic Exit Device

- For external entry use with GT5711SCP / GT57LKSCP / 201RC6PSCP
- Suitable for door widths 730mm to 910mm
- Non-handed and reversible
- Slight pressure anywhere on the bar retracts the latch bolts
- Ansi A156.3 Grade 2
- Max door height: 2130mm (Use MNC5711EXTSLV for taller doors)
- Material: Pressed Steel
- Stile: 105mm Minimum
- Dogging: No
- Top latch with bottom rod tip

Code	Finish
MNC5711SLV	Satin Chrome

Rim Touch Bar Panic Exit Device

- For external entry use with GT5711SCP / GT57LKSCP / 201RC6PSCP
- For door widths 730mm to 910mm
- Non-handed and reversible
- Slight pressure anywhere on the bar retracts the latch bolts
- Ansi A156.3 Grade 2
- Material: Pressed Steel
- Stile: 105mm Minimum
- Dogging: No

Code	Finish
MNC5701SLV	Stainless Steel

Exterior Rim Cylinder 6 pin



- External
- Double Cylinder Hole
- Use With MNC5000DC

Code	Finish
201RC6PSCP	Satin Chrome
201RC6PSCPKA	Satin Chrome

Panic Exit Device Exterior Key Locking Lever



- Classroom function
- 77mm rose
- 70mm projection

Code	Finish
GT57LLSCP	Satin Chrome

Double Door Strike Plate



Code	Finish
GT57DDS	Satin Chrome



ACCESSORIES

10 YEAR MECHANICAL WARRANTY

Right Handed Kick Off Turn-snib Adaptor (Anti-lockout)

- Add MNCK2CAM if using with key barrel
- Right Hand Door
- Use with MNC5000 locks only



Code	Finish
MNCAD5200-02RH	Stainless Steel

Left Handed Kick Off Turn-snib Adaptor (Anti-lockout)

- Add MNCK2CAM if using with key barrel
- Left hand door
- Use with MNC5000 locks only



Code	Finish
MNCAD5200-02LH	Stainless Steel

Common Butterfly Turn-snib Adaptor

- Use with 5000 and 2200 series locks



Code	Finish
MNCAD5200-01	Stainless Steel

Deadlock Sliding Lock Turn-snib Adaptor

- Use with 5100 and 5300 locks
- Supplied with 5100 & 5300 locks



Code	Finish
MNCAD5100-01	Stainless Steel

Left Hand Special Classroom Turn-snib Adaptor

- Allows turn to unlock and retract latch
- Can sue with W2CAM fitted upside down to cylinder



Code	Finish
MNCAD5000-01LH1	Stainless Steel

Right Hand Special Classroom Turn-snib Adaptor

- Allows turn to unlock and retract latch
- Can sue with W2CAM fitted upside down to cylinder



Code	Finish
MNCAD5000-01RH	Stainless Steel

Nightlatch Adaptor

- Allows turn snib latch retraction



Code	Finish
MNCAD5000-01A	Stainless Steel

MNC Oval Cylinder W2 Cam

- Use with turn-snibs



Code	Finish
MNCW2CAM	Stainless Steel

MNC Oval Cylinder X2 Cam

- Use for latch retraction



Code	Finish
MNCX2CAM	Stainless Steel

MNC Oval Cylinder Y2 Cam

- Use with 5100 and 5300 deadbolts



Code	Finish
MNCY2CAM	Stainless Steel

MNC Oval Cylinder Z2 Cam

- Use to lock and unlock



Code	Finish
MNCZ2CAM	Stainless Steel

MNC XZ Cam (Pair)

- Use to unlock and retract latch



Code	Finish
MNCXZCAM	Stainless Steel

MNC Rabbit Ear Cam

- Use with 2100 and 2300 deadbolt



Code	Finish
MNCRECAM	Stainless Steel

MNC Oval Cylinder XZ3 Cam

- Supplied with 2200 for unlock and retract latch



Code	Finish
MNCXZ3CAM	Stainless Steel

MNC Oval Cylinder K2 Cam

- Use with kick off adaptors




Code	Finish
MNCK2CAM	Stainless Steel

CYLINDERS

C4 Oval Cylinder (34mm)

- Compatible with security profile
- Suits up to 53mm door





Z-Cam Oval Cylinders

Code	Description	Finish
MNC570	MNC satin chrome oval key barrel with 2 keys - 6 pin C4 profile with Z2 CAM	Satin Chrome
MNC570-BLK	MNC matt black oval key barrel with 2 keys - 6 pin C4 profile with Z2 CAM	Matt Black

Rabbit Ear Cam Oval Cylinders

Code	Description	Finish
MNC570RE	MNC satin chrome oval key barrel with 2 keys - 6 pin C4 profile with RE CAM	Satin Chrome

W-Cam Oval Cylinders

Code	Description	Finish
MNC570W2	MNC satin chrome oval key barrel with 2 keys - 6 pin C4 profile with W2 CAM	Satin Chrome
MNC570W2-BLK	MNC matt black oval key barrel with 2 keys - 6 pin C4 profile with W2 CAM	Matt Black

X-Cam Oval Cylinders

Code	Description	Finish
MNC570X2	MNC satin chrome oval key barrel with 2 keys - 6 pin C4 profile with X2 CAM	Satin Chrome
MNC570X2-BLK	MNC matt black oval key barrel with 2 keys - 6 pin C4 profile with X2 CAM	Matt Black

Y-Cam Oval Cylinders

Code	Description	Finish
MNC570Y2	MNC satin chrome oval key barrel with 2 keys - 6 pin C4 profile with Y2 CAM	Satin Chrome

Keyed Alike Oval Cylinders

Code	Description	Finish
MNC570KA1	MNC satin chrome oval key barrel with 2 keys keyed alike #1 (with Z2 CAM)	Satin Chrome
MNC570KA5	MNC satin chrome oval key barrel with 2 keys keyed alike #5 (with Z2 CAM)	Satin Chrome
MNC570KA10	MNC satin chrome oval key barrel with 2 keys keyed alike #10 (with Z2 CAM)	Satin Chrome
MNC570Z2KA	MNC satin chrome oval key barrel with 2 keys keyed alike in batches of 60	Satin Chrome


Hold Back Oval Cylinders

Code	Description	Finish
MNC570HB	MNC satin chrome oval hold back cylinder with 2 keys - 6 pin C4 profile - Reversible handing	Satin Chrome

C4 Oval Cylinder (34mm)

- Compatible with security profile
- Suits up to 53mm door





Satin Brass Oval Cylinders

Code	Description	Finish
MNC570SB	MNC satin brass oval key barrel with 2 keys - 6 pin C4 profile (with Z2 cam)	Satin Brass

Satin Brass Construction Oval Cylinders

Code	Description	Finish
MNC570SBKA1	MNC satin brass oval key barrel with 1 key keyed alike #1 (with X CAM)	Satin Brass

C4 Oval Extended Cylinder (41mm)

- Compatible with security profile
- Suits up to 60mm door





Code	Description	Finish
MNC570E	MNC satin chrome extended oval key barrel with 2 keys - 6 pin C4 profile with Z2 CAM - 41mm overall to suit 55mm door	Satin Chrome
MNC570E-BLK	MNC matt black extended oval key barrel with 2 keys - 6 pin C4 profile with Z2 CAM - 41mm overall to suit 55mm door	Matt Black
MNC570EW2	MNC satin chrome extended oval key barrel with 2 keys - 6 pin C4 profile with W2 CAM - 41mm overall to suit 55mm door	Satin Chrome
MNC570EW2-BLK	MNC matt black extended oval key barrel with 2 keys - 6 pin C4 profile with W2 CAM - 41mm overall to suit 55mm door	Matt Black

C4 Oval Extended Cylinder (50mm)

- Compatible with security profile
- Suits up to 69mm door





Code	Description	Finish
MNC570E50	Extended oval cylinder	Satin Chrome

Dummy Cylinder (34mm)

- Dummy cylinder 34mm



Code	Finish
MNC570D	Satin Chrome

Cylinder Less Plug (34mm)

- Cylinder without plug 34mm
- Top pins loaded



Code	Finish
MNC570LP	Satin Chrome

Rim Cylinder

- 6 pin C4 profile
- Supplied with 2 keys
- Suits standard nightlatches



Code	Description	Finish
201RC6PSCPKA	Keyed alike	Satin Chrome
201RC6PSCP	Keyed to differ	Satin Chrome

Rim Cylinder Less Plug

- Rim cylinder without plug
- Top pins loaded
- Includes tailbar and circlip
- Compatible with V-Series



Code	Finish
MNC201LP	Satin Chrome

Oval Thumb Turn

- Comes with MNCRECAM for use with 2100 and 2300 mortice locks



Code	Finish
MNC590CT	Satin Chrome

Large Oval Thumb-turn

- 4 point cam, only use with 2100 and 2300 mortice locks
- Reversible handing. Includes grub screw to change



Code	Finish
MNC590CLT	Satin Chrome

Oval Cylinder Escutcheon Pair

- Use with 2100 and 2300 locks



Code	Finish
MNC590E	Satin Chrome

Key Blank

- Chrome plated brass



Code	Description	Finish
MNCKBC45PIN	5 Pin	Chrome Plate
MNCKBC46PIN	6 Pin	Chrome Plate

Fixing Screws For R53 Rose Levers & 150 Series Plate Handles

- Break off sections



Code	Description	Finish
MNCR53SCREW	Length: 80mm	Stainless Steel
MNC150SCREW	Length: 80mm	Stainless Steel
MNC150SCREW120	Length: 120mm	Stainless Steel
MNC150SCREW-BLK	Length: 80mm	Black

Spindle

- Stepped 7.6mm to 8mm spindle
- 39.75mm long
- Supplied as a pair with springs
- Included with MNC5000 & MNC2200 locks
- Break groove



Code	Description	Finish
MNCSPINDLE	Suits up to 60mm thick doors	Chrome Plate
MNCSPINDLE45	Suits up to 90mm thick doors	Chrome Plate

MNC2000 Series Face Plates

- For 2200 narrow style mortice lock range
- Stainless steel material
- Short face plate 155mm x 25mm x 3mm
- Long face plate 260mm x 25mm x 3mm



Code	Description	Finish
MNC2200/SFP	Short face plate	Stainless Steel
MNC2200/SFP-BLK	Short face plate	Matt Black
MNC2200/LFP	Long face plate	Stainless Steel
MNC2200/LFP-BLK	Long face plate	Matt Black

MNC 5000 Series Face Plates



Code	Description	Finish
MNC5100-01BLK	For 5100, 5409 and 5300	Matt Black
MNC5000-01BLK	For 5000	Matt Black

MNC 5100 Rebate Kit

- For Use With MNC5100 On Rebated Doors
- Refer to page 110



Code	Finish
MNC5100RK	Stainless Steel
MNC5100RK-BLK	Matt Black

MNC 5000 Rebate Kit


- Suitable For MNC5000, 5000ND, & 5409 Lock Bodies On Rebated Doors.



Code	Finish
MNC5000RK	Stainless Steel
MNC5000RK-BLK	Matt Black

MNC 2200 Rebate Kit

- Suitable For MNC2200, MNC2200E & MNC2200EE



Code	Description	Finish
MNC2200RKL	Left hand	Stainless Steel
MNC2200RKR	Right hand	Stainless Steel

MNC 5000 & 2000 Series Strike

- Includes Screws
- For 5000 and 2200 series
- 47mm



Code	Finish
MNC5000-02	Stainless Steel
MNC5000-02BLK	Matt Black

MNC 5000 Series Long Lipped Strike

- Includes Screws
- Suit Doors With Wider Architraves
- 59mm



Code	Finish
MNC5000-03	Stainless Steel
MNC5000-03BLK	Matt Black

Deadbolt / Sliding Lock Strike

- For 5100/530



Code	Finish
MNC5100-02	Satin Chrome
MNC5100-02BLK	Matt Black



02

GAIT Commercial

GAIT trading commercial hardware range.

To view this commercial catalogue online, visit milesnelson.co.nz
Or scan the link below:

BALA COMMERCIAL KNOBSETS

10 YEAR MECHANICAL WARRANTY

FIRE RATED

Certification:	ANSI A156.2
Fire Rating:	Fire rated for both NZ Fire Doors and Pacific Fire Doors
Door Thickness:	35mm - 51mm
Door Prep:	54mm hole and 25mm edge
Cylinder:	6 pin C4 keyway - 3 keys supplied
Rose Cover:	75mm
Materials:	Stainless steel, brass and plated steel components
Latch:	Faceplate - Square corners (25.4mm x 57mm) Bolt - Stainless steel powder metallurgy with 1/2" throw (12.7mm)
Strike:	T Strike (28.2mm x 69.5mm x 2.0mm)

Bala Entrance Knobsets - Single Cylinder






Code	Description	Finish
100EABA60SS	60mm Backset	Stainless Steel
100EABA70SS	70mm Backset	Stainless Steel
100EABA95SS	95mm Backset	Stainless Steel
100EABA127SS	127mm Backset	Stainless Steel
100EABA60PB	60mm Backset	Polished Brass
100EABA70PB	70mm Backset	Polished Brass
100EABA95PB	95mm Backset	Polished Brass
100EABA127PB	127mm Backset	Polished Brass
100EABA60AB	60mm Backset	Antique Brass
100EABA70AB	70mm Backset	Antique Brass
100EABA95AB	95mm Backset	Antique Brass
100EABA127AB	127mm Backset	Antique Brass

Bala Entrance Knobsets - Double Cylinder






Code	Description	Finish
108EABA60SS	60mm Backset	Stainless Steel
108EABA70SS	70mm Backset	Stainless Steel
108EABA127SS	127mm Backset	Stainless Steel

Bala Passage Knobsets




Code	Description	Finish
101EABA60SS	60mm Backset	Stainless Steel
101EABA70SS	70mm Backset	Stainless Steel

Bala Privacy Knobsets




Code	Description	Finish
102EABA60SS	60mm Backset	Stainless Steel
102EABA70SS	70mm Backset	Stainless Steel

Bala Storeroom Knobsets

(Only opened by key from the outside & always unlocked from the inside)





Code	Description	Finish
104EABA60SS	60mm Backset	Stainless Steel
104EABA70SS	70mm Backset	Stainless Steel
104EABA127SS	127mm Backset	Stainless Steel

Bala Classroom Knobsets

(Unlocked by key from the outside & always unlocked from the inside)





Code	Description	Finish
109EABA60SS	60mm Backset	Stainless Steel
109EABA70SS	70mm Backset	Stainless Steel
109EABA127SS	127mm Backset	Stainless Steel

Bala / Empire Accessories

60mm Latch

- Deadlocking Latch
- Fire Rated



Code	Description	Finish
100EABA60SS	Fixed Backset Deadlocking Latch	Stainless Steel
100EABA60PB	Fixed Backset Deadlocking Latch	Polished Brass
100EABA60AB	Fixed Backset Deadlocking Latch	Antique Brass

70mm Latch

- Deadlocking Latch & Spring Latch
- Fire Rated



Code	Description	Finish
100EABA70SS	Fixed Backset Deadlocking Latch	Stainless Steel
100EABA70PB	Fixed Backset Deadlocking Latch	Polished Brass
100EABA70AB	Fixed Backset Deadlocking Latch	Antique Brass
108EABA70SS	Fixed Backset Spring Latch	Stainless Steel

EMPIRE LEVERSETS

10 YEAR MECHANICAL WARRANTY

FIRE RATED

- Anti-vandalism clutch function (lever remains active / free moving when locked)
- Removable thru-bolt, adjustable mounting plate, removable turn button
- Concealed mounting screws
- Can accommodate security profile PD type barrels

Certification:	ANSI A156.2
Fire Rating:	Fire rated for both NZ Fire Doors and Pacific Fire Doors
Door Thickness:	35mm - 51mm
Cylinder:	6 pin C4 keyway - 3 keys supplied
Rose Cover:	85mm
Material:	Brass rose with die cast zinc lever
Latch:	Faceplate - Square corners (25.4mm x 57mm) Bolt - Stainless steel powder metallurgy with 1/2" throw (12.7mm)
Strike:	T Strike (28.2mm x 69.5mm x 2.0mm)

Empire Entrance Leversets



Code	Description	Finish
500EV60SC	60mm Backset	Satin Chrome
500EV70SC	70mm Backset	Satin Chrome
500EV127SC	127mm Backset	Satin Chrome

Empire Exit Leversets



Code	Description	Finish
507EV60SC	60mm Backset	Satin Chrome
507EV70SC	70mm Backset	Satin Chrome
507EV127SC	127mm Backset	Satin Chrome

Empire Passage Leversets



Code	Description	Finish
501EV60SC	60mm Backset	Satin Chrome
501EV70SC	70mm Backset	Satin Chrome

Empire Privacy Leversets




Code	Description	Finish
502EV60SC	60mm Backset	Satin Chrome
502EV70SC	70mm Backset	Satin Chrome

Empire Storeroom Leversets





Code	Description	Finish
504EV60SC	60mm Backset	Satin Chrome
504EV70SC	70mm Backset	Satin Chrome
504EV127SC	127mm Backset	Satin Chrome

Empire Classroom Leversets





Code	Description	Finish
509EV60SC	60mm Backset	Satin Chrome
509EV70SC	70mm Backset	Satin Chrome
509EV127SC	127mm Backset	Satin Chrome

RAGLAN LEVERSETS

10 YEAR MECHANICAL WARRANTY

FIRE RATED

- Auto release function
- Concealed mounting screws
- Protection sleeve design
- Reversible or non-handed design
- Can accommodate security profile PD type barrel

Certification:	ANSI A156.2
Fire Rating:	Fire rated for both NZ Fire Doors and Pacific Fire Doors
Door Prep:	54mm hole & 25mm edge
Cylinder:	6 pin C4 keyway - 3 keys supplied
Rose Cover:	75mm
Material:	Satin nickel & pressure die cast zinc lever
Latch:	Faceplate - Square corners (25.4mm x 57mm) Bolt - Stainless steel powder metallurgy with 1/2" throw (12.7mm)
Strike:	D Strike (28.2mm x 69.5mm x 2.0mm)

Raglan Entrance Leversets



Code	Description	Finish
500RNALSN	60 - 70mm Adjustable Backset	Satin Nickel
500RN127SN	127mm Backset	Satin Nickel

Raglan Dummy Levers



Code	Description	Finish
515RNSN	Dummy	Satin Nickel

Raglan Passage Leversets



Code	Description	Finish
501RNALSN	60 - 70mm Adjustable Backset	Satin Nickel

Raglan Privacy Leversets



Code	Description	Finish
502RN7ALSN	60 - 70mm Adjustable Backset	Satin Nickel

Raglan Storeroom Leversets



Code	Description	Finish
504RNALSN	60 - 70mm Adjustable Backset	Satin Nickel
504RN127SN	127mm Backset	Satin Nickel

Raglan Classroom Leversets



Code	Description	Finish
509RNALSN	60 - 70mm Adjustable Backset	Satin Nickel
509RN127SN	127mm Backset	Satin Nickel

Raglan Accessories





Code	Description	Finish
EZ9083SS	60 - 70mm Adjustable Deadlocking Latch	Satin Chrome
EZ9084SS	60 - 70mm Adjustable Spring Latch	Satin Chrome
EZ9049SS	127mm Backset	Satin Chrome

BALA / EMPIRE SETS

FIRE RATED

- Can accommodate security profile PD type barrel

Certification: ANSI A156.2

Fire Rating: Fire rated for both NZ Fire Doors and Pacific Fire Doors

Door Thickness: 35mm - 45mm

Door Prep: 54mm hole & 25mm edge

Cylinder: 6 pin C4 keyway - 3 keys supplied

Rose Cover: 75mm & 85mm

Strike: T Strike (28.2mm x 69.5mm x 2.0mm)

Latch: Faceplate - Square corners (25.4mm x 57mm)
Bolt - Stainless steel powder metallurgy with 1/2" throw (12.7mm)

Handing: None

Packaging: Box pack only

Empire / Bala Classroom Locksets





Code	Description	Finish
109EA509EV60SC	60mm Backset	Satin Chrome
109EA509EV70SC	70mm Backset	Satin Chrome
109EA509EV127SC	127mm Backset	Satin Chrome
109EA509EV60SS	60mm Backset	Stainless Steel
109EA509EV70SS	70mm Backset	Stainless Steel
109EA509EV127SS	127mm Backset	Stainless Steel

LIGHT COMMERCIAL DEADBOLTS

10 YEAR MECHANICAL WARRANTY

- Can accommodate security profile PD type barrel

Functions: Entrance
Finishes: Stainless Steel, Polished Brass & Antique Bronze
Door Thickness: 35mm - 45mm
Cylinder: 6 pin C4 keyway - 3 keys supplied
Door Prep: 54mm cross bore & 25.4mm edge bore

Rose Cover: 65mm
Material: Stainless Steel / Brass
Latch: Faceplate - Square corners (25.4mm x 57mm)
Bolt - Steel 1" throw (25.4mm)
Handing: None
Packaging: Box pack only

Light Commercial Single Cylinder





Code	Description	Finish
200LCALSS	60 - 70mm Adjustable Backset	Stainless Steel
200LCALPB	60 - 70mm Adjustable Backset	Polished Brass
200LCALAB	60 - 70mm Adjustable Backset	Antique Bronze
EZ200EXTPACKSS	Tail bar + Screw extension kit (Suits up to 70mm thick doors)	Stainless Steel
EZ200EXTPACKPB	Tail bar + Screw extension kit (Suits up to 70mm thick doors)	Polished Brass
EZ200EXTPACKAB	Tail bar + Screw extension kit (Suits up to 70mm thick doors)	Antique Bronze

Light Commercial Double Cylinder





Code	Description	Finish
210LCALSS	60 - 70mm Adjustable Backset	Stainless Steel
210LCALPB	60 - 70mm Adjustable Backset	Polished Brass
210LCALAB	60 - 70mm Adjustable Backset	Antique Bronze

HEAVY COMMERCIAL DEADBOLTS

10 YEAR MECHANICAL WARRANTY

- Anti-torque housing
- Protection sleeve design

Functions:	Entrance
Finishes:	Satin Stainless Steel
Grade:	2 Commercial Heavy Duty Deadbolt
Backset:	60-70mm adjustable backset (127mm available upon request)
Door Thickness:	35mm - 45mm
Cylinder:	6 pin C4 keyway - 3 keys supplied
Door Prep:	54mm cross bore & 25.4mm edge bore
Rose Cover:	65mm
Material:	Stainless Steel / Brass
Latch:	Faceplate - Square corners (25.4mm x 57mm) Bolt - Solid brass with hardened steel rod insert with 1" throw
Handing:	None
Packaging:	Box pack only

Heavy Commercial Single Cylinder




Code	Description	Finish
200HCALSS	60 - 70mm Adjustable Backset	Stainless Steel
EZ200EXTB75	75mm Tail bar	
200HCSCREW	Extended scre (Pair)	

Heavy Commercial Double Cylinder



Code	Description	Finish
210HCALSS	60 - 70mm Adjustable Backset	Stainless Steel
EZ210EXTBO	Extended tail bar (Outside)	
EZ210EXTBI	Extended tail bar (Inside)	
210HCSCREW	Extended screw (Pair)	





03

Federal Padlocks

Federal Lock Company is a world-class manufacturer of top quality security products.

To view this commercial catalogue online, visit milesnelson.co.nz
Or scan the link below:

COMBINATION PADLOCKS

10 YEAR MECHANICAL WARRANTY

Solid Steel Resettable Combination Padlocks

- Hardened steel lock case
- Anti-Corrosion E-Coating and internal brass components
- Molybdenum shackle
- Legible brass number wheels with satin nickel plated and black painting
- 4 dials with 10,000 combinations
- Reset from right side of lock body
- Keyless convenience

NOTE:
It is important to ensure all numbers are perfectly in line when setting the combination.
Avoid pulling on the lock body when in unlocked position as this may damage the lock function.

Heavy Duty Solid Steel - Protected Shackle



Lock Body:	62 x 77 x 34n
Dial:	4 number dia
Shackle	
- Diameter:	11mm
- Internal Height:	25mm
- Internal Width:	22mm

Code	Description	Finish
SR60P	Combination	Matt Black

Heavy Duty Solid Steel - 60



Lock Body:	62 x 54 x 34mm
Dial:	4 number dial
Shackle	
- Diameter:	11mm
- Internal Height:	25mm
- Internal Width:	22mm

Code	Description	Finish
SR60	Combination	Matt Black

Heavy Duty Solid Steel - 62



Lock Body:	62 x 54 x 34mm
Dial:	4 number dial
Shackle	
- Diameter:	11mm
- Internal Height:	50mm
- Internal Width:	22mm

Code	Description	Finish
SR62	Combination	Matt Black





Solid Brass Resettable Combination Padlocks

Padlock:	Brass padlock with brass internal components
Shackle:	Molybdenum shackle with quality plating shackle weather seal to avoid water getting into housing
Resettable:	Easily reset your combination
	4 dials with 10,000 combinations
	- Reset from right side of lock body
	- Keyless convenience

NOTE:
It is important to ensure all numbers are perfectly in line when setting the combination.
Avoid pulling on the lock body when in unlocked position as this may damage the lock function.

Brass Combination Padlock - 50



Lock Body:	51 x 42 x 25mm
Dial:	4 number dial
Shackle	
- Diameter:	8mm
- Internal Height:	25mm
- Internal Width:	25mm

Code	Description	Finish
SRB50R	Combination	Brass

Brass Combination Padlock - 52



Lock Body:	51 x 42 x 25mm
Dial:	4 number dial
Shackle	
- Diameter:	8mm
- Internal Height:	60mm
- Internal Width:	26mm

Code	Description	Finish
SRB52R	Combination	Brass





STAINLESS STEEL PADLOCKS

10 YEAR MECHANICAL WARRANTY

- Stainless steel body and shackle
- Suitable for marine applications
- Dual stainless steel ball locking mechanism
- Re-keyable C4 keyway with changeable 6 pin brass cylinder
- Accepts 570 type barrel for restricted keying
- mushroom shaped anti-bumping, anti-drilling cylinder pins for additional security
- Additional shackle sizes available
- 2 keys supplied

Stainless Steel - 40



Lock Body: 39 x 46 x 20mm
Shackle
- Diameter: 6.3mm
- Internal Height: 26mm
- Internal Width: 20mm

Code	Description	Finish
AU840	Keyed	Stainless Steel

Stainless Steel - 45



Lock Body: 44 x 46 x 23mm
Shackle
- Diameter: 8mm
- Internal Height: 27mm
- Internal Width: 20mm

Code	Description	Finish
AU845	Keyed	Stainless Steel

Stainless Steel - 50



Lock Body: 51 x 46 x 25mm
Shackle
- Diameter: 9.5mm
- Internal Height: 26mm
- Internal Width: 20mm

Code	Description	Finish
AU850	Keyed	Stainless Steel

Stainless Steel - 60



Lock Body: 63 x 51 x 25mm
Shackle
- Diameter: 11mm
- Internal Height: 28mm
- Internal Width: 32mm

Code	Description	Finish
AU860	Keyed	Stainless Steel

Stainless Steel - 50P Protected



Lock Body: 51 x 76 x 25mm
Shackle
- Diameter: 9.5mm
- Internal Height: 27mm
- Internal Width: 20mm

Code	Description	Finish
AU850P	Keyed	Stainless Steel

SOLID BRASS PADLOCKS

10 YEAR MECHANICAL WARRANTY

- Brass lock body
- Re-keyable C4 keyway with interchangeable 6 pin brass cylinder
- Anti-cut Molybdenum shackle
- Accepts 570 type barrel for restricted keying
- Dual stainless steel ball locking
- mushroom shaped anti-bumping, anti-drilling cylinder pins for additional security
- Additional shackle sizes available
- 2 keys supplied

Solid Brass Padlock - 50



Lock Body: 40 x 54mm
Shackle
- Diameter: 6.35mm
- Internal Height: 25mm
- Internal Width: 20mm

Code	Description	Finish
AU650DP	Keyed	Brass
AU650BP	Keyed - Keyed alike	Brass

Solid Brass Padlock - 60



Lock Body: 45 x 54mm
Shackle
- Diameter: 7.93mm
- Internal Height: 26mm
- Internal Width: 20mm

Code	Description	Finish
AU660DP	Keyed	Brass
AU660BP	Keyed - Keyed alike	Brass

Solid Brass Padlock - 70



Lock Body: 50 x 54mm
Shackle
- Diameter: 9.5mm
- Internal Height: 26mm
- Internal Width: 20mm

Code	Description	Finish
AU670DP	Keyed	Brass
AU670BP	Keyed - Keyed alike	Brass

Solid Brass Padlock - 70P Protected



Lock Body: 50 x 87mm
Shackle
- Diameter: 9.5mm
- Internal Height: 26mm
- Internal Width: 20mm

Code	Description	Finish
AU670PDP	Keyed	Brass
AU670PBP	Keyed - Keyed alike	Brass

Heavy Duty Solid Brass Padlock



Lock Body: 21 x 20 x 11mm
Supplied Shackle
- Diameter: 11mm
- Internal Height: 25mm
- Internal Width: 23mm

Code	Description	Finish
F606	Keyed	Brass
F606-KA1	Keyed - Keyed alike	Brass


741
FEDERAL
LOCK

HEAVY DUTY PADLOCKS

10 YEAR MECHANICAL WARRANTY

Heavy Duty Solid Steel Rectangle Padlocks

- Anti-drilling and sliding plate design to protect cylinder
- Accepts 570 type barrel for restricted keying
- Cylinder mushroom / anti-bumping / anti-drilling pins resistant to picking
- 2 keys supplied

Body:	Solid steel lock body with electric coating
Shackle:	Molybdenum shackle with quality coating
Locking Mechanism:	Stainless steel ball locking mechanism
Cylinder:	Re-keyable C4 keyway with changeable 6 pin brass cylinder

Heavy Duty Solid Steel Padlock - 31

Lock Body: 62 x 77 x 34mm
Dial: 4 number dial
Shackle
- Diameter: 11mm
- Internal Height: 25mm
- Internal Width: 22mm



Code	Description	Finish
AU731	Keyed	Matt Black

Heavy Duty Solid Steel Padlock - 41

Lock Body: 62 x 54 x 34mm
Dial: 4 number dial
Shackle
- Diameter: 11mm
- Internal Height: 25mm
- Internal Width: 22mm



Code	Description	Finish
AU741	Keyed	Matt Black

Heavy Duty Solid Steel Double Padlock - 41DS

Lock Body: 62 x 54 x 34mm
Dial: 4 number dial
Shackle
- Diameter: 11mm
- Internal Height: 50mm
- Internal Width: 22mm



Code	Description	Finish
AU741DS	Keyed	Matt Black

Heavy Duty Solid Steel Shackleless Padlocks

Heavy Duty Shackleless Puk Padlock

Lock Body: 51 x 42 x 25mm
Dial: 4 number dial
Shackle
- Diameter: 8mm
- Internal Height: 60mm
- Internal Width: 26mm



Code	Description	Finish
AUS401-BK	Keyed	Black

Heavy Duty Shackleless Stepped Puk Padlock

Lock Body: 51 x 42 x 25mm
Dial: 4 number dial
Shackle
- Diameter: 8mm
- Internal Height: 25mm
- Internal Width: 25mm



Code	Description	Finish
AUS400-BK	Keyed	Black

Heavy Duty Resettable Combination Stepped Puk Padlock

Lock Body: 51 x 42 x 25mm
Dial: 4 number dial
Shackle
- Diameter: 8mm
- Internal Height: 60mm
- Internal Width: 26mm



Code	Description	Finish
SR400	Combination	Satin Chrome

LOCK BOXES

10 YEAR MECHANICAL WARRANTY

Combination Key Box - Small



- Wall mounted
- Fixings supplied
- Suitable for a small bunch of keys

Keybox body: 53 x 70 x 35mm

Code	Description	Finish
SKB-004	With Bag	Matt Black

Combination Key Box with Shackle - Small



- Suitable for a small bunch of keys

Keybox body: 68 x 110 x 43mm

Shackle

- Diameter: 10mm
- Internal Height: 42mm
- Internal Width: 40mm

Code	Description	Finish
SKS-004	No Bag	Matt Black
SKS-004-RF	With Bag	Matt Black

Combination Key Box - Large



- Wall mounted
- Fixings supplied
- Suitable for a large bunch of keys, car keys, swipe cards or key fobs.

Keybox body: 68 x 110 x 43mm

Code	Description	Finish
SKLB-004	With Bag	Matt Black

Combination Key Box with Shackle and RF Blocking Bag - Large



Includes RF blocking key fob protector bag to protect your electronic keys from being accessed and copied. Suitable for a large bunch of keys

Keybox body: 68 x 110 x 43mm

Shackle

- Diameter: 10mm
- Internal Height: 42mm
- Internal Width: 40mm

Code	Description	Finish
SKS-004	No Bag	Matt Black
SKS-004-RF	With Bag	Matt Black

RF Blocking Bag



RF blocking bag secures your key fob from being accessed by remote device and blocks signal amplification attacks on keyless entry systems

Bag size: 100 x 120mm

Code	Finish
RFBB	Grey Material

Combination Key Box with Cable Hasp



Includes RF blocking key fob protector bag to protect your electronic keys from being accessed and copied. Suitable for a large bunch of keys

Keybox body: 68 x 110 x 43mm

Shackle

- Diameter: 7mm
- Length 290mm

Code	Description	Finish
SKC-004	No Bag	Matt Black
SKC-004-RF	With Bag	Matt Black

ACCESSORIES - SHACKLES

10 YEAR MECHANICAL WARRANTY

Stainless Steel Shackle - 6.3mm

- Suitable for AU840 and AU650
- Diameter: 6.35mm
- Internal width: 20mm



Code	Internal Height	Finish
635050S	50mm	Stainless Steel
635075S	75mm	Stainless Steel
635102S	102mm	Stainless Steel

Stainless Steel Shackle - 8mm

- Suitable for AU845 and AU660
- Diameter: 8mm
- Internal width: 20mm



Code	Internal Height	Finish
793025S	25mm	Stainless Steel
793050S	50mm	Stainless Steel
793075S	75mm	Stainless Steel
7930102S	102mm	Stainless Steel

Stainless Steel Shackle - 9.5mm

- Suitable for AU850 and AU670
- Diameter: 9.5mm
- Internal width: 20mm



Code	Internal Height	Finish
950025S	25mm	Stainless Steel
950050S	50mm	Stainless Steel
950075S	75mm	Stainless Steel
950102S	102mm	Stainless Steel


1 2
3 4
5 6
CARD
7 8
9 0
* #

04

General Hardware

Reliable solutions for everyday commercial hardware needs.

To view this commercial catalogue online, visit milesnelson.co.nz
Or scan the link below:

DIGITAL LOCKS

2 YEAR ELECTRIC & MECHANICAL WARRANTY

D-Lock Digital Entry Lock


The D-Lock digital lock range is expanding with a new stainless steel finish and short lever variants, delivering a sleek, durable option for modern residential and commercial doors.

The updated models feature a refined lever with a chamfered corner, making installation easier in tight edge-to-door situations where space is limited.

Suitable for aluminium or timber doors, the stainless steel D-Lock offers the same reliable keyless access, smart connectivity, and secure performance the range is known for - now with improved installation flexibility and a premium architectural finish.

Key highlights:

- New stainless steel finish
- New short lever variant
- Chamfered lever corner for improved installation
- Ideal for tight edge door applications
- Compatible with D-Lock digital access system
- Suitable for residential or commercial installations







D-Lock

Product Code	Description	Finish
MN7000BLK	No lockbody	Matt Black
MN7030BLK	30mm backset	Matt Black
MN7035BLK	35mm backset	Matt Black
MN7045BLK	45mm backset	Matt Black
MN7060BLK	60mm backset	Matt Black
MN7000SS	No lockbody	Stainless Steel
MN7030SS	30mm backset	Stainless Steel
MN7035SS	35mm backset	Stainless Steel
MN7045SS	45mm backset	Stainless Steel
MN7060SS	60mm backset	Stainless Steel

D-Lock Short Lever

Product Code	Description	Finish
MN7100BLK	No lockbody	Matt Black
MN7130BLK	30mm backset	Matt Black
MN7135BLK	35mm backset	Matt Black
MN7145BLK	45mm backset	Matt Black
MN7160BLK	60mm backset	Matt Black
MN7135SDBLK	*35mm backset sliding door latching mortice lock*	*Matt Black*
MN7100SS	No lockbody	Stainless Steel
MN7130SS	30mm backset	Stainless Steel
MN7135SS	35mm backset	Stainless Steel
MN7145SS	45mm backset	Stainless Steel
MN7160SS	60mm backset	Stainless Steel
MN7135SDSS	*35mm backset sliding door latching mortice lock*	*Stainless Steel*

D-Lock Commercial

Product Code	Description	Finish
MN7000BLK-5000BLK	D-Lock with MNC5000ND-BLK 60mm backset wide style mortice lock	Matt Black
MN7000BLK-2200BLK	D-Lock with MNC2200EP-BLK 29mm backset narrow style mortice lock	Matt Black
MN7000SS-5000SS	D-Lock with MNC5000ND 60mm backset wide style mortice lock	Stainless Steel
MN7000SS-2200SS	D-Lock with MNC2200EP 29mm backset narrow style mortice lock	Stainless Steel

D-Lock Lockbodies

(Does not work with euro cylinder)

Product Code	Description	Finish
726SS30	30mm backset	Stainless Steel
726SS35	35mm backset	Stainless Steel
726SS45	45mm backset	Stainless Steel
726SS60	60mm backset - 25mm wide faceplate	Stainless Steel
726SS35SD	*35mm backset - Sliding door lockbody*	*Stainless Steel*

D-Lock Accessories

Product Code	Description	Finish
MN7000BPBLK	Backing cover plate for 54mm hole	Matt Black
MNHUB	Wifi hub gateway inc. plug	White
MNHUB2	Wifi hub gateway inc. plug - Matter compatible	White
MNFOB	Spare key fob	Black
MN7000KB	Replacement key barrel + 2 keys	Stainless Steel
720SS	Rebate kit	Stainless Steel



Doorbot Digital Deadbolt

- Suitable for use with a door knob and/or pull handle
- Backlit touch screen / auto locking option
- WiFi gateway available for remote access management (With MNHUB)
- Programs up to 150 codes
- IP55 weather rated
- Accessible by code, bluetooth, WiFi (MNHUB), fob, and key
- Suits aluminium and timber doors
- Suits doors 35-55mm thick
- Easy 54mm hole installation
- 60 / 70mm adjustable backset
- Matt black finish (Electroplated)



Code	Description	Finish
MN8000BLK	Doorbot Digital Deadbolt 60/70mm Adjustable Backset	Matt Black
MN8000BLK-KIT	Doorbot Digital Entry Kit - Deadbolt With Pull Handle And Latch Turn Kit (MN8000BLK + 781SS600BLK + 452RDPTBLK + MIL325)	Matt Black
MNHUB	Digital Wifi Gateway Including Plug (Not included with lock)	Matt White
MNFOB	Spare Entry Fob	Black Plastic

Blocker Plates

Protect your latch from vandal attack.
Easy installation for immediate security upgrade.

Applications
- Anywhere with outward opening access points
- Warehouse exit doors
- School buildings
- Retail entry / exit doors
- Industrial facilities

MNCBPW (wide)
- 316 Stainless
- 272h x 77w
- 6mm offset
- Rear fix - 4 x M6 x 30mm bolts
- Suit up to 51mm thick door

MNCBPN (narrow)
- 304 Stainless
- 275h x 85w
- 220m internal cutout
- 5mm offset
- 2 x M8 Sex Bolt and Socket

Suit up to 51mm thick door



Wide


Narrow

Code	Description	Finish
MNCBPN	For Narrow Style Lock	Stainless Steel
MNCBPW	For Wide Style Lock	Stainless Steel


PULL HANDLES

10 YEAR MECHANICAL WARRANTY

316 MARINE GRADE STAINLESS STEEL

All handles include nylon buffers and 12mm bushes for glass mount

M1 Pull Handle



- Grip size: 40 x 20mm
- 316 grade stainless steel
- Back to back pair
- Fixings supplied
- Suits door thickness 40mm - 52mm
- Electroplated (Matt Black and Satin Graphite)

Code	Description	Finish
781SS300	300mm, centre to centre: 260mm	Stainless Steel
781SS450	450mm, centre to centre: 410mm	Stainless Steel
781SS600	600mm, centre to centre: 560mm	Stainless Steel
781SS900	900mm, centre to centre: 860mm	Stainless Steel
781SS1200	1200mm, centre to centre: 1160mm	Stainless Steel
781SG600SG	600mm, centre to centre: 560mm	Satin Graphite
781SS300BLK	300mm, centre to centre: 260mm	Matt Black
781SS450BLK	450mm, centre to centre: 410mm	Matt Black
781SS600BLK	600mm, centre to centre: 560mm	Matt Black
781SS600PBT	600mm, centre to centre: 560mm	Protexture Black
781SS900BLK	900mm, centre to centre: 860mm	Matt Black
781SS1200BLK	1200mm, centre to centre: 1160mm	Matt Black

M2 Pull Handle



The M2 Pull handles in 600mm length have been manufactured from 316 marine grade stainless steel providing increased corrosion resistance. Perfect for external and internal applications for use with timber, glass and aluminium doors.

- Grip size: 23 x 13mm. Centre to centre 550mm. Suits door thickness: 40-52mm
- Comes with a back to back pair, all fixings supplied
- Available in 300, 450, 600 & 900mm lengths

Code	Description	Finish
782SS300	Size: 300mm, centre to centre: 250mm	Stainless Steel
782SS450	Size: 450mm, centre to centre: 400mm	Stainless Steel
782SS600	Size: 600mm, centre to centre: 550mm	Stainless Steel
782SS900	Size: 900mm, centre to centre: 850mm	Stainless Steel
782SS450BLK	Size: 450mm, centre to centre: 400mm	Matt Black
782SS600BLK	Size: 600mm, centre to centre: 550mm	Matt Black
782SS900BLK	Size: 900mm, centre to centre: 850mm	Matt Black

M3 Round Pull Handle

- 316 marine grade stainless steel tube
- Back to back pair
- Suits door thickness: 40-52mm
- Grip size: 32mm diameter
- Fixings supplied

Code	Description	Finish
785SS450	450mm, C to C: 300mm	Stainless Steel
785SS600	600mm, C to C: 450mm	Stainless Steel
785SS450	450mm, C to C: 300mm	Matt Black
785SS600BLK	600mm, C to C: 450mm	Matt Black



M3 Square Pull Handle

- 316 marine grade stainless steel tube
- Back to back pair
- Suits door thickness: 40-52mm
- Grip size: 25 x 25mm
- Fixings supplied


Code	Description	Finish
786SS450	450mm, C to C: 300mm	Stainless Steel
786SS600	600mm, C to C: 450mm	Stainless Steel
786SS450BLK	450mm, C to C: 300mm	Matt Black
786SS600BLK	600mm, C to C: 450mm	Matt Black



M3 Offset Pull Handle

- 316 marine grade stainless steel tube
- Back to back pair
- Suits door thickness: 40-52mm
- Grip size: 25 x 25mm
- Fixings supplied

Code	Description	Finish
783SS600	600mm, C to C: 575mm	Stainless Steel
783SS600BLK	600mm, C to C: 575mm	Matt Black



HINGES

10 YEAR MECHANICAL WARRANTY

Selim Interfold Hinge

- Aluminium Heavy Duty Interfold Hinge with Aluminium caps and Stainless pin
- Extra fixing points for anti sag and anti twist – easy installation
- Great for new and problem doors
- Suitable for Commercial Aluminium & Timber doors in Aluminium frames
- Requires minimum 40mm door thickness





Code	Description	Finish
520SCH130INF	130mm	Satin Chrome
520PBH130INF	130mm	Matt Black



Hinge Square Edge 100 x 75mm Stainless Steel



- Square edge
- Made from 304 grade stainless steel
- Satin finish
- Fixed pin
- Ball bearing hinge
- Size: 100mmH x 75mmW x 2.5mmD
- Excludes screws

INTERIOR/ EXTERIOR USAGE **304 QUALITY STAINLESS STEEL**

Code	Description	Finish
520SSH10075304S	304 grade stainless steel	Stainless Steel

Hinge Square Edge 100 x 75mm Stainless Steel




- Square edge
- Made from 304 grade stainless steel
- Satin finish
- Fixed pin
- Ball bearing hinge
- Size: 100mmH x 75mmW x 2.5mmD
- Excludes screws

INTERIOR/ EXTERIOR USAGE **304 QUALITY STAINLESS STEEL**

Code	Description	Finish
981071FFBSS	304 grade stainless steel	Stainless Steel

Hinge Radius Edge 100 x 75mm Stainless Steel




- Radius edge
- Made from 304 grade stainless steel
- Satin finish Fixed pin
- Ball bearing hinge
- Size: 100mmH x 75mmW x 2.5mmD
- Excludes screws

INTERIOR/ EXTERIOR USAGE **304 QUALITY STAINLESS STEEL**

Code	Finish
520SSH10075R	Stainless Steel

Hinge Square Edge 100 x 100mm Stainless Steel



- Square edge
- Made from 304 grade stainless steel
- Satin finish
- Fixed pin
- Ball bearing hinge
- Size: 100mmH x 100mmW x 2.5mmD
- Excludes screws

INTERIOR/ EXTERIOR USAGE **304 QUALITY STAINLESS STEEL**

Code	Description	Finish
520SSH100100S	304 grade stainless steel	Stainless Steel

DOOR FURNITURE

10 YEAR MECHANICAL WARRANTY

KO Lever

- Solid Zinc die cast
- KO101 Passage sets are supplied with a 60mm backset tubular latch.
- KO103 Dummy's are supplied with rear through fixings
- KO108 Privacy sets are supplied with a 60mm backset privacy latch which includes an activating pin for the inside of the door and an external emergency release function. The latch is automatically released when the internal handle is operated and is easily adapted for both open in and open out applications.
- All latches are supplied with industry standard "D" and "T" strikes.
- Lever style matches MNC 90 lever



Code	Description	Finish
KO101	Passage set	Satin Chrome
KO103	Dummy	Satin Chrome
KO108	Privacy set	Satin Chrome





Milano on fire rated lock

FIRE RATED

With a special fixing kit, all Milano styles are compatible with the MNC5000 fire rated mortice lock.

- Choose lever style – VER200 shown
- Use the 'Special fixing kit' MNCMIL2
- Fire rated mortice – MNC5000
- Also pictured – MIL406 escutcheon (as below) and MNC570 oval cylinder
- Special fixing kits also available to fit Milano privacy set or single turn snib to MNC5000

- High quality zinc alloy lever handles designed for comfort
- Available with round or square 55mm rosette
- Easy installation – 25mm hole
- Locking handle grub screw, ensures a firm handle action
- Solid mechanical components for superior and long lasting performance

For Privacy Set

- 55mm privacy set with fixing kit for use with MNC5000 fire rated mortice lock



Code	Description	Finish
MNCMIL1-RSN	Round Rose	Satin Nickel
MNCMIL1-RBLK	Round Rose	Matt Black
MNCMIL1-SSN	Square Rose	Satin Nickel

Milano Oval Escutcheon

- Projection: 10mm
- Rose diameter 55mm
- Supplied in singles



Code	Description	Finish
MIL401	Round Rose	Satin Nickel
MNCR53CE-BLK	Round Rose	Matt Black
MIL406	Square Rose	Satin Nickel

For Snib Set

- 55mm single turn snib for use with MNC5000 fire rated mortice lock



Code	Description	Finish
MNCMIL3-RSN	Round Rose	Satin Nickel
MNCMIL3-RBLK	Round Rose	Matt Black
MNCMIL3-SSN	Square Rose	Satin Nickel

Lever Set Fixing Kit

- Use MNCMIL2 to adapt Milano lever sets to MNC5000 fire rated mortice lock



Code
MNCMIL2

PARMA LEVER

10 YEAR MECHANICAL WARRANTY

Satin Nickel

- Handle length 126mm
- Projection 63mm
- Rose diameter 55mm
- Drill hole diameter 25mm



Round Rosette



Square Rosette

Round Rosette	Square Rosette	Function	Finish
PAR101	PAR201	Passage Set	Satin Nickel
PAR108	PAR208	Integrated Privacy Set	Satin Nickel
PAR103	PAR203	Dummy Handle	Satin Nickel

Matt Black

- Handle length 126mm
- Projection 63mm
- Rose diameter 55mm
- Drill hole diameter 25mm



Passage / Dummy Set



Integrated Privacy Set

Round Rosette	Function	Finish
PAR101BLK	Passage Set	Matt Black
PAR108BLK	Integrated Privacy Set	Matt Black
PAR103BLK	Dummy Handle	Matt Black

VERONA LEVER

10 YEAR MECHANICAL WARRANTY

Satin Nickel

- Handle length 125mm
- Projection 52mm
- Rose diameter 55mm
- Drill hole diameter 25mm



Round Rosette



Square Rosette

Round Rosette	Square Rosette	Function	Finish
VER101	VER201	Passage Set	Satin Nickel
VER108	VER208	Integrated Privacy Set	Satin Nickel
VER103	VER203	Dummy Handle	Satin Nickel

Matt Black

- Handle length 125mm
- Projection 52mm
- Rose diameter 55mm
- Drill hole diameter 25mm



Round Rosette



Square Rosette

Round Rosette	Square Rosette	Function	Finish
VER101BLK	VER201BLK	Passage Set	Matt Black
VER108BLK	VER208BLK	Integrated Privacy Set	Matt Black
VER103BLK	VER203BLK	Dummy Handle	Matt Black

FIGO LEVER

10 YEAR MECHANICAL WARRANTY

Satin Nickel *NEW*

- Handle length 120mm
- Projection 63mm
- Rose diameter 55mm
- Drill hole diameter 25mm



Passage / Dummy Set



Integrated Privacy Set

Round Rosette	Function	Finish
FIG101	Passage Set	Satin Nickel
FIG102	Privacy Set	Satin Nickel
FIG103	Dummy Set	Satin Nickel
FIG108	Integrated Privacy Set	Satin Nickel

Matt Black *NEW*

- Handle length 120mm
- Projection 63mm
- Rose diameter 55mm
- Drill hole diameter 25mm



Passage / Dummy Set




Integrated Privacy Set

Round Rosette	Function	Finish
FIG101BLK	Passage Set	Matt Black
FIG102BLK	Privacy Set	Matt Black
FIG103BLK	Dummy Set	Matt Black
FIG108BLK	Integrated Privacy Set	Matt Black



DOOR FITTINGS

5 YEAR WARRANTY



Door Magnet

Miles Nelson door magnets feature an extra thick 8mm neodymium magnet, providing increased holding strength and a more positive close.

Designed for applications where standard magnets aren't enough, these offer reliable performance with a solid, quality feel in use.

Features:

- 8mm thick neodymium magnet
- Increased holding strength
- Smooth, consistent strength
- Fixings and buffer supplied

Code	Description	Finish
332CP	1 pair	Chrome
332BLK	1 pair	Black
332MWC	1 pair - with cups	Chrome
332MWCBLK	1 pair - with cups	Black
332/6CP	6 pairs	Chrome
332/6BLK	6 pairs	Black
332/25CP	25 pairs	Chrome

Code	Description	Finish
332/COVER	Magnet covers - 5 pairs	Chrome
332/BLKCOVER	Magnet covers - 5 pairs	Black
332/CUPS	Magnet cups - 5 pairs	Chrome
332/BLKCUPS	Magnet cups - 5 pairs	Black



New 50 Pack!
DOOR MAGNET MEGA STRENGTH
FOR 25 DOORS
QTY: 25 PAIRS
DOOR MAGNET MEGA STRENGTH
DOOR MAGNET MEGA STRENGTH
FOR 6 DOORS
DOOR MAGNET WITH CUPS

DOOR FITTINGS

5 YEAR WARRANTY

Door Viewer

- 200 degree viewing angle
- Suits door thickness: 35mm-57mm

FIRE RATED



Code	Finish
GTDV004SC	Satin Chrome

Pull Handle

- Face fix
- Single
- 200mm L
- 304 stainless steel

304 QUALITY STAINLESS STEEL



Code	Finish
MNCPH200	Stainless Steel

Dust Socket

- Made from solid brass
- For use with flush bolts, socket bolts, neck bolts and patio bolts (up to 12mm thick bolt)
- Concrete and timber fix
- Length: 47mm - Flange diameter: 43mm - Socket diameter: 21mm



Code	Description	Finish
214SC	For timber	Satin Chrome
214SN	For timber	Satin Nickel
314SCB	For concrete	Satin Chrome
314PB	For concrete	Matt Black

Hat & Coat Hook

- Made from aluminium
- Fixings supplied



Code	Finish
273SCB	Satin Chrome
273PB	Matt Black

Flush Lever Bolt

- Made from forged solid brass
- Lever action
- Heavy duty
- Size 150mm x 25mm, Throw 18mm, Rod 12mm
- Fixings supplied

BRASS LIFETIME GUARANTEE



Code	Description	Finish
305SC150B		Satin Chrome
305BLK150		Matt Black

Auto Flush Bolt

- 160mm x 20mm
- Supplied as **pair** (left and right hand)
- For use on double doors
- Suitable for rebated an non-rebated doors
- 12mm Bolt
- Great for tall doors

304 QUALITY STAINLESS STEEL



Code	Finish
MNC-AFB3000	Stainless Steel

Cabin Hooks - Commercial

- Super heavy duty



Code	Description	Finish
376SS150	150mm	Stainless Steel
376SS200	200mm	Stainless Steel

SAFETY & SECURITY

10 YEAR MECHANICAL WARRANTY

Window Opening Restrictor

- Suitable for aluminium windows
- Suitable for casement / awning windows
- Quality stainless steel construction
- **11mm stack height**

SUITABLE FOR L & R HAND APPLICATION



Code	Description	Finish
251REST2PK	1 pair	Stainless Steel
251REST4PK	2 pairs	Stainless Steel
251RESTB	20 pairs - No packers or screws	Stainless Steel
251RESTB100	100 pairs - No packers or screws	Stainless Steel

BANNISTER BRACKETS

10 YEAR MECHANICAL WARRANTY

LED Ready Bannister Brackets

Designed for bold, contemporary interiors, this matt black LED-ready bannister bracket combines striking aesthetics with practical innovation. Made from durable 304 stainless steel, it features a hollow construction that allows for hidden wiring, making it perfect for backlit handrail installations. The matt black finish provides a clean, modern contrast, while concealed fixings maintain a seamless look. Suitable for interior and exterior use, with fixings included for easy installation.

- Designed with wiring capability so the handrail can be back lit
- Stainless steel 304 grade material
- Suitable for interior and exterior use
- Concealed fixing
- Fixings included
- SS, Matt Black & Satin Graphite finish options



Stainless Steel



- Base diameter: 53mm
- Base thickness: 6mm
- Tube diameter: 16mm
- Projection: 76mm
- Upstand: 60mm
- Suits 50mm handrail

Code	Finish
407SS	Stainless Steel

Matt Black



- Base diameter: 53mm
- Base thickness: 6mm
- Tube diameter: 16mm
- Projection: 76mm
- Upstand: 60mm
- Suits 50mm handrail

Code	Finish
407PB	Matt Black

Satin Graphite



- Base diameter: 53mm
- Base thickness: 6mm
- Tube diameter: 16mm
- Projection: 76mm
- Upstand: 60mm
- Suits 50mm handrail

Code	Finish
407SG	Satin Graphite

Flat Rail Adaptor





- Material: Stainless Steel

Code	Finish
407SSA	Stainless Steel

BANNISTER BRACKETS

10 YEAR MECHANICAL WARRANTY

Lumos®

The revolutionary Lumos® LED bannister bracket seamlessly blends function and design by providing lighting within a bannister or railing bracket body.

This development simplifies the installation of safety or railing illumination into one stylish bracket.

The brackets use low energy consumption LED bulbs with a life of approximately 12 years under continuous use. The light does not produce heat and is therefore safe to touch. Recommended bracket spacing is

900mm, as light coverage area at maximum height is 900mm. One transformer can power up to 16 brackets containing LEDs.

Requires the use of a Miles Nelson regulated power transformer, supplied separately. Complies with BIA acceptable solution D1/AS1. Can also be used with photosensitive sensors for night lighting.

Lumos Brackets are designed and manufactured in New Zealand.

Spacing of brackets 900mm apart.

- Lumos® bannister bracket
- 12 volt LED downlight
- Very low power consumption
- Cool running
- Adapter for flat profile rails
- Concealed fixing
- Fixings supplied




Lumos® Transformer

- 12 volt
- Each transformer can power 16 lights
- Tested to AS/NZS3108 at 25°C

612PA

Specifications Diagram

Base: 70mmH x 50mmW x 52mmD
Wall projection: 70mm
Upstand height: 80mm
Overall height: 115mm



DESIGNED BY MILES NELSON

INTERIOR/ EXTERIOR USAGE

Code	Description	Finish
610SCBP	Indoor use	Satin Chrome
610SCEBP	Powder coated finish for outdoor use	Satin Chrome
610LED	Lumos bulb spare part	Satin Chrome
611SCBP	Indoor use (without light)	Satin Chrome
611CP	Indoor use (without light)	Chrome Plate
611SCBP	Powder coat for outdoor use (without light)	Satin Chrome





BANNISTER BRACKETS



810 Bannister Bracket SS

- Polished 316 marine-grade stainless steel
- Suitable for exterior use
- Concealed fixing
- Fixings supplied
- Removable saddle
- Base diameter: 55mm
  Wall projection: 78mm
  Upstand height: 75mm



Glass fixing bracket sold separately*

316 **MARINE GRADE STAINLESS STEEL**

INTERIOR/ EXTERIOR USAGE

DESIGNED BY MILES NELSON

Code	Description	Finish
810SSWB1	316 marine-grade stainless steel	Polished Stainless Steel
810SSGFK	Glass fixing kit	Polished Stainless Steel
810SSA	Flat rail adapter	Polished Stainless Steel

Tested to **820kg Static Load -** Test Certificate No.: INZ70574-01

810 Bannister Bracket with Rose

- Material: Zinc
- Concealed fixing
- Base diameter: 55mm
  Wall projection: 78mm
  Upstand height: 60mm
- Fixings supplied
- Includes flat rail adapter



INTERIOR/ EXTERIOR USAGE

DESIGNED BY MILES NELSON

Code	Finish
810SCWB1	Satin Chrome
810SGWB	Satin Graphite
810SNWB1	Satin Nickel
810PBWB	Matt Black

Tested to **409kg Static Load -** Test Certificate No.: INZ70574-01

810 Bannister Bracket

- Material: Zinc
- Concealed fixing
- Includes flat rail adapter
- Supplied with hanger bolt
- Base: 30mm
  Wall projection: 70mm
  Upstand height: 60mm
- Fixings supplied



INTERIOR USAGE

DESIGNED BY MILES NELSON

Code	Finish
810SC1	Satin Chrome
810SN1	Satin Graphite
810SG	Satin Nickel
810PB	Matt Black

405 Bannister Bracket

- 304 grade stainless steel satin finish
- Galvanised steel inner base plate
- Includes flat rail adapter
- Base: 50mm
  Wall projection: 85mm
  Upstand height: 55mm
- Fixings supplied



INTERIOR USAGE

304 **QUALITY STAINLESS STEEL**

Code	Finish
405SS	Stainless Steel



309 Bannister Bracket

- 304 grade stainless steel satin finish
- Base: 60mm
  Wall projection: 75mm
  Upstand height: 70mm
- Fixings supplied

INTERIOR USAGE **TRADE PACK**



Code	Description	Finish
309SS		Stainless Steel
309SSB	Trade pack	Stainless Steel

621 Bannister Bracket

- Made from 316 grade stainless steel
- Suits commercial applications
- Suitable for exterior use
- Includes flat rail adapter
- Base: 65mm
  Wall projection: 78mm
  Upstand height: 75.5mm
- Concealed fixing
- Fixings supplied

INTERIOR/ EXTERIOR USAGE **316 MARINE GRADE STAINLESS STEEL**



Code	Finish
621SS	Stainless Steel

310 Bannister Bracket

- Made from zinc diecast
- Complies with BIA acceptable solution D1/AS1
- Tested to 300kg static load
- Suits square and round rails
- Includes flat rail adapter
- Concealed fixing
- Fixings supplied
- Base diameter: 58mm
  Wall projection: 75mm
  Upstand height: 75mm

TRADE PACK



DESIGNED BY MILES NELSON

Code	Finish
310CP	Chrome Plate
310BR	Brass
310SN	Satin Nickel
310PB	Matt Black
310PW	Powder Coat White
310RM	Uncoated Raw Material
310FB	Florentine Bronze
310SG	Satin Graphite
310SCB	Satin Chrome
310SNB	Satin Nickel
310PBB	Matt Black

620 Bannister Bracket

- Made from 316 grade stainless steel
- Suits commercial applications
- Suitable for exterior use
- Base: 65mm
  Wall projection: 78mm
  Upstand height: 75.5mm
- Concealed fixing



316 MARINE GRADE STAINLESS STEEL

INTERIOR/ EXTERIOR USAGE

Code	Finish
620SS	Stainless Steel

DOOR STOPS
FLOOR MOUNT

10 YEAR MECHANICAL WARRANTY

Floor Mount Door Stop - 38mm Diameter

- Suits concrete and timber floors



40mm Height

Code	Description	Material	Fixings	Finish
207SCB	1 piece	Aluminium		Satin Chrome
207SC2B	2 piece	Aluminium		Satin Chrome
207PB2B	2 piece	Aluminium		Matt Black

60mm Height

Code	Description	Material	Fixings	Finish
207BS60	1 piece	Aluminium		Satin Chrome
GT5612SLV	2 piece	Aluminium		Satin Chrome
207PB60	1 piece	Aluminium		Matt Black

Floor Mount Door Stop - 30mm Diameter

- Suits concrete and timber floors



40mm Height

Code	Description	Material	Fixings	Finish
GT5613SS	2 piece	Stainless Steel		Stainless Steel

60mm Height

Code	Description	Material	Fixings	Finish
GT5638SS	2 piece	Stainless Steel		Stainless Steel

DOOR STOPS
WALL MOUNT

10 YEAR MECHANICAL WARRANTY

204 Door Stop Wall Mount



- Length 90mm - Base size 43mm
- Made from forged brass
- Rubber tip (fixed)
- Fixings supplied

INTERIOR/ EXTERIOR USAGE **BRASS LIFETIME GUARANTEE** **TRADE PACK**

Code	Finish
204SCB	Satin Chrome

Door Stop & Coat Hook Door Mount



- Concealed fixing
- Fixings supplied
- 83mm projection

QUALITY STAINLESS STEEL

Code	Finish
GT5675SS	Stainless Steel

DOOR STOPS
LATCHING

10 YEAR MECHANICAL WARRANTY

Heavy Duty Latch Back Wall Mount Door Stop 60mm



- Made from forged brass
- Heavy duty suitable for commercial use
- Latch base size: 70 x 46mm
- Keeper plate 40mmW x 64mmL
- Self latching
- Fixings supplied

INTERIOR/ EXTERIOR USAGE | BRASS LIFETIME GUARANTEE | TRADE PACK

Code	Finish
608SCWB	Satin Chrome

Mantis Latching Door Stop Wall Mount



- Made from forged brass
- Latch base size: 40 x 60mm
- Self latching with foot release
- Keeper plate 40 x 40mm
- Attached length base to base: 80mm
- Fixings supplied

INTERIOR/ EXTERIOR USAGE | BRASS LIFETIME GUARANTEE | DESIGNED BY MILES NELSON

Code	Finish
609SCWM	Satin Chrome
609SGWM	Satin Graphite

600 Latching Door Stop Wall Mount



- Special powder coat options available
- Powder coated
- Swivelling latch
- Fixings supplied

INTERIOR/ EXTERIOR USAGE

Code	Description	Finish
600SC	Length: 80mm - Base: 45mm	Satin Chrome
600PW	Length: 80mm - Base: 45mm	Powder Coat White
600PB	Length: 80mm - Base: 45mm	Matt Black
600RM	Length: 80mm - Base: 45mm	*Uncoated Raw Material
GT5628SCP	Length: 80mm - Base: 45mm	Satin Chrome
GT5628SPC	Length: 80mm - Base: 45mm	*Custom Powder Coat

*See website for colours

Heavy Duty Latch Back Floor Mount Door Stop

- Made from forged brass
- Heavy duty suitable for commercial use
- Latch height 90mm (145mm for 608SC150) Base size 46mmW x 70mmL
- Keeper plate 40mmW x 64mmL
- Self latching with foot release

INTERIOR/ EXTERIOR USAGE **BRASS LIFETIME GUARANTEE** **TRADE PACK**



Code	Finish
608PB	Matt Black
608SCB	Satin Chrome
608SC150B	Satin Chrome

Mantis Latching Door Stop Floor Mount

- Made from forged brass
- Latch height 125mmH Base size 42mmW x 55mmL
- Keeper plate 40 x 40mm
- Self latching with foot release
- Fixings supplied

INTERIOR/ EXTERIOR USAGE **BRASS LIFETIME GUARANTEE** **DESIGNED BY MILES NELSON**



Code	Finish
609SC	Satin Chrome
609SG	Satin Graphite

Pedestal Door Holder

- Made from aluminium satin chrome anodised
- Height 280mm
- Upstand 50 x 50mm
- Base 90mm x 90mm
- Supplied with concrete screws

INTERIOR/ EXTERIOR USAGE



277SC



600SC



Code	Description	Finish
618SC	Includes 277SC	Satin Chrome
619SC	Includes 600SC	Satin Chrome
619PB	Includes 600PB	Matt Black

92mm Door Stop & Hold

- Zinc diecast
- 92mm length
- 54mm base diameter
- Fixings supplied

INTERIOR/ EXTERIOR USAGE



Code	Description	Finish
GT5626SCP	Door stop & hold	Satin Chrome
GT5626BLK	Door stop & hold	Matt Black
GT5627SCP	Packer	Satin Chrome
GT5627SPC	Packer	*Special Powder Coat

*See website for colours

PLATES & SIGNAGE

10 YEAR MECHANICAL WARRANTY

304 QUALITY STAINLESS STEEL

Kick Plate 200mm



- 304 grade stainless steel
- 200mm high
- Suitable for commercial applications
- Pre-drilled and countersunk holes
- Stainless steel screws supplied
- Custom sizes available on request

Code	Door Size	Plate Width	Finish
500KP610-200	610mm	585mm	Stainless Steel
500KP710-200	710mm	685mm	Stainless Steel
500KP760-200	760mm	735mm	Stainless Steel
500KP810-200	810mm	785mm	Stainless Steel
500KP860-200	860mm	835mm	Stainless Steel
500KP910-200	910mm	885mm	Stainless Steel

Kickplate 300mm



- Made from 304 grade stainless steel
- 300mm high
- 1.2mm thick
- Suitable for commercial applications
- Pre-drilled and countersunk holes
- Stainless steel screws supplied
- Custom sizes available on request

Code	Door Size	Plate Width	Finish
501KP610-300	610mm	585mm	Stainless Steel
501KP710-300	710mm	685mm	Stainless Steel
501KP760-300	760mm	735mm	Stainless Steel
501KP810-300	810mm	785mm	Stainless Steel
501KP860-300	860mm	835mm	Stainless Steel
501KP910-300	910mm	885mm	Stainless Steel

Round Sign



- Made from brushed 304 grade stainless steel
- 'Push' sign for restroom doors
- Round 75mm diameter
- Suitable for commercial applications
- Fixings supplied

Code	Description	Finish
503PPTBC	Baby Change	Stainless Steel
503PPTDIS	Wheelchair Accessible	Stainless Steel
503PPTM	Men	Stainless Steel
503PPTM/W	Men/Women	Stainless Steel
503PPTW	Women	Stainless Steel
503PULPR	Pull	Stainless Steel
503PUSPR	Push	Stainless Steel
503PPSH	Shower	Stainless Steel

Push Plate 300mm

- Made from brushed 304 grade stainless steel
- Blank (not engraved) push plate
- 300 high x 100mm wide
- Suitable for commercial applications
- Fixings supplied





Code	Description	Finish
502PP300100	300mm	Stainless Steel
502PP300100-BLK	300mm	Matt Black

Engraved Push Plate 300mm

- Made from brushed 304 grade stainless steel
- Engraved Push plate
- 300 high x 100mm wide
- Suitable for commercial applications
- Fixings supplied





Code	Description	Finish
502PPENGR	300mm	Stainless Steel
502PPENGR-BLK	300mm	Matt Black

Engraved Pull Plate with Handle 300mm

- Made from brushed 304 grade stainless steel
- Engraved Pull plate
- 300 high x 100mm wide
- Suitable for commercial applications
- Fixings supplied





Code	Description	Finish
502PPENGRH	300mm	Stainless Steel
502PPENGRH-BLK	300mm	Matt Black

BATHROOM HARDWARE

Indicator Bolt

- Made from zinc diecast
- Suitable for timber and metal doors
- Suit doors 28-45mm thick
- Surface mounted
- Screws supplied

5 YEAR WARRANTY



Code	Finish
3065SC	Satin Chrome

Indicator Bolt

- Made from 304 grade stainless steel
- Suitable for timber and metal doors
- Suit doors 28-45mm thick
- Surface mounted
- Screws supplied

304 QUALITY STAINLESS STEEL **5 YEAR WARRANTY**



Code	Finish
710SS	Stainless Steel

Indicator Hook

- Stainless indicator hook
- Suits 28-50mm thick
- Surface mounted with 6 fixing points to choose
- 6mm square spindle
- Suit sliding and hinged doors

S QUALITY STAINLESS STEEL **5 YEAR WARRANTY**



Code	Finish
790SS	Stainless Steel

32mm Diameter L Shape Tube

- 750 x 750mm L shape
- Polished 304 grade stainless steel
- Knurled grip area
- Concealed screw fixing
- Fixing supplied

304 QUALITY STAINLESS STEEL

10 YEAR MECHANICAL WARRANTY



Code	Description	Finish
MNC750GR	32mm tube diameter	Stainless Steel

32mm Diameter Grab Rail Tube

- Polished 304 grade stainless steel
- Knurled grip area
- Concealed screw fixing
- Fixing supplied

304 QUALITY STAINLESS STEEL

10 YEAR MECHANICAL WARRANTY



Code	Description	Finish
MNC600GR	610mm length	Stainless Steel
MNC450GR	450mm length	Stainless Steel

WARRANTY INFORMATION

2 YEAR ELECTRIC & MECHANICAL WARRANTY

All electrical and electronic components used in Miles Nelson range of products excluding batteries are guaranteed for a period of 3 years from the date of proof of purchase, unless otherwise stated.

Miles Nelson assumes no liability under the warranty for the following:

1. Improper installation or failure to follow fitting instructions.
2. Failure due to improper maintenance.
3. Fair wear and tear.
4. Indirect or consequential loss or damage.
5. Cost of removal and / or replacement.
6. Cost of freight and / or travelling time.
7. Damage to or deterioration of plated finishes (soft finishes) or finishes exposed to a corrosive environment. As deterioration is possible under some environmental conditions.
8. Any modification or repairs to a product, as supplied unless authorised by Miles Nelson.
9. Use of replacement parts other than authorised parts.
10. Malfunction or failure of the product due to the use of non-genuine Miles Nelson parts.

5 YEAR MECHANICAL WARRANTY

These products are warranted to be free from mechanical and workmanship defects for 5 years from the original date of purchase.

If a mechanical defect occurs simply return the product together with proof of purchase to point of purchase for replacement.

Over time the surface may deteriorate if exposed to adverse atmospheric conditions caused by sea, air and weather. Finish deterioration caused by exposure to adverse atmospheric conditions or occurring from the use of paints, solvents, acid cleaners or scratching from keys is not considered a defect in the finish and is not covered by the warranty conditions.

Likewise the warranty does not cover damage caused by incorrect installation, accident, neglect or other factors over which Miles Nelson has no control and as such Miles Nelson shall not be held liable for any losses or expenses such as loss of use, damage to property or consequential damages or expenses.

10 YEAR MECHANICAL WARRANTY

These products are warranted to be free from workmanship defects for 10 years from the original date of purchase. If a defect is detected simply return the product together with proof of purchase to the supplier for replacement. Products are designed for interior residential applications, unless otherwise stated.

Over time the surface may deteriorate if exposed to adverse atmospheric conditions caused by sea, air and weather. Finish deterioration caused by exposure to adverse atmospheric conditions or occurring from the use of ammoniated detergents, metal polishes, solvents, corrosive environments or other abrasive agents or scratching from keys is not considered a defect in the finish and as such is not covered by the warranty.

Likewise, the warranty does not cover damage caused by incorrect installation, accident, neglect or other factors over which Miles Nelson has no control and as such Miles Nelson shall not be held liable for any losses or expenses such as loss of use, damage to property or consequential damages or expenses.

25 YEAR MECHANICAL WARRANTY

Miles Nelson Manufacturing Ltd guarantees its products against defects in workmanship and materials. Should the product develop fault within its normal working life, Miles Nelson will repair or replace product of the same or equivalent product free of charge. Miles Nelson Manufacturing Ltd assumes no liability under this guarantee for the following.

1. Incorrect installation or failure to follow instructions.
2. Failure through improper maintenance or fair wear and tear.
3. Loss or damage costs incurred either indirect or consequential.
4. Cost of removal, replacement, and/or travelling time.
5. Any modification to the product from its original supplied operation design.
6. Plated finishes deterioration under some climatic conditions or chemical environment are exempt from this guarantee.

Miles Nelson Manufacturing Ltd reserves the right to determine whether or not any fault is caused by defects in workmanship or that any product is defective. Product specification and design improvement may change as a result of our continued commitment to quality, materials and development program. Consumer Guarantees Act does not apply.

B BRASS LIFETIME GUARANTEE

The lifetime warranty covers the integrity of the product(s) base material and as such the product is guaranteed to be free from material defects for the lifetime of the product.

The product finish is subject to the same conditions that apply to the 5 year warranty, as above.

S QUALITY STAINLESS STEEL

304 QUALITY STAINLESS STEEL

316 MARINE GRADE STAINLESS STEEL

There are two types of stainless steel commonly used in the hardware industry, 304 grade and 316 (marine) grade. 316 grade stainless has molybdenum as an additive that improves its resistance to pitting and corrosion and should be used when exposed to seaside conditions.

With a little bit of care you can minimise, if not prevent tea staining and get years of visual enjoyment from your stainless steel.

Tea staining can be described as: discolouration of the surface of stainless steel that does not affect the structural integrity or the longevity of the material. Tea staining of stainless steels occurs most commonly in coastal areas and becomes progressively worse the closer you get to water (note that most of New Zealand is considered a coastal area). Other factors such as pollution, higher temperatures and humidity can also increase the effect.

To prevent tea staining, perform regular maintenance – Wash regularly with clean fresh water, mild detergent and a cloth or soft brush. After washing rinse in clean water and wipe the surface dry with a soft absorbent cloth remembering to go with the grain on brushed stainless steel. Generally, you should wash your stainless steel every time you wash your windows or every three months. Do not use abrasive cleaners or a scouring pad of any type as they may cause excessive wear and dull the finish.

Disclaimer: Due to continuous product development, some products may vary from those shown. The Miles Nelson guarantee/warranty, shown on the pages within, applies only when properly installed and subjected to no more than fair wear and tear. This guarantee and warranty do not extend to labour costs, personal loss, death or injury or economic, consequential or property damage of any kind whatsoever. Due to the nature of the printing process, colours may vary from those shown in this brochure. All dimensions are nominal and product should be checked prior to installation. To view our full range of products or for more information please visit milesnelson.co.nz or phone 0800 6635 766 or email info@milesnelson.co.nz

V SERIES

SECURE ACCESS WITH OUR **NEW RESTRICTED KEY PROFILE**

Why Choose Our Restricted Key Profile?

- Copyright licence to 2040
- **Authorised Access Only:** Our restricted key profile ensures keys can only be cut by authorised locksmiths approved by Miles Nelson.
- **Increased Security:** Prevent unauthorised key duplication and enhance building security.
- **Master Keying Capability:** Multi broach system to create secure, scalable keying systems with customised master key setups for large or complex sites.
- **Quality You Can Trust:** Our cylinders and key blanks are built to withstand rigorous use, ensuring long-term reliability.
- **Full Compliance:** Ideal for commercial applications where security is paramount.

Benefits for Locksmiths

- **Exclusive Access:** Only locksmiths approved by Miles Nelson are authorized to cut and distribute our restricted keys.
- **Competitive Edge:** Offer your customers a premium security solution with a brand new copyright design protection until 2040.
- **Reliable Supply:** Access high-quality key blanks and cylinders directly from Miles Nelson, ensuring consistent quality and supply.
- **Scalable Solutions:** Customise master key systems to suit buildings of any size, from small businesses to large commercial complexes.
- **Dedicated Support:** Receive expert advice and technical support from our knowledgeable team.

For more information, email:

commercial@milesnelson.co.nz





WEBSITE UPDATE
B2B TRADE PORTAL

PROUDLY NZ OWNED & OPERATED

Reorder: **MNCB**

Follow us on:
MilesNelsonNZ
MilesNelsonNZ
MilesNelsonNZ

P: 0800 663 5766
F: +64 9 489 5552
E: Commercial@milesnelson.co.nz
PO Box: 31 043 | Milford, Auckland

To view the full commercial range scan the QR code or visit our website: **miles-nelson.com**