



GAIT[®]

Reliable quality products and outstanding customer service make our customer's lives that little bit easier, every day.

Founded in 1989 and still run by the Given family today, our team of experienced account managers services the whole of New Zealand with proven products that are quick and easy to install. Making our customer's lives that little bit easier, every day.

Trusted Partnerships

Our exclusive partnerships with trusted international brands like Ezset and Federal, amongst others, allow us to offer industry-leading R&D developments in form, function, finish, and quality materials that we know will stand the test of time.

Stringent product testing and relevant certification ensure that we are offering the stable and reliable quality you can trust.

Outstanding Customer Service

Our customer services team, based in Tauranga, aim to dispatch orders the same day they are received, and our online web ordering allows you to easily price products for accurate quoting and conveniently place orders at any time of the day that suits you.

Our commitment to selling only to re-sellers allows us to maintain our focus on product development, efficient supply chains, and outstanding customer service.

Proudly New Zealand Owned and Operated

We are proudly New Zealand owned and operated, and you can rely on us to deliver quality products and service throughout New Zealand.



Section 1.

Residential

Entrance Sets	8
Knobsets	25
Leversets	32
Residential Accessories	38
Deadbolts	42
Deadbolt Accessories	48
Cavity Slider Kits	51

Section 2.

Commerical

Knobsets	58
Leversets	65
Knob/Leversets	72
Deadbolts	75
Deabolt Accessories	78
Push/Pull Plates	79

Section 3.

Doorstops

Interior Wall Mount	81
Interior Floor Mount	84
Exterior Wall Mount	86
Exterior Floor Mount	87
Accessories	88
Stock Colours	204

Section 4.

Nightlatches & Rimlocks

Nightlatches	92
Rimlocks	94

Section 5.

Cupboard Locks

Barrels	98
Housings	99
Camlocks	101

Section 6.

Door Closers

Transom Closers Concealed	104
Light Commercial	106
Medium Commercial	107

Section 7.

Flush Bolts & Pulls

Recessed	110
Surface Mount	111
Accessories	112
Flush Pulls	113
Flush Bolt Stock Colours	204

Section 8.

Padlocks

Heavy Duty Solid Steel	116
Solid Steel Combination	118
Heavy Duty Stainless Steel	119
Heavy Duty Solid Brass	121
Brass Combination	122
Aluminium Combination	124
Thermoplastic Safety	126
Combination Key Boxes	128
Hasps	130
Shackles	133

Section 9.

Mortice Locks

Sets	136
Lock Furniture & Bodies	138
Cylinders	139
Commercial	140
Accessories	142
Stock Colours	204

Section 10.

Door Fittings & Hooks

T- Handle Locks	146
Screen Door Locks	146
Sliding Door Locks	146
Other	148
Necked Bolts	
Rebate Kits	
Magnetic Door Catch	
Door Viewers	
Roller Catch	
Packers	
Hooks	150

Section 11.

Window Fittings

Handles	154
Stays	160

Section 12.

Rollers

Door Wheels	166
Door Carriage & Wheels	171
Door Axle Kits	177
Window Carriage & Wheels	178

Section 13.

Hinges

Commercial	182
Ball Bearing	183
Altherm / Vantage / First	184
Fairview	186
Fisher / Rylock / Nebulite / Vistalite	187
Nulook	188

Section 14.

Sprays & Lubricants

Heavy Duty Lubricants	192
Lubricants & Degreasers	193

Section 15.

Panic Exit Devices

196

Section 16.

Barn Doors

Door Kits	200
Handles	201
Accessories	202

Powder Coat Charts	204
Special Finishes Descriptions	206
Colour Icon Descriptions	207
Care & Maintenance	208
Icon Key Descriptions	209
Glossary of Common Terms	210
Warranty Information	216
Terms and Conditions	216

Section 1.

Residential

Entrance Sets	8
Knobsets	25
Leversets	32
Residential Accessories	37
Deadbolts	42
Deadbolt Accessories	48
Cavity Slider Kits	51

RESIDENTIAL ENTRANCE SETS

Capri Gripsets



- Functions:

Entrance latch + deadbolt
- Finishes:

Satin Chrome and Black
- Dimensions:

65mm x 95mm (Deadbolt)
60mm x 285mm (Handle)
- Backset:

60-70mm Adjustable
- Door Thickness:

35mm – 45mm
- Door Prep:

54mm cross bore and 25mm edge bore
- Cylinder:

5 pin C4 keyway – 3 keys supplied
- Latch:

Faceplate – Square Corners (25.4mm x 57mm)
Bolt – brass with 1” throw (24.4mm)
Spring latch – 60-70mm adjustable
- Strike:

Upper – Rectangular, square corners (28.4mm x 69.8mm)
Lower – Full lip, square corners (44.4mm x 57mm)
- Handing:

None
- Packaging:

Box Packaging only

Measurements Width x Height x Depth in mm



RESIDENTIAL ENTRANCE SETS

Capri Gripset + Bala Knob



Capri Gripset + Bala Internal Knob
Single Cylinder Deadbolt

EZ400CABASC



Capri Gripset + Bala Internal Knob
Double Cylinder Deadbolt

EZ410CABASC



Capri Gripset + Bala Internal Knob
Single Cylinder Deadbolt

EZ400CABABLK



Capri Gripset + Bala Internal Knob
Double Cylinder Deadbolt

EZ410CABABLK



RESIDENTIAL ENTRANCE SETS

Capri Gripset + Hawthorn Interior Lever



Capri Gripset + Hawthorn Internal Lever
with Single Cylinder Deadbolt

EZ400CAHNSC

SC



Capri Gripset + Hawthorn Internal Lever
with Double Cylinder Deadbolt

EZ410CAHNSC

SC



Capri Gripset + Hawthorn Internal Lever
with Single Cylinder Deadbolt

EZ400CAHNBLK

B



Capri Gripset + Hawthorn Internal Lever
with Double Cylinder Deadbolt

EZ410CAHNBLK

B



RESIDENTIAL ENTRANCE SETS

Capri Gripset + Cambridge Interior Lever



Capri Gripset + Cambridge Internal Lever
with Single Cylinder Deadbolt

EZ400CACESC

SC



Capri Gripset + Cambridge Internal Lever
with Double Cylinder Deadbolt

EZ410CACESC

SC



Capri Gripset + Bala Knob + Digital Manual Drive Deadbolt



Capri Gripset + Bala Internal Knob
with Digital Manual Drive Single
Cylinder Deadbolt

KE400CABASC

SC



Capri Gripset + Bala Internal Knob
with Digital Manual Drive Single
Cylinder Deadbolt

KE400CABABLK

B



RESIDENTIAL ENTRANCE SETS

Capri Gripset + Hawthorn Lever + Digital Manual Drive Deadbolt



Capri Gripset + Hawthorn Internal Lever
with Digital Manual Drive Single Cylinder Deadbolt

KE400CAHNSC

SC



Capri Gripset + Hawthorn Internal Lever
with Digital Manual Drive Single Cylinder Deadbolt

KE400CAHNBLK

B



Capri Gripset + Cambridge Lever + Digital Manual Drive Deadbolt



Capri Gripset + Cambridge Internal Lever
with Digital Manual Drive Single Cylinder Deadbolt

KE400CACESC

SC



RESIDENTIAL ENTRANCE SETS

Mayfair Gripsets

EZSET®

Functions:	Entrance latch + deadbolt
Finishes:	Satin Chrome and Black
Dimensions:	75mm x 103mm (Deadbolt) 84mm x 300mm (Handle)
Backset:	60-70mm Adjustable
Door Thickness:	35mm – 45mm
Door Prep:	54mm cross bore and 25mm edge bore
Cylinder:	5 pin C4 keyway – 3 keys supplied
Latch:	Faceplate – Square Corners (25.4mm x 57mm) Bolt – brass with 1” throw (24.4mm) Spring latch – 60-70mm adjustable
Strike:	Upper – Rectangular, square corners (28.4mm x 69.8mm) Lower – Full lip, square corners (44.4mm x 57mm)
Handing:	None
Packaging:	Box Pack only

Measurements Width x Height x Depth in mm



RESIDENTIAL ENTRANCE SETS

Mayfair Gripset + Bala Interior Knob



Mayfair Gripset + Bala Internal Knob
with Single Cylinder Deadbolt

EZ400MABASC

SC



Mayfair Gripset + Bala Internal Knob
with Double Cylinder Deadbolt

EZ410MABASC

SC



Mayfair Gripset + Bala Internal Knob
with Single Cylinder Deadbolt

EZ400MABABLK

B



Mayfair Gripset + Bala Internal Knob
with Double Cylinder Deadbolt

EZ410MABABLK

B



RESIDENTIAL ENTRANCE SETS

Mayfair Gripset + Hawthorn Interior Lever



Mayfair Gripset + Hawthorn Internal Lever
with Single Cylinder Deadbolt

EZ400MAHNSC

SC



Mayfair Gripset + Hawthorn Internal Lever
with Double Cylinder Deadbolt

EZ410MAHNSC

SC



Mayfair Gripset + Hawthorn Internal Lever
with Single Cylinder Deadbolt

EZ400MAHNBK

B



Mayfair Gripset + Hawthorn Internal Lever
with Double Cylinder Deadbolt

EZ410MAHNBK

B



RESIDENTIAL ENTRANCE SETS

Mayfair Gripset + Cambridge Lever



Mayfair Gripset + Cambridge Internal Lever
with Single Cylinder Deadbolt

EZ400MACESC

SC



Mayfair Gripset + Cambridge Internal Lever
with Double Cylinder Deadbolt

EZ410MACESC

SC



Mayfair Gripset + Cambridge Lever + Digital Manual Drive Deadbolt



Mayfair Gripset + Cambridge Internal Lever
with Digital Manual Drive Single Cylinder Deadbolt

KE400MACESC

SC



RESIDENTIAL ENTRANCE SETS

Mayfair Gripset + Bala Gripset + Digital Manual Drive Deadbolt



Mayfair Gripset + Bala Internal Knob
with Digital Manual Drive Single Cylinder Deadbolt

KE400MABASC

SC



Mayfair Gripset + Bala Internal Knob
with Digital Manual Drive Single Cylinder Deadbolt

KE400MABABLK

B



Mayfair Gripset + Hawthorn Lever + Digital Manual Drive Deadbolt



Mayfair Gripset + Hawthorn Internal Lever
with Digital Manual Drive Single Cylinder Deadbolt

KE400MAHNSC

SC



Mayfair Gripset + Hawthorn Internal Lever
with Digital Manual Drive Single Cylinder Deadbolt

KE400MAHNBLK

B



RESIDENTIAL ENTRANCE SETS

Gripset Accessories



Entrance Gripset Screw Cover

EZ400CAPSCP

SC

5 YEAR WARRANTY



Entrance Gripset Screw Cover

EZ400CAPBLK

B

5 YEAR WARRANTY



Bala Internal Knob for Entrance Gripsets

EZ400INTKNOBSCP

SC

5 YEAR WARRANTY



Bala Internal Knob for Entrance Gripsets

EZ400INTKNOBBLK

B

5 YEAR WARRANTY



Hawthorn Lever for Entrance Gripset

EZHNINTERSCP

SC

5 YEAR WARRANTY



Hawthorn Lever for Entrance Gripset

EZHNINTERBLK

B

5 YEAR WARRANTY



60-70mm Adjustable Spring Latch

EZ9084SS



SS

5 YEAR WARRANTY



RESIDENTIAL COMBINATION SETS

Entrance Combination Sets
Knobset / Leverset + Deadbolt



EZSET®

Functions:	Entrance Combination Set – Keyed Alike
Finishes:	Stainless Steel, Polished Brass and Antique Brass
Backset:	60-70mm Adjustable (70mm recommended due to fisted hand grip)
Door thickness:	35mm – 45mm
Door Prep:	54mm cross bore and 25.4mm edge bore
Cylinder:	5 pin C4 keyways – 3 keys supplied. Combination set keyed alike.
Rose Cover:	65mm diameter
Material:	Stainless Steel / Brass
Latch:	Faceplate – Square Corners (25.4mm x 57mm) Bolt – zinc alloy with ½” throw (12.7mm)
Strike:	D- Strike, square corners (28mm x 69.8mm)
Handing:	None
Deadbolt Latch:	Faceplate – Square Corners (25.4mm x 57mm) Bolt – Steel with 1” throw (25.4mm)
Deadbolt Striker:	Square corners (28.4mm x 69.8mm)
Packaging:	Box Pack

Measurements Width x Height x Depth in mm



RESIDENTIAL COMBINATION SETS

Bala Entrance Knobsets



Bala Entrance Knobset
with Single Cylinder Deadbolt Keyed Alike

EZ300BAALSS

SS



Bala Entrance Knobset
with Double Cylinder Deadbolt Keyed Alike

EZ310BAALSS

SS



Bala Entrance Knobset
with Single Cylinder Deadbolt Keyed Alike

EZ300BAALAB

AB



Bala Entrance Knobset
with Double Cylinder Deadbolt Keyed Alike

EZ310BAALAB

AB



RESIDENTIAL COMBINATION SETS

Bala Entrance Knobsets



Bala Entrance Knobset
with Single Cylinder Deadbolt Keyed Alike

EZ300BAALPB

PB



Bala Entrance Knobset
with Double Cylinder Deadbolt Keyed Alike

EZ310BAALPB

PB



Olympus Entrance Knobsets



Olympus Entrance Knobset
with Single Cylinder Deadbolt Keyed Alike

EZ3000SALSS

SS



Olympus Entrance Knobset
with Double Cylinder Deadbolt Keyed Alike

EZ3100SALSS

SS



RESIDENTIAL COMBINATION SETS

Hawthorn Entrance Leversets



Hawthorn Entrance Leverset
with Single Cylinder Deadbolt Keyed Alike

EZ300HNALSN

SN



Hawthorn Entrance Leverset
with Double Cylinder Deadbolt Keyed Alike

EZ310HNALSN

SN



Hawthorn Entrance Leverset
with Single Cylinder Deadbolt Keyed Alike

EZ300HNALBLK

B



Hawthorn Entrance Leverset
with Double Cylinder Deadbolt Keyed Alike

EZ310HNALBLK

B



RESIDENTIAL COMBINATION SETS

Cambridge Entrance Leversets



Cambridge Entrance Leverset
with Single Cylinder Deadbolt Keyed Alike

EZ300CEALSC

SC



Cambridge Entrance Leverset
with Double Cylinder Deadbolt Keyed Alike

EZ310CEALSC

SC



Digital Entrance Sets



Bala Entrance Knobset
with Single Cylinder Digital Manual Drive
Deadbolt Keyed Alike

KE300BASS

SS



Olympus Entrance Knobset
with Single Cylinder Digital Manual Drive
Deadbolt Keyed Alike

KE300OSSS

SS



RESIDENTIAL COMBINATION SETS

Digital Entrance Sets



Hawthorn Entrance Leverset
with Digital Manual Drive Deadbolt Keyed Alike

KE300HNSN

SN



Hawthorn Entrance Leverset
with Digital Manual Drive Deadbolt Keyed Alike

KE300HNBLK

B



Cambridge Entrance Leverset
with Digital Manual Drive Deadbolt Keyed Alike


KE300CESC

SC



RESIDENTIAL KNOBSETS

Bala Knobsets
100 Series



EZSET®

Functions:	Entrance, Passage, Privacy and Dummy
Finishes:	Stainless Steel, Polished Brass and Antique Brass
Backset:	60-70mm Adjustable (70mm recommended due to fistted hand grip) 95mm & 127mm Backset available
Door thickness:	35mm – 45mm
Door Prep:	54mm cross bore and 25.4mm edge bore
Cylinder:	5 pin C4 keyway – 3 keys supplied. Keyed Alike Available.
Rose Cover:	65mm diameter
Material:	Stainless Steel / Brass
Latch:	Faceplate – Square Corners (25.4mm x 57mm) Bolt – zinc alloy with ½” throw (12.7mm)
Strike:	D- Strike, square corners (28mm x 69.8mm)
Handing:	None
Packaging:	Display and Box Pack available

Measurements Width x Height x Depth in mm



RESIDENTIAL KNOBSETS

Bala Entrance Knobsets



Bala Entrance Knobset - 100 Series
Single Cylinder
60mm – 70mm Adjustable Backset

	EZ100BAALSS	SS
	EZ100BAALSSBP	SS
	EZ100BAALSSKABP	SS

	EZ100BAALPB	PB
	EZ100BAALPBBP	PB

	EZ100BAALAB	AB
	EZ100BAALABBP	AB
	EZ100BAALABKABP	AB



Bala Entrance Knobset - 100 Series
Single Cylinder
127mm Backset

	EZ100BA127SSBP	SS
	EZ100BA127SSKABP	SS

	EZ100BA127PBBP	PB
--	----------------	----

	EZ100BA127ABBP	AB
	EZ100BA127ABKABP	AB



RESIDENTIAL KNOBSETS

Bala Entrance Knobsets



Bala Entrance Knobset - 100 Series
Double Cylinder
60mm – 70mm Adjustable Backset

	EZ108BAALSS	SS
	EZ108BAALSSBP	SS

	EZ108BAALPB	PB
	EZ108BAALPBBP	PB

	EZ108BAALAB	AB
	EZ108BAALABBP	AB



Bala Entrance Knobset - 100 Series
Double Cylinder
127mm Backset

	EZ108BA127SSBP	SS
--	----------------	----

	EZ108BA127PBBP	PB
--	----------------	----

	EZ108BA127ABBP	AB
--	----------------	----



RESIDENTIAL KNOBSETS

Bala Passage Knobsets



Bala Passage Knobset - 100 Series
60mm - 70mm Adjustable Backset

	EZ101BAALSS	SS
	EZ101BAALSSBP	SS



	EZ101BAALPB	PB
	EZ101BAALPBBP	PB



	EZ101BAALAB	AB
	EZ101BAALABBP	AB



Bala Privacy Knobsets



Bala Privacy Knobset - 100 Series
60mm - 70mm Adjustable Backset
Includes Kick-Off function to avoid accidental lock out

	EZ102BAALSS	SS
	EZ102BAALSSBP	SS



	EZ102BAALPB	PB
	EZ102BAALPBBP	PB



	EZ102BAALAB	AB
	EZ102BAALABBP	AB



RESIDENTIAL KNOBSETS

Bala Dummy Knobs



Bala Dummy Knob - 100 Series
For use with Roller or Magnetic Catch

	EZ105BASS	SS
	EZ105BASSBP	SS



Bala Dummy Knob - 100 Series
For use with Roller or Magnetic Catch

	EZ105BAPB	PB
--	-----------	----



Bala Dummy Knob - 100 Series
For use with Roller or Magnetic Catch

	EZ105BAAB	AB
--	-----------	----



RESIDENTIAL KNOBSETS

Olympus Knobsets
100 Series



EZSET®


- Functions:
- Entrance, Passage, Privacy and Dummy
- Finishes:
- Stainless Steel
- Backset:
- 60-70mm Adjustable
(70mm recommended due to fisted hand grip)
95mm & 127mm Backset available
- Door thickness:
- 35mm – 45mm
- Door Prep:
- 54mm cross bore and 25.4mm edge bore
- Cylinder:
- 5 pin C4 keyway – 3 keys supplied .
- Rose Cover:
- 65mm diameter
- Material:
- Stainless Steel / Brass
- Latch:
- Faceplate – Square Corners (25.4mm x 57mm)
Bolt – zinc alloy with ½” throw (12.7mm)
- Strike:
- D- Strike, square corners (28mm x 69.8mm)
- Handing:
- None
- Packaging:
- Display and Box Pack available

Measurements Width x Height x Depth in mm



RESIDENTIAL KNOBSETS

Olympus Entrance Knobsets



Olympus Entrance Knobset - 100 Series

Single Cylinder
60mm - 70mm Adjustable Backset

- EZ1000SALSS
- SS
- EZ1000SALSSBP
- SS



Olympus Entrance Knobset - 100 Series

Single Cylinder - 127mm Backset

- EZ1000S127SSBP
- SS



Olympus Passage Knobsets



Olympus Passage Knobset - 100 Series

60mm - 70mm Adjustable Backset

- EZ1010SALSS
- SS
- EZ1010SALSSBP
- SS



Olympus Privacy Knobsets



Olympus Privacy Knobset - 100 Series

60mm - 70mm Adjustable Backset
Includes Kick-Off function to avoid accidental lock out

- EZ1020SALSS
- SS
- EZ1020SALSSBP
- SS



Olympus Dummy Knobs



Olympus Dummy Knob - 100 Series

For use with Roller or Magnetic Catch

- EZ1050SSS
- SS
- EZ1050SSSBP
- SS



RESIDENTIAL LEVERSETS

Hawthorn Leversets



EZSET®

- Functions:
- Entrance, Passage, Privacy and Dummy
- Finishes:
- Satin Nickel and Black
- Backset:
- 60-70mm Adjustable
- Door Thickness:
- 35mm – 45mm
- Door Prep:
- 54mm cross bore and 25.4mm edge bore
- Cylinder:
- 5 pin C4 Keyway – 3 keys supplied
- Rose Cover:
- 65mm Diameter
- Material:
- Brass / Stainless Steel with Zinc Die cast lever
- Latch:
- Faceplate – Square Corners (25.4mm x 57mm)
Bolt – Zinc Alloy with ½” throw (12.7mm)
- Strike:
- Fully lipped, square corners (44.4mm x 57mm x 2.0mm)
- Handing:
- None
- Packaging:
- Display and Box Pack Available

Measurements Width x Height x Depth in mm



RESIDENTIAL LEVERSETS

Hawthorn Entrance Leversets



Hawthorn Entrance Leverset - 500HN Series
Single Cylinder
60mm - 70mm Adjustable Backset

- EZ500HNALSDN
- SN
- EZ500HNALSDNBP
- SN



Hawthorn Entrance Leverset - 500HN Series
Single Cylinder
60mm - 70mm Adjustable Backset

- EZ500HNALBLK
- B
- EZ500HNALBLKBP
- B



Hawthorn Passage Leversets



Hawthorn Passage Leverset - 500HN Series
60mm - 70mm Adjustable Backset

- EZ501HNALSDN
- SN
- EZ501HNALSDNBP
- SN



Hawthorn Passage Leverset - 500HN Series
60mm - 70mm Adjustable Backset

- EZ501HNALBLK
- B
- EZ501HNALBLKBP
- B



RESIDENTIAL LEVERSETS

Hawthorn Privacy Leversets



Hawthorn Privacy Leverset - 500HN Series
60mm - 70mm Adjustable Backset

EZ502HNALSDN

SN

EZ502HNALSDNBP

SN



Hawthorn Privacy Leverset - 500HN Series
60mm - 70mm Adjustable Backset

EZ502HNALBLK

B

EZ502HNALBLKBP

B



Hawthorn Dummy Levers



Hawthorn Dummy Lever - 500HN Series
For use with Roller or Magnetic Catch

EZ515HNSDN

SN

EZ515HNSDNBP

SN



Hawthorn Dummy Lever - 500HN Series
For use with Roller or Magnetic Catch

EZ515HNBLK

B

EZ515HNBLKBP

B



RESIDENTIAL LEVERSETS

Cambridge Leversets



- Functions:

Entrance, Passage, Privacy and Dummy
- Finishes:

Satin Chrome
- Backset:

60-70mm Adjustable
- Door Thickness:

35mm – 45mm
- Cylinder:

5 pin C4 Keyway – 3 keys supplied
- Door Prep:

54mm cross bore and 25.4mm edge bore
- Rose Cover:

65mm diameter
- Material:

Brass / Stainless Steel with Zinc Die cast lever
- Latch:

Faceplate – Square Corners (28.4mm x 57mm)
Bolt – Stainless Steel Powder metallurgy with ½” throw (12.7mm)
- Strike:

T Strike (28.2mm x 69.5mm x 2.0mm)
- Handing:

None
- Packaging:

Display and Box Pack available

Measurements Width x Height x Depth in mm



RESIDENTIAL LEVERSETS

Cambridge Entrance Leversets



Cambridge Entrance Leverset - 500CE Series
60mm x 70mm Adjustable Backset

- EZ500CEALSC
- EZ500CEALSCBP




Cambridge Passage Leversets



Cambridge Passage Leverset - 500CE Series
60mm x 70mm Adjustable Backset

- EZ501CEALSC
- EZ501CEALSCBP



Cambridge Privacy Leversets



Cambridge Privacy Leverset - 500CE Series
60mm x 70mm Adjustable Backset

- EZ502CEALSC
- EZ502CEALSCBP



Cambridge Dummy Levers




Cambridge Dummy Lever - 500CE Series
For use with Roller or Magnetic Catch

- EZ515CESC
- EZ515CESCBP



RESIDENTIAL ACCESSORIES

Strike Plates



Full Lipped Strike Plate
44.4mm x 57mm x 1.2mm

EZ9102SS

Full Lipped Strike Plate
44.4mm x 57mm x 1.2mm

EZ9102PB

Full Lipped Strike Plate
44.4mm x 57mm x 1.2mm

EZ9102BLK

Full Lipped Strike Plate
44.4mm x 57mm x 1.2mm

EZ9102AB

5 YEAR WARRANTY

T Strike Plate
28mm x 69.8mm x 1.2mm

EZ9101SS

T Strike Plate
28mm x 69.8mm x 1.2mm

EZ9101PB

T Strike Plate
28mm x 69.8mm x 1.2mm

EZ9101AB

5 YEAR WARRANTY

Strike Plate Packer
22mm x 72mm

EZ9101PACKER

5 YEAR WARRANTY

Measurements Width x Height x Depth in mm

RESIDENTIAL ACCESSORIES

Backsets



60mm - 70mm Adjustable Dead Locking Latch

- EZ9081SSSS
- EZ9081PBPB
- EZ9081ABAB

5 YEAR WARRANTY 60-70



95mm Dead Locking Latch

- EZ9095SSSS
- EZ9095PBPB
- EZ9095ABAB

5 YEAR WARRANTY 95



127mm Dead Locking Latch

- EZ9010SSSS
- EZ9010PBPB
- EZ9010ABAB

5 YEAR WARRANTY 127



60mm - 70mm Adjustable Spring Latch

- EZ9082SSSS
- EZ9082PBPB
- EZ9082ABAB

5 YEAR WARRANTY 60-70

RESIDENTIAL ACCESSORIES

Backsets



60mm - 70mm Adjustable Drive
in Dead Locking Latch

- EZ9005SSSS

5 YEAR WARRANTY 60-70



60mm - 70mm Adjustable Fire Rated Drive
in Dead Locking Latch - HAWTHORN

- EZ9083SSSS

5 YEAR WARRANTY 60-70



60mm - 70mm Adjustable Fire Rated
Spring Latch - GRIPSET

- EZ9084SSSS

5 YEAR WARRANTY 60-70



60mm Fixed Backset Deadlocking Latch

- EZ9001SSSS

5 YEAR WARRANTY 60

Cylinders



EZSET Bala 5 Pin Cylinder
Keyed Differently - 3 Keys

EZ9100C5PBALASSKD SS

EZ9100C5PBALAABKD AB

EZ9100C5PBALAPBKD PB

5 YEAR WARRANTY



EZSET Hawthorn / Cambridge Cylinder
Keyed Differently - 3 keys

EZ9100C5PHNSSKD SS

5 YEAR WARRANTY

Keying



Extra Keys for 5 Pin Cylinder
Per Key

GTEK5PIN

Extra Keys for 6 Pin Cylinder
Per Key

GTEK6PIN

Keying Alike Cylinders
Per Cylinder


GTKA

Master Keying Cylinders
Per Cylinder

GTMK

5 YEAR WARRANTY

Other



Rubber Sealing Ring
For weatherproofing with EZSET
leversets and knobsets

EZ78024RUBBERRING

5 YEAR WARRANTY

Threaded Rod for Dummy Knobs
1/4 inch BSW

GTTH1/4

5 YEAR WARRANTY

Fixed Backset Extension Links



Fixed Backset Extension Link
35mm

EZ9035LINK

5 YEAR WARRANTY

Fixed Backset Extension Link
57mm

EZ9057LINK

5 YEAR WARRANTY


Fixed Backset Extension Link
67mm

EZ9067LINK

5 YEAR WARRANTY

RESIDENTIAL DEADBOLTS

Deadbolts
Single Cylinder



EZSET®

- Functions: Entrance
- Finishes: Stainless Steel, Polished Brass, Antique Brass and Black
- Backset: 60-70mm Adjustable
127mm Backset Accessories Available
- Door Thickness: 35mm – 45mm
- Cylinder: 5 pin C4 Keyway – 3 keys supplied
Keyed Alike Available (KA)
- Door Prep: 54mm cross bore and 25mm edge bore
- Rose Cover: 65mm diameter
- Material: Stainless Steel / Brass
- Latch: Faceplate – Square Corners (25.4mm x 57mm)
Bolt – Steel with 1” throw (25.4mm)
- Strike: Square corners (28.4mm x 69.8mm)
- Handing: None
- Packaging: Display and Box Pack available

Measurements Width x Height x Depth in mm



RESIDENTIAL DEADBOLTS
Single Cylinder Deadbolts



Single Cylinder Deadbolt
60mm – 70mm Adjustable Backset

- EZ200BALSS
- EZ200BALSSBP
- EZ200BALSSKABP



Single Cylinder Deadbolt
60mm – 70mm Adjustable Backset

- EZ200BALPB
- EZ200BALPBBP



Single Cylinder Deadbolt
60mm – 70mm Adjustable Backset

- EZ200BALAB
- EZ200BALABBP



Single Cylinder Deadbolt
60mm – 70mm Adjustable Backset


- EZ200BALBLK
- EZ200BALBLKBP



RESIDENTIAL

Deadbolts

Double Cylinder



- Functions:

Entrance
- Finishes:

Stainless Steel, Polished Brass, Antique Brass and Black
- Backset:

60-70mm Adjustable

127mm Backset Available
- Door Thickness:

35mm – 45mm
- Cylinder:

5 pin C4 Keyway – 3 keys supplied

Keyed Alike Available (KA)
- Door Prep:

54mm cross bore and 25mm edge bore
- Rose Cover:

65mm diameter
- Material:

Stainless Steel / Brass
- Latch:

Faceplate – Square Corners (25.4mm x 57mm)

Bolt – Steel with 1” throw (25.4mm)
- Strike:

Square corners (28.4mm x 69.8mm)
- Handing:

None
- Packaging:


Display and Box Pack available

Measurements Width x Height x Depth in mm



RESIDENTIAL DEADBOLTS

Double Cylinder Deadbolts



Double Cylinder Deadbolt
60mm – 70mm Adjustable Backset


- EZ210BALSS

SS
- EZ210BALSSBP

SS
- EZ210BALSSKABP

KA

SS



Double Cylinder Deadbolt
60mm – 70mm Adjustable Backset

- EZ210BALPB

PB
- EZ210BALPBBP

PB




Double Cylinder Deadbolt
60mm – 70mm Adjustable Backset

- EZ210BALAB

AB
- EZ210BALABBP

AB



Double Cylinder Deadbolt
60mm – 70mm Adjustable Backset

- EZ210BALBLK

B
- EZ210BALABLKBP

B



RESIDENTIAL DEADBOLTS

Keyless Entry Digital Manual Drive Deadbolt



EZSET®

- Functions:** Entrance
- Finishes:** Satin Chrome, Satin Nickel, Black
- Dimensions:** 65mm x 95mm
- Backset:** 60-70mm Adjustable
- Door Thickness:** 35mm – 45mm
- Cylinder:** 5 pin C4 Keyway – 3 keys supplied
- Door Prep:** 54mm cross bore and 25.4mm edge bore
- Material:** Brass
- Latch:** Faceplate – Square Corners (29mm x70mm)
Bolt – zinc alloy with ½” throw (12.7mm)
- Strike:** Square corners (44.4mm x 57mm)
- Handing:** None
- Features:**
- Up to 20 user codes
 - Low power consumption
 - 25 year mechanical warranty
 - 12 months electronic warranty
 - Code must be entered in the correct sequence for added security
- Packaging:** Box Pack only

Measurements Width x Height x Depth in mm



RESIDENTIAL DEADBOLTS

Keyless Entry - Digital Manual Drive Deadbolt



Digital Manual Drive Deadbolt

KEPD10S01SC

SC



Digital Manual Drive Deadbolt

KEPD10S01SN


SN



Digital Manual Drive Deadbolt

KEPD10S01BLK

B



RESIDENTIAL DEADBOLTS

Backsets




127mm Fixed Backset Deadbolt Latch

EZ9092SS

SS

5 YEAR WARRANTY



127



60mm - 70mm Adjustable Backset Deadbolt Latch

EZ9091SS

SS

EZ9091PB

PB

EZ9091AB

AB

EZ9091BLK

B

5 YEAR WARRANTY



60-70

Strike Plates



Deadbolt Strike Plate
28.4mm x 69.8mm

EZ9111SS

SS

EZ9111PB

PB

EZ9111AB

AB

EZ9111BLK

B

5 YEAR WARRANTY



Strike Plate Packer
22mm x 72mm

EZ9101PACKER

5 YEAR WARRANTY

Measurements Width x Height x Depth in mm

RESIDENTIAL DEADBOLTS

Extension Packs and Tail Bars



75mm EZSET Single Cylinder Tail Bar

EZ200EXTB75

B

5 YEAR WARRANTY



Single Cylinder Extension Pack

With 1 Tail and 2 Screws.

Extends to 70mm door thickness

EZ200EXTPACKSS

SS

5 YEAR WARRANTY



Single Cylinder Extension Pack

With 1 Tail and 2 Screws.

Extends to 70mm door thickness

EZ200EXTPACKPB

PB

5 YEAR WARRANTY



Single Cylinder Extension Pack

With 1 Tail and 2 Screws.

Extends to 70mm door thickness

EZ200EXTPACKAB

AB

5 YEAR WARRANTY



Extended Double Cylinder Deadbolt Tail Bar Outside

EZ210EXTBO

5 YEAR WARRANTY



Extended Double Cylinder Deadbolt Tail Bar Inside

EZ210EXTBI

5 YEAR WARRANTY

RESIDENTIAL DEADBOLTS

Other



Deadbolt Turn

EZ200TURNSCP

SC

EZ200TURNPB

PB

EZ200TURNAB

AB

EZ200TURNBLK

B

5 YEAR WARRANTY



60mm Single Cylinder Deadbolt Screw

EZSCREW60SS200

SS

EZSCREW60PB200

PB

EZSCREW60AB200

AB

5 YEAR WARRANTY



80mm Double Cylinder Deadbolt Screw

EZSCREW80SS210

SS

EZSCREW80PB210

PB

EZSCREW80AB210

AB

5 YEAR WARRANTY



80mm Double Cylinder Deadbolt One Way Screw

EZSCREW80SS210OW

SS

EZSCREW80PB210OW

PB

EZSCREW80AB210OW

AB

5 YEAR WARRANTY

RESIDENTIAL CAVITY SLIDERSETS

Cavity Slider Locking Kits



EZSET®

- Concealed screws for a flush finish
- Stainless Steel latch beak supplied
- Colour matched square finger pull
- Privacy red / green indicator on exterior

Functions:	Entrance, Passage, and Privacy
Finishes:	Satin Nickel, Satin Chrome and Black
Backset:	60mm
Door Thickness Entrance:	35mm – 55mm
Door Thickness Privacy:	31mm – 51mm
Keys:	3 Keys supplied
Door Prep:	54mm cross bore and 25mm edge bore
Rose Cover:	64mm diameter
Material:	Zinc
Face Plate:	56mm x 25mm
Strike:	Fully lipped, square corners (25mm x 67mm)
Handing:	None
Packaging:	Display pack only

Measurements Width x Height x Depth in mm

25 YEAR MECHANICAL WARRANTY

CAVITY SLIDERSETS

Entrance Lock Kit



Cavity Slider Locking Kit - Square
60mm Backset
 **EZ600SQSN** SN



Cavity Slider Locking Kit - Square
60mm Backset
 **EZ600SQBLK** B



Cavity Slider Locking Kit - Square
60mm Backset
 **EZ600SQSC** SC



Privacy Lock Kit



Cavity Slider Privacy Kit - Square
60mm Backset
 **EZ602SQSN** SN



Cavity Slider Privacy Kit - Square
60mm Backset
 **EZ602SQBLK** B



Cavity Slider Privacy Kit - Square
60mm Backset
 **EZ602SQSC** SC



CAVITY SLIDERSETS

Passage Kit



Cavity Slider Passage Kit - Square
 **EZ601SQSN** SN



Cavity Slider Passage Kit - Square
 **EZ601SQBLK** B



Cavity Slider Passage Kit - Square
 **EZ601SQSC** SC



Finger Pull Kit



Cavity Slider Finger Pull Kit - Square
 **EZ603SN** SN



Cavity Slider Finger Pull Kit - Square
 **EZ603BLK** B



Cavity Slider Finger Pull Kit - Square
 **EZ603SC** SC



CAVITY SLIDERSETS

Entrance Lock Kit



Cavity Slider Locking Kit - Round
60mm Backset

 **EZ600RNDN** SN



Cavity Slider Locking Kit - Round
60mm Backset

 **EZ600RNDBLK** B



Cavity Slider Locking Kit - Round
60mm Backset

 **EZ600RNDSC** SC



Privacy Lock Kit



Cavity Slider Privacy Kit - Round
60mm Backset

 **EZ602RNDN** SN



Cavity Slider Privacy Kit - Round
60mm Backset

 **EZ602RNDBLK** B



Cavity Slider Privacy Kit - Round
60mm Backset

 **EZ602RNDSC** SC



CAVITY SLIDERSETS

Passage Kit



Cavity Slider Passage Kit - Round

 **EZ601RNDN** SN



Cavity Slider Passage Kit - Round

 **EZ601RNDBLK** B



Cavity Slider Passage Kit - Round

 **EZ601RNDSC** SC



Section 2.

Commercial

Knobsets	58
Leversets	65
Knob/Leversets	72
Deadbolts	75
Push/Pull Plates	79

COMMERICAL KNOBSETS

Bala Knobsets
EA series

GAIT®



- Concealed mounting screws
- One piece high security knob
- Can accommodate security profile PD type barrels

Functions:	Entrance, Passage, Privacy, Classroom, Storeroom, Double Cylinder
Grade:	2 Commercial Cylindrical Knobset
Certification:	ANSI A156.2
Fire Rating:	Fire rated for both NZ Fire Doors and Pacific Fire Doors
Finishes:	Stainless Steel, Polished Brass and Antique Brass
Backset:	60mm; 70mm; 95mm and 127mm
Door Thickness:	35mm – 51mm
Door Prep:	54mm hole and 25mm Edge
Cylinder:	6 pin C4 Keyway – 3 keys supplied
Rose Cover:	75mm
Material:	Stainless Steel, Brass and Plated Steel Components
Latch:	Faceplate – Square Corners (25.4mm x 57mm) Bolt – Stainless Steel Powder metallurgy with ½" throw (12.7mm)
Strike:	T Strike (28.2mm x 69.5mm x 2.0mm)
Handing:	None
Packaging:	Box Pack only

Measurements Width x Height x Depth in mm

10 YEAR WARRANTY

COMMERICAL KNOBSETS
Bala Entrance Knobsets



Bala Entrance Knobset – EA Series
Single Cylinder
60mm Backset

 **100EABA60SS** SS



Bala Entrance Knobset – EA Series
Single Cylinder
60mm Backset

 **100EABA60PB** PB



Bala Entrance Knobset – EA Series
Single Cylinder
60mm Backset

 **100EABA60AB** AB



Bala Entrance Knobsets



Bala Entrance Knobset – EA Series
Single Cylinder
70mm Backset

 **100EABA70SS** SS



Bala Entrance Knobset – EA Series
Single Cylinder
70mm Backset

 **100EABA70PB** PB



Bala Entrance Knobset – EA Series
Single Cylinder
70mm Backset

 **100EABA70AB** AB



COMMERICAL KNOBSETS

Bala Entrance Knobsets




Bala Entrance Knobset – EA Series
Single Cylinder
95mm Backset

 **100EABA95SS** 



Bala Entrance Knobset – EA Series
Single Cylinder
95mm Backset

 **100EABA95PB** 



Bala Entrance Knobset – EA Series
Single Cylinder
95mm Backset

 **100EABA95AB** 



Bala Entrance Knobsets




Bala Entrance Knobset – EA Series
Single Cylinder
127mm Backset

 **100EABA127SS** 



Bala Entrance Knobset – EA Series
Single Cylinder
127mm Backset

 **100EABA127PB** 



Bala Entrance Knobset – EA Series
Single Cylinder
127mm Backset

 **100EABA127AB** 



COMMERICAL KNOBSETS

Bala Entrance Knobsets



Bala Entrance Knobset – EA Series
Double Cylinder
60mm Backset

 **108EABA60SS** 



Bala Entrance Knobset – EA Series
Double Cylinder
70mm Backset

 **108EABA70SS** 



Bala Entrance Knobset – EA Series
Double Cylinder
95mm Backset

 **108EABA95SS** 



Bala Entrance Knobset – EA Series
Double Cylinder
127mm Backset

 **108EABA127SS** 



COMMERCIAL KNOBSETS

Bala Passage Knobsets



Bala Passage Latch Knobset – EA Series
60mm Backset

 **101EABA60SS** 



Bala Passage Latch Knobset – EA Series
70mm Backset

 **101EABA70SS** 



Bala Privacy Knobsets



Bala Privacy Latch Knobset – EA Series
60mm Backset

 **102EABA60SS** 



Bala Privacy Latch Knobset – EA Series
70mm Backset

 **102EABA70SS** 



COMMERCIAL KNOBSETS

Bala Storeroom Knobsets *(Only opened by key from the outside & always unlocked from inside)*



Bala Storeroom Lock Knobset – EA Series
Single Cylinder
60mm Backset

 **104EABA60SS** 



Bala Storeroom Lock Knobset – EA Series
Single Cylinder
70mm Backset

 **104EABA70SS** 



Bala Storeroom Lock Knobset – EA Series
Single Cylinder
127mm Backset

 **104EABA127SS** 



** 95mm backset available on request*

Bala Classroom Knobsets *(Unlocked by key from the outside and always unlocked from inside)*



Bala Classroom Lock Knobset – EA Series
60mm Backset

 **109EABA60SS** 



Bala Classroom Lock Knobset – EA Series
70mm Backset

 **109EABA70SS** 



Bala Classroom Lock Knobset – EA Series
127mm Backset

 **109EABA127SS** 



** 95mm backset available on request*

Knobset Accessories - Backsets



60mm Fixed Backset Deadlocking Latch

Deadlocking Latch

Fire Rated

EZ9061EASS

SS

EZ9061EAPB

PB

EZ9061EAAB

AB

5 YEAR WARRANTY



60



70mm Fixed Backset Deadlocking Latch

Deadlocking Latch

Fire Rated

EZ9072EASS

SS

EZ9072EAPB

PB

EZ9072EAAB

AB

5 YEAR WARRANTY



70



70mm Fixed Backset Spring Latch

Spring Latch

Fire Rated

EZ9004EASS

SS

5 YEAR WARRANTY




70



COMMERCIAL LEVERSETS

Empire Leversets
EV series

GAIT®



- Anti-vandalism clutch function (lever remains active / free moving when locked)
 - Removable thru-bolt, adjustable mounting plate, removable turn button
 - Concealed mounting screws
 - Can accommodate security profile PD type barrels
- Entrance, Passage, Privacy, Classroom, Storeroom, Exit Lock
- 2 Commercial Heavy Duty Cylindrical Leverset
- ANSI A156.2
- Fire rated for both NZ Fire Doors and Pacific Fire Doors
- Satin Chrome
- 60mm; 70mm and 127mm (95mm on request)
- 35mm – 51mm
- 54mm hole and 25mm edge
- 6 pin C4 Keyway – 3 keys supplied
- 85mm
- Brass rose with die cast zinc lever
- Faceplate – Square Corners (25.4mm x 57mm)
- Bolt – Stainless Steel Powder metallurgy with ½” throw (12.7mm)
- T Strike (28.2mm x 69.5mm x 2.0mm)
- None
- Box Pack only

Functions:

Grade:

Certification:

Fire Rating:

Finishes:

Backset:

Door Thickness:

Door Prep:

Cylinder:

Rose Cover:

Material:

Latch:

Strike:

Handing:

Packaging:


Measurements Width x Height x Depth in mm

10 YEAR WARRANTY


COMMERCIAL LEVERSETS
Empire Entrance Leversets




Empire Entrance Lock Leverset – EV Series
60mm Backset



Empire Entrance Lock Leverset – EV Series
70mm Backset



Empire Entrance Lock Leverset – EV Series
127mm Backset




* 95mm backset available on request


Empire Exit Leversets




Empire Exit Lock Leverset – EV Series
60mm Backset



Empire Exit Lock Leverset – EV Series
70mm Backset



Empire Exit Lock Leverset – EV Series
127mm Backset





* 95mm backset available on request

COMMERCIAL LEVERSETS
Empire Passage Leversets



Empire Passage Latch Leverset – EV Series
60mm Backset




Empire Passage Latch Leverset – EV Series
70mm Backset




Empire Privacy Leversets



Empire Privacy Latch Leverset – EV Series
60mm Backset



Empire Privacy Latch Leverset – EV Series
70mm Backset





COMMERCIAL LEVERSETS

Empire Storeroom Leversets *(Only opened by key from the outside & always unlocked from inside)*




Empire Storeroom Lock Leverset – EV Series
60mm Backset

504EV60SC



Empire Storeroom Lock Leverset – EV Series
70mm Backset

504EV70SC



Empire Storeroom Lock Leverset – EV Series
127mm Backset

504EV127SC




* 95mm backset available on request

Empire Classroom Leversets *(Unlocked by key from the outside & always unlocked from inside)*



Empire Classroom Lock Leverset – EV Series
60mm Backset

509EV60SC



Empire Classroom Lock Leverset – EV Series
70mm Backset

509EV70SC



Empire Classroom Lock Leverset – EV Series
127mm Backset

509EV127SC



* 95mm backset available on request

COMMERCIAL LEVERSETS

Raglan Leversets
RN series

GAIT®



- Auto release function
- Concealed mounting screws
- Protection sleeve design
- Reversible or non-handed design
- Can accommodate security profile PD type barrel

Functions:	Entrance, Passage, Privacy, Storeroom, Classroom and Dummy
Grade:	2 Commercial Tubular Leverset
Certification:	ANSI A156.2
Fire Rating:	Fire rated for both NZ Fire Doors and Pacific Fire Doors
Finishes:	Satin Nickel
Backset:	60mm - 70mm Adjustable and 127mm
Door Thickness:	35mm – 51mm
Door Prep:	54mm hole and 25mm edge
Cylinder:	6 pin C4 Keyway – 3 keys supplied
Rose Cover:	75mm
Material:	Satin Nickel pressure die cast zinc lever
Latch:	Faceplate – Square Corners (25.4mm x 57mm) Bolt - Stainless Steel with Powder Metallurgy 1/2" throw (12.7mm)
Strike:	D Strike (28.2mm x 69.5mm x 2.0mm)
Handing:	None
Packaging:	Box Pack only

Measurements Width x Height x Depth in mm

10 YEAR WARRANTY

COMMERCIAL LEVERSETS

Raglan Entrance Leversets



Raglan Entrance Lock Leverset – RN Series
60 - 70mm Adjustable Backset

500RNALSN



Raglan Entrance Lock Leverset – RN Series
127mm Backset

500RN127SN



Raglan Passage Leversets



Raglan Passage Latch Leverset – RN Series
60 - 70mm Adjustable Backset

501RNALSN



Raglan Privacy Leversets



Raglan Privacy Lock Leverset – RN Series
60 - 70mm Adjustable Backset

502RNALSN



COMMERCIAL LEVERSETS

Raglan Storeroom Leversets *(Only opened by key from the outside & always unlocked from inside)*



Raglan Storeroom Lock Leverset – RN Series
60 - 70mm Adjustable Backset

504RNALSN



Raglan Storeroom Lock Leverset – RN Series
127mm Backset

504RN127SN



Raglan Classroom Leversets *(Unlocked by key from the outside & always unlocked from inside)*



Raglan Classroom Lock Leverset – RN Series
60 - 70mm Adjustable Backset

509RNALSN



Raglan Classroom Lock Leverset – RN Series
127mm Backset

509RN127SN



Raglan Dummy Levers



Raglan Dummy Lock Leverset – RN Series

515RNSN




**See page 74 for Raglan Accessories*

COMMERICAL KNOB / LEVERSETS

Bala / Empire
EA & EV series

GAIT®



- Functions:

Grade:

Certification:

Fire Rating:

Finishes:

Backset:

Door Thickness:

Door Prep:

Cylinder:

Rose Cover:

Material:

Latch:

Strike:

Handing:

Packaging:
- Can accommodate Security Profile PD type barrels

Entrance, Classroom, Storeroom

2 Commercial Heavy Duty Cylindrical Knobset

ANSI A156.2

Fire rated for NZ Fire Doors and Pacific Fire Doors

Stainless Steel

60mm; 70mm; 127mm

35mm – 45mm

54mm hole and 25mm edge

6 pin C4 Keyway – 3 keys supplied

75mm & 85mm

Stainless steel (Bala) and Zinc and Brass (Empire)

Stainless Steel exposed trim with pressure die cast zinc lever

Faceplate – Square Corners (25.4mm x 57mm)

Bolt – Stainless Steel with Powder Metallurgy with ½” throw (12.7mm)

T Strike (28.2mm x 69.5mm x 2.0mm)

None

Box Pack only

Measurements Width x Height x Depth in mm

10 YEAR WARRANTY

COMMERCIAL LEVER / KNOBSETS

Empire/Bala Entrance Locksets



* 95mm backset available on request

Empire / Bala Entrance Lock Set
60mm Backset

100EA500EV60SS

SC SS

10

60

35-45MM

Empire / Bala Entrance Lock Set
70mm Backset

100EA500EV70SS

SC SS

10

70

35-45MM

Empire / Bala Entrance Lock Set
127mm Backset

100EA500EV127SS

SC SS

10

127

35-45MM

Empire / Bala Storeroom Locksets

(Only opened by key from the outside
and always unlocked from inside)



* 95mm backset available on request

Empire / Bala Storeroom Lock Set
60mm Backset

104EA504EV60SS

SC SS

10

60

35-45MM

Empire / Bala Storeroom Lock Set
70mm Backset

104EA504EV70SS

SC SS

10

70

35-45MM

Empire / Bala Storeroom Lock Set
127mm Backset

104EA504EV127SS


SC SS

10

127

35-45MM

Empire / Bala Classroom Locksets (Unlocked by key from the outside and always unlocked from inside)



Empire / Bala Classroom Lock Set
60mm Backset

109EA509EV60SS

SC

SS

10

60

35-45MM



Empire / Bala Classroom Lock Set
70mm Backset

109EA509EV70SS

SC

SS

10

70

35-45MM



Empire / Bala Classroom Lock Set
127mm Backset

109EA509EV127SS

SC

SS

10

127

35-45MM

* 95mm backset available on request

Raglan Accessories - Raglan Backsets



60mm - 70mm Adjustable Deadlocking Latch
Fire Rated

EZ9083SS

SS

5 YEAR WARRANTY

60-70



60mm - 70mm Adjustable Spring Latch
Fire Rated

EZ9084SS

SS

5 YEAR WARRANTY

60-70



127mm Fixed Deadlocking Latch
Fire Rated

EZ9049SS

SS

5 YEAR WARRANTY

127

* Deadbolt Accessories - See Residential page 48 - 50

Light Commercial Deadbolts
Single & Double Cylinder LC Series

GAIT®



- Functions:

Entrance
- Finishes:

Stainless Steel, Polished Brass and Antique Brass
- Backset:

60-70mm Adjustable;
127mm available on request for Stainless Steel only
- Door Thickness:

35mm – 45mm
- Cylinder:

6 pin C4 Keyway – 3 keys supplied
- Door Prep:

54mm Cross bore and 25.4mm Edge bore
- Rose Cover:

65mm
- Material:

Stainless Steel / Brass
- Latch:

Faceplate – Square Corners (25.4mm x 57mm)
Bolt – Steel 1" throw (25.4mm)
- Strike:

Square Corners (28.4mm x 69.58mm)
- Handing:

None
- Packaging:

Box Pack only

Measurements Width x Height x Depth in mm

10 YEAR WARRANTY

COMMERCIAL DEADBOLTS

Light Commercial Single Cylinder Deadbolts



Light Commercial Single Cylinder
Deadbolt – 60-70mm Adjustable Backset



200LCALSS



Light Commercial Single Cylinder
Deadbolt – 60-70mm Adjustable Backset



200LCALPB



Light Commercial Single Cylinder
Deadbolt – 60-70mm Adjustable Backset



200LCALAB



Light Commercial Double Cylinder Deadbolts



Light Commercial Double Cylinder
Deadbolt – 60-70mm Adjustable Backset



210LCALSS



Light Commercial Double Cylinder
Deadbolt – 60-70mm Adjustable Backset



210LCALPB



Light Commercial Double Cylinder
Deadbolt – 60-70mm Adjustable Backset



210LCALAB




COMMERCIAL DEADBOLTS

Heavy Commercial
Deadbolts

Single & Double Cylinder
HC Series

GAIT®



- Anti-torque housing
- Protection sleeve design

Functions:	Entrance
Finishes:	Satin Stainless Steel
Grade:	2 Commercial Heavy Duty Deadbolt
Backset:	60-70mm Adjustable 127mm available on request
Door Thickness:	35mm – 45mm
Cylinder:	6 pin C4 Keyway – 3 keys supplied
Door Prep:	54mm Cross bore and 25.4mm Edge bore
Rose Cover:	65mm diameter
Material:	Stainless Steel / Brass
Latch:	Faceplate – Square Corners (25.4mm x 57mm) Bolt – Solid Brass with hardened steel rod insert with 1" throw (25.4mm)
Strike:	Rectangular with door reinforcer, square corners (28.4mm x 69.8mm)
Handing:	None
Packaging:	Box Pack only

Measurements Width x Height x Depth in mm

10 YEAR WARRANTY

COMMERCIAL DEADBOLTS

Heavy Commercial Single Cylinder Deadbolts



Heavy Commercial Single Cylinder
Deadbolt – 60-70mm Adjustable Backset

**200HCALSS**

SS

10



Heavy Commercial Double Cylinder Deadbolts



Heavy Commercial Double Cylinder
Deadbolt – 60-70mm Adjustable Backset

**210HCALSS**

SS

10



Heavy Commercial Deadbolt Accessories



Screw only Heavy Commercial
Single Cylinder Deadbolt

**200HCSCREW**

SS



Screw only Heavy Commercial
Double Cylinder Deadbolt

**210HCSCREW**

SS



6 pin Cylinder
C4 Profile with 2 keys

**500C4CYL**

SS



6 pin Cylinder
SCH Profile with 2 keys

**500SCHCYL**

SS

Further Deadbolt Accessories - See Residential page 48 - 50

Push / Pull Plates



Push Plate Blank
Blank (no engraving)
Brushed 304 Stainless Steel

300mm x 100mm x 15mm
GT9502PP300-100

SS

5 YEAR WARRANTY



Push Plate Engraved
Engraved with PUSH
Brushed 304 Stainless Steel

300mm x 100mm x 15mm
GT9502PPENGR

SS

5 YEAR WARRANTY



Pull Handle – D Style
Brushed 304 Stainless Steel

250mm x 60mm x 15mm
GT99810200SS

SS

300mm x 60mm x 15mm
GT99810250SS

SS

350mm x 60mm x 15mm
GT99810300SS

SS

5 YEAR WARRANTY



Pull Plate Engraved
Engraved with PUSH
Brushed 304 Stainless Steel

300mm x 100mm x 15mm
GT9502PPENGRH

SS

5 YEAR WARRANTY

Measurements Height x Width x Depth in mm

Section 3.

Doorstops

Interior Wall Mount	82
Interior Floor Mount	84
Exterior Wall Mount	86
Exterior Floor Mount	87
Accessories	88
Stock Colours	204

DOORSTOPS

Interior Wall Mount



10 YEAR WARRANTY



80mm Concealed Fix Doorstop

Material: Stainless Steel
Length: 80mm
Base: 29mm diameter
Features: Concealed fixing with built in fixing screw
Fixings supplied
White and black rubber supplied

GT5629SN

SN

GT5629SC

SC

GT5629BLK

B

WM 10 YEAR WARRANTY



85mm Concealed Fix Doorstop

Material: Aluminium
Length: 85mm
Base: 32mm diameter
Features: Concealed fix
Fixings supplied

GT5636SN

SN

GT5636SC

SC

GT5636BLK

B

WM 10 YEAR WARRANTY



Doorstop with Hook

Material: Stainless Steel
Length: 95mm
Base: 50mm diameter
Features: Coat hook and doorstop
Centre door mount
Concealed fix
Fixings Supplied

GT9604SS

SS

WM 10 YEAR WARRANTY



Wall Mounted Doorstop

Material: Stainless Steel
Length: 83mm
Base: 50mm diameter
Features: Concealed fix
Fixings supplied

GT5675SS

SS

WM 10 YEAR WARRANTY

DOORSTOPS

Interior Wall Mount



Plastic Cushion Doorstop

Material: Plastic
Length: 75mm
Base: 35mm diameter
Features: Cushion wall mount

GT9605PW

W

WM 10 YEAR WARRANTY



Doorstop and Hook

Material: Zinc Diecast
Length: 90mm
Base: 40mm diameter
Features: Coat hook and doorstop
Centre door mount

GT9702SC

SC

WM 10 YEAR WARRANTY



Doorstop & Hold

Material: Zinc Diecast
Length: 75mm
(90mm Engaged Length)
Base : 40mm diameter
Catch: 42mm x 15mm
(Diameter x Depth)
Features: Hold open catch
Fixings supplied

GT9703SC

SC

WM 10 YEAR WARRANTY



Square Latching Doorstop

Material: Zinc Diecast
Length: 75mm
(100mm Engaged Length)
Base: 45mm x 45mm
Features: Swiveling Latch
Fixings Supplied

GT9218SN

SN

GT9218SC

SC

WM 10 YEAR WARRANTY



Heavy Duty Self Latching Doorstop

Material: Brass
Length: 70mm
(90mm Engaged Length)
Base: 70mm x 43mm
Catch: 53mm x 35mm x 38mm
Features: Heavy Duty
Self Latching
Fixings Supplied


GT574SC

SC

WM 10 YEAR WARRANTY

DOORSTOPS

Interior Floor Mount



10 YEAR WARRANTY



40mm Rubber Ring Doorstop

Material: Aluminium
Height: 40mm
Base: 38mm diameter
Features: Timber and concrete fixings supplied
Two piece allows easier tightening of the screws

GT5611SLV SA



60mm Rubber Ring Doorstop

Material: Aluminium
Height: 60mm
Base: 38mm diameter
Features: Timber and concrete fixings supplied
Two piece allows easier tightening of screws

GT5612SLV SA



40mm Rubber Ring Doorstop

Material: Stainless Steel
Height: 40mm
Base: 30mm diameter
Features: Timber and concrete fixings supplied - woodscrew /dyna bolt
Concealed Fix

GT5613SS SS



59mm Rubber Ring Doorstop

Material: Stainless Steel
Height: 59mm
Base: 44mm diameter
Features: Timber and concrete fixings supplied - Hang bolt / dyna bolt
Concealed Fix

GT5614SS SS



All Measurements: Width x Height x Depth in mm

DOORSTOPS

Interior Floor Mount



40mm Rubber Ring Doorstop

Material: Stainless Steel
Height: 40mm
Base: 30mm diameter
Features: Two piece for firm fix
Concealed Fix
Fixings supplied

GT5638SS SS



Round Doorstop

Material: Zinc Diecast
Height: 40mm
Base: 39mm diameter
Features: Concealed Fix
Fixings supplied

GT5640SN SN



Heavy Duty Doorstop

Material: Zinc Diecast
Height: 39mm
Base: 39mm diameter
Features: Concealed Fix
Fixing supplied

GT5639SN SN



Heavy Duty Doorstop

Material: Zinc Diecast
Height: 45mm
Base: 52mm x 60mm
Features: Fixing supplied


GT250SCP SC

GT250BLK B

GT250SPC



* Only black powder coated is suitable for exterior use.



Magnetic Doorstop & Hold

Material: Zinc Diecast
Length: 75mm
Engaged width: 87mm
Base: 50mm diameter
Features: Magnetic catch
Concealed Fix
Fixing Included
Suitable for floor and wall mount

GT5637SN SN

GT5637SC SC



All Measurements: Width x Height x Depth in mm

DOORSTOPS

Exterior Wall Mount



10 YEAR WARRANTY



76mm Doorstop & Hold

Material: Zinc Diecast
Length: 76mm
Base: 54mm diameter
Catch: 54mm x 18mm x 19mm
Features: Hold open catch
Fixings supplied

GT5625SCP
GT5625SPC
See grid page 204
WM 10 YEAR WARRANTY



Slimline Doorstop & Hold

Material: Zinc Diecast
Length: 75mm
Base: 42mm diameter
Catch: 54mm x 20mm x 20mm
Features: Hold open catch
Fixings supplied

GT5628SCP
GT5628SPC
See grid page 204
WM 10 YEAR WARRANTY



Slimline Mini Doorstop & Hold

Material: Zinc Diecast
Length: 42mm
(62mm Engaged Length)
Base: 43mm diameter
Catch: 53mm x 20mm x 20mm
Features: Hold open catch
Slimline Mini
Fixings Supplied

GT5630SCP
GT5630SPC
See grid page 204
WM 10 YEAR WARRANTY

DOORSTOPS

Exterior Floor Mount



10 YEAR WARRANTY



92mm Doorstop & Hold

Material: Zinc Diecast
Length: 92mm
Engaged Width: 82mm
Base: 54mm diameter
Features: Slimline
Floor mounted
Exterior Use
Fixings supplied

GT5626SCP
GT5626SPC
See grid page 204
FM 10 YEAR WARRANTY



Heavy Duty 100mm Doorstop & Hold

Material: Forged Brass
Length: 100mm
Engaged Width: 110mm
Base: 45mm
Features: Heavy Duty Commercial Use
Self latching with foot release
Exterior Use
Fixings supplied

GT577SC
FM 10 YEAR WARRANTY

GT572SC
FM 10 YEAR WARRANTY

DOORSTOPS

Accessories for GT5625

See page 86

5 YEAR WARRANTY



Rubber	
GT5625RUBBER	B
Hoop	
GT5625HOOPSCP	SC
GT5625HOOPSPC	
Keeper	
GT5625KEEPERSCP	SC
GT5625KEEPERSPC	
Screw pack	
GT5625SCREWPACK	SS
Packer	
GT5627SCP	SC
GT5627SPC	
See grid page 204	
GT5627SCREWPACK	SS

Accessories for GT5628

See page 86

5 YEAR WARRANTY



Rubber	
GT5628RUBBER	B
Hoop	
GT5628HOOPSCP	SC
GT5628HOOPSPC	
Keeper	
GT5628KEEPERSCP	SC
GT5628KEEPERSPC	
Screwpack	
GT5628SCREWPACK	SS

DOORSTOPS

Accessories for GT5630

See page 86

5 YEAR WARRANTY



Rubber	
GT5630RUBBER	B
Hoop	
GT5630HOOPSCP	SC
GT5630HOOPSPC	
Keeper	
GT5630KEEPERSCP	SC
GT5630KEEPERSPC	
Screwpack	
GT5630SCREWPACK	SS

Accessories for GT5626

See page 87

5 YEAR WARRANTY



Rubber	
GT5626RUBBER	B
Hoop	
GT5626HOOPSCP	SC
GT5626HOOPSPC	
Keeper	
GT5626KEEPERSCP	SC
GT5626KEEPERSPC	
Screw Pack	
GT5626SCREWPACK	SS
Packer	
GT5627SCP	SC
GT5627SPC	
See grid page 204	
GT5627SCREWPACK	SS

Section 4.

Nightlatches & Rimlocks

Nightlatches	92
Rimlocks	94

Nightlatches

10 YEAR WARRANTY



High Security Nightlatch Narrow Body Key/Turn

- Features:
- High Security Brass Nightlatch
Hold-open snib on lock body to prevent accidental locking
Open-in Strike Plate provided
Cylinder and Fixings supplied
Can accommodate security profile type 201 cylinder
- Finish:
- Satin Chrome
- Case Dimensions:
- 100mm x 86mm x 57.7mm
- Strike Plate Dimensions:
- 20.6mm x 90.8mm x 66.9mm
- Latchbolt Projection:
- 14.9mm
- Cylinder Diameter:
- 42mm
- Cylinder:
- C4 6 Pin Plug Type 201
3 Keys supplied
- Backset:
- 40mm
- Door thickness:
- 35mm - 50mm

NL40-KT

SC

10 YEAR WARRANTY

40

35-50MM

High Security Nightlatch Wide Body Key/Turn

- Features:
- High Security Brass Nightlatch
Hold-open snib on lock body to prevent accidental locking
Open-in Strike Plate provided
Cylinder and Fixings supplied
Can accommodate security profile type 201 cylinder
- Finish:
- Satin Chrome
- Case Dimensions:
- 120.5mm x 89.6mm x 59mm
- Strike Plate Dimensions:
- 20.6mm x 90.8mm x 66.9mm
- Latchbolt Projection:
- 15.2mm
- Cylinder Diameter:
- 42mm
- Cylinder:
- C4 6 Pin Plug Type 201
3 Keys supplied
- Backset:
- 60mm
- Door thickness:
- 35mm - 50mm

NL60-KT

SC

10 YEAR WARRANTY

60

35-50MM

Nightlatches



High Security Nightlatch Narrow Body Key/Key

- Features:
- High Security Brass Nightlatch
Hold-open snib on lock body to prevent accidental locking
Key access on both sides
Open-in Strike Plate provided
Cylinder and Fixings supplied
Can accommodate security profile type 201 cylinder
- Finish:
- Satin Chrome
- Case Dimensions:
- 100mm x 86mm x 57.7mm
- Strike Plate Dimensions:
- 20.6mm x 90.8mm x 66.9mm
- Latchbolt Projection:
- 14.9mm
- Cylinder Diameter:
- 42mm
- Cylinder:
- Exterior: C4 6 Pin Plug Type 201
3 Keys supplied
Interior: PD Plug
- Backset:
- 40mm
- Door thickness:
- 35mm - 50mm

NL40-KK

SC

10 YEAR WARRANTY

40

35-50MM

High Security Nightlatch Wide Body Key/Key

- Features:
- High Security Brass Nightlatch
Hold-open snib on lock body to prevent accidental locking
Open-in Strike Plate provided
Cylinder and Fixings supplied
Can accommodate security profile type 201 cylinder
- Finish:
- Satin Chrome
- Case Dimensions:
- 120.5mm x 89.6mm x 59mm
- Strike Plate Dimensions:
- 20.6mm x 90.8mm x 66.9mm
- Latchbolt Projection:
- 15.2mm
- Cylinder Diameter:
- 42mm
- Cylinder:
- Exterior: C4 6 Pin Plug Type 201
3 Keys supplied
Interior: PD Plug
- Backset:
- 60mm
- Door thickness:
- 35mm - 50mm

NL60-KK

SC

10 YEAR WARRANTY

60

35-50MM

Nightlatches



Nightlatch Wide Body Key/Turn

- Features:
- Night Latch
Hold-open snib on lock body to prevent accidental locking
Open-in Strike Plate provided
Cylinder and Fixings supplied
- Finish:
Case Dimensions: 59mm x 65mm x 52mm
Strike Dimensions: 20mm x 65mm x 46mm
Cylinder Diameter: 44mm
Cylinder: C4 5 Pin
Backset: 60mm
Door thickness: 35mm - 46mm



GTNLBR

BRN

10 YEAR WARRANTY



60



35-46MM

Nightlatch Narrow Body Key/Turn

- Features:
- Nightlatch
Hold-open snib on lock body to prevent accidental locking
Open-in Strike Plate provided
Cylinder and Fixings supplied
- Finish:
Case Dimensions: 59mm x 65mm x 52mm
Strike Dimensions: 20mm x 65mm x 46mm
Cylinder Diameter: 44mm
Cylinder: YA1 Keyway - 2 Keys supplied
Backset: 40mm
Door thickness: 35mm - 65mm



GTNLGLD

GLD

10 YEAR WARRANTY



40



35-65MM

Nightlatch Cylinders



Nightlatch Cylinder 6 pin

- Finish: Satin Chrome
Cylinder: C4 Keyway – 2 keys supplied
Cylinder Diameter: 45mm

201RC6PSCP

SC

201RC6PSCPKA

KA

SC

10 YEAR WARRANTY



Nightlatch Cylinder 6 pin without plug

- Finish: Satin Chrome
Cylinder Diameter: 45mm

201RC6PLPSCP

SC

10 YEAR WARRANTY

NIGHTLATCHES & RIMLOCKS
Rimlocks



10 YEAR WARRANTY

Rimlock Key/Key

- Features:
- Traditional style Rimlock
Low security surface mounted lock
Fixings supplied
- Finish:
Case Dimensions: 154mm x 104mm x 25mm
Strike Dimensions: 25mm x 76mm x 22mm
Latchbolt Protrusion: 12mm
Cylinder Diameter: 44mm
Cylinder: Die Cast Keys – 2 Keys supplied
Backset: 45mm
Door thickness: 35mm - 50mm



GTRIMLOCKBLK


B



GTRIMLOCKGRY

G

10 YEAR WARRANTY



45



35-50MM

Section 5.

Cupboard Locks

Barrels	94
Housings	95
Camlocks	97

CUPBOARD LOCKS

Barrels

10 YEAR WARRANTY

CC Series Removable Barrels - Keyed Alike
For use with Door Lock Housings and Camlocks
Available in 9 different key options

Dimensions: 15mm x 22mm



Key 4001	CC-MT-01KA-001
Key 4002	CC-MT-01KA-002
Key 4003	CC-MT-01KA-003
Key 4004	CC-MT-01KA-004
Key 4005	CC-MT-01KA-005
Key 2008	CC-MT-01KA-008
Key 4009	CC-MT-01KA-009
Key 4010	CC-MT-01KA-010
Key 4012	CC-MT-01KA-012



10 YEAR WARRANTY



CC Series Removable Barrels - Keyed Differently
For use with Door Lock Housings and Camlocks
Each key is keyed differently

Dimensions: 15mm x 22mm

CC-MT-01

10 YEAR WARRANTY



CC Series Blank Key - Uncut
Stamped CC

K-018-91-A

10 YEAR WARRANTY

CUPBOARD LOCKS

Housings



Square Back Cupboard Housing - 22mm

A-601-22-01

Dimensions: 42mm x 42mm (base)
18mm cylinder diameter
22mm projection

10 YEAR WARRANTY



Square Back Cupboard Housing - 32mm

A-601-32-01

Dimensions: 42mm x 42mm (base)
18mm cylinder diameter
32mm projection

10 YEAR WARRANTY



Sliding Door Lock Housing Spring Action

A-605-22-01

Dimensions: 42mm x 42mm (base)
18mm cylinder diameter
22mm projection

10 YEAR WARRANTY



Slam Lock Housing

A-629-22-01

Dimensions: 42mm x 42mm (base)
18mm cylinder diameter
22mm projection

10 YEAR WARRANTY



Double Throw Cupboard Door Lock Housing

A-627-22-01

Dimensions: 42mm x 42mm (base)
18mm cylinder diameter
22mm projection

10 YEAR WARRANTY

CUPBOARD LOCKS

Housings



Two Way Cupboard Door Lock Housing

Dimensions: 42mm x 42mm (base)
18mm cylinder diameter
22mm projection

A-628-22-01 S

10 YEAR WARRANTY



Sliding Glass Showcase Housing only CP

Material: Chrome plated
Dimensions: 25mm x 21.2mm (base)
21.7mm projection

HSGPL-1CP S

10 YEAR WARRANTY

CUPBOARD LOCKS

Camlocks



Back Fixing Camlock

90 degree movement
18mm cylinder diameter
22mm projection

A-611-22-01-C01 S

10 YEAR WARRANTY



Camlock - 20mm

20mm camlock with 30mm cam fitted

A-607-20-30 S

10 YEAR WARRANTY

CUPBOARD LOCKS

Camlocks



Camlock - 25mm

25mm camlock with 30mm cam fitted

A-607-25-30 S

10 YEAR WARRANTY




Camlock - 30mm

30mm camlock with 30mm cam fitted

A-607-30-30 S

10 YEAR WARRANTY



Hamper Door Lock Housing

Dimensions: 40mm Diameter x 27mm

A-608-22-01 S

10 YEAR WARRANTY



Front Mounted 90 Degree Multi Drawer Lock Housing - 22cm

Dimensions: 42mm x 66mm
(22mm shaft, 40mm pin)

A-603-22-01 S

10 YEAR WARRANTY



Push Lock Housing

Dimensions: 50mm x 18.20mm (base)
18mm cylinder diameter
with a 22mm projection

A-604-22-01 S

10 YEAR WARRANTY


Section 6.

Door Closers

Transom Closers Concealed	104
Light Commercial	106
Medium Commercial	107

DOOR CLOSERS

Transom Closers - Concealed




Transom Closer 90 Degrees Back Stop Hold Open 30-32

Suitable for medium use, non fire rated Timber/Aluminium doors
90 degree stop (Opening the door wider than its 90 degrees will seriously damage the closer body. Installation of door stop is recommended)
Fully concealed in transom (Supplied without cover plate)
Easy and accurate speed adjustment
Suitable for single/double action doors
Durability in excess 1,000,000 door cycles
Complete with side load accessories, bottom pivot set and fixing brackets

Min. door thickness:	45mm
Max. door weight:	110kg
Max. internal door width:	1050mm
Max. external door width:	900mm
Material:	Cast Iron body containing hydraulic fluid and closer mechanism
Dimensions:	336mm x 93mm
Function:	Hold open

GT5101M



Transom Closer 105 Degrees Back Stop Hold Open 30-30

Suitable for medium use, non fire rated Timber/Aluminium doors
105 degree stop (Opening the door wider than its 105 degrees will seriously damage the closer body. Installation of doorstop is recommended)
Fully concealed in transom (Supplied without cover plate)
Easy and accurate speed adjustment
Suitable for single/double action doors
Durability in excess 1,000,000 door cycles
Complete with side load accessories, bottom pivot set and fixing brackets


Min. door tickness:	45mm
Max. door weight:	110kg
Max. internal door width:	1050mm
Max. external door width:	900mm
Material:	Cast iron body containing hydraulic fluid and closer mechanism
Dimensions:	336mm x 93mm
Function:	Hold open

GT5103M



DOOR CLOSERS

Transom Closers - Concealed



Transom Closer 105 Degrees NON Hold Open 30-31


Suitable for medium use, non fire rated Timber/Aluminium doors
105 degree stop (Opening the door wider than its 105 degrees will seriously damage the closer body. Installation of doorstop is recommended)
Fully concealed in transom (Supplied without cover plate)
Easy and accurate speed adjustment
Suitable for single/double action doors
Durability in excess 1,000,000 door cycles
Complete with side load accessories, bottom pivot set and fixing brackets

Min. door thickness:	45mm
Max. door weight:	110kg
Max. internal door width:	1050mm
Max. external door width:	900mm
Material:	Cast iron body containing hydraulic fluid and closer mechanism
Dimensions:	336mm x 93mm
Function:	Non hold open

GT5104M



Transom Closers - Concealed Accessories



Transom Closer Bottom Pivot Assembly – GT5103020

For door applications where a free swing pivot door is required
Medium Strength 115kg loading radial bearing
Adjustable height 31.5mm to 58.5mm

Material:	Steel
Dimensions:	a. 113mm x 18mm x 35mm b. 105mm x 4mm x 35mm
Min. door thickness:	38m

GT5103020



DOOR CLOSERS

Surface Mount - Light Commercial



Surface Mounted Door Closer 525

Surface mounted closer with adjustable back check, standard arm and parallel arm bracket.
Selectable closing force
Three different poser sizes
Non-handed reversible closer
Fire Rated
Universal application

Material:	Extruded anodized aluminium body, high-quality steel arm and internal components
Dimensions:	236mm x 60mm x 62 mm
Max door width:	850mm - 1100mm
Max door weight:	40kg - 80kg
Max opening angle:	130 to 180 degrees

GT525BC



Drop Mounting Plate 525

For Light Commercial use
Fire Rated
For narrow top railed doors

Material:	Aluminium
Dimensions:	250mm x 95mm x 5mm

GT525DP



DOOR CLOSERS

Surface Mount - Medium Commercial



Surface Mounted Door Closer 527

Surface mounted closer with adjustable back check, standard arm and parallel arm bracket.
Adjustable closing force
Universal application
Non-handed reversible closer
Fire Rated

Material:	Pressure Diecast Aluminium
Dimensions:	297mm x 60mm x 62mm
Max door width:	850mm - 1100mm
Max door weight:	40kg - 80kg
Max opening angle:	180 degrees

GT527BC



Drop Mounting Plate 525

For Medium Commercial use
Fire Rated
For narrow top railed doors

Material:	Aluminium
Dimensions:	235mm x 95mm x 5mm

GT527DP



Section 7.

Flush Bolts & Pulls

Recessed	110
Surface Mount	111
Accessories	112
Flush Pulls	113
Flush Bolt Stock Colours	204

FLUSH BOLTS
Recessed

	Flush Bolt Body Recessed For Aluminium joinery	GT5502BODYSCP	SC
		GT5502BODYBLK	B
Material: Zinc Diecast Dimensions: 142mm x 21mm x 25mm		10 YEAR WARRANTY	
	Flush Bolt with Straight Rod 254mm Recessed For Aluminium joinery D Shaped Stainless Steel tip	GT5502STDTSKP	SC
		GT5502STDDBLK	B
Material: Zinc Diecast Dimensions: 142mm x 21mm x 25mm (body); 254mm (rod)		10 YEAR WARRANTY	
	Flush Bolt with Straight Rod 300mm Recessed For Aluminium joinery D Shaped Stainless Steel tip	GT5502STD300SCP	SC
		GT5502STD300BLK	B
Material: Zinc Diecast Dimensions: 142mm x 21mm x 25mm (body); 300mm (rod)		10 YEAR WARRANTY	
	Flush Bolt with Offset Rod 254mm Recessed For Aluminium joinery D Shaped Stainless Steel tip	GT5502OFDTSCP	SC
		GT5502OFDTBLK	B
Material: Zinc Diecast Dimensions: 142mm x 21mm x 25mm (body); 254mm (rod)		10 YEAR WARRANTY	
	Timber Door Flush Bolt Recessed For Timber joinery	GT5511SCP	SC
Material: Solid brass Dimensions: 150mm x 25mm x 30mm (body); 18mm (throw)		10 YEAR WARRANTY	

All Measurements: Width x Height x Depth in mm

FLUSH BOLTS
Surface Mount

	Flush Bolt Body Surface Mount For Aluminium joinery	GT5504BODYSCP	SC
		GT5504BODYBLK	B
Material: Stainless Steel Dimensions: 170mm x 25mm x 25mm		GT5504BODYSPC	
		See grid page 204	
		10 YEAR WARRANTY	
	Flush Bolt with Straight Rod 254mm Surface Mount For Aluminium joinery D Shaped Stainless Steel tip	GT5504STDTSKP	SC
		GT5504STDDBLK	B
Material: Stainless Steel Dimensions: 170mm x 25mm x 25mm (body); 254mm (rod)		GT5504STDTSKP	
		See grid page 204	
		10 YEAR WARRANTY	
	Flush Bolt with Straight Rod 300mm Surface Mount For Aluminium joinery D Shaped Stainless Steel tip	GT5504STD300SCP	SC
		GT5504STD300BLK	B
Material: Stainless Steel Dimensions: 170mm x 25mm x 25mm (body); 300mm (rod)		GT5504STDTSKP	
		See grid page 204	
		10 YEAR WARRANTY	
	Flush Bolt with Offset Rod 254mm Surface Mount For Aluminium joinery D Shaped Stainless Steel tip	GT5504OFDTSCP	SC
		GT5504OFDTBLK	B
Material: Stainless Steel Dimensions: 170mm x 25mm x 25mm (body); 254mm (rod)		GT5504OFDTSPC	
		See grid page 204	
		10 YEAR WARRANTY	

All Measurements: Width x Height x Depth in mm

FLUSH BOLTS
Accessories



Flush Bolt Offset Rod 254mm
254mm Offset Rod for use with GT5502
& GT5504 flush bolts
D Shaped Stainless Steel Tip

Material: Galvanised Steel Rod
Dimensions: 254mm

GT5504RODOFDT

S

10 YEAR WARRANTY



Flush Bolt Straight Rod 254mm
254mm Straight Rod for use with GT5502
& GT5504 flush bolts
D Shaped Stainless Steel Tip

Material: Galvanised Steel Rod
Dimensions: 254mm

GT5504RODSTD

S

10 YEAR WARRANTY



Flush Bolt Straight Rod 300mm
300mm Straight Rod for use with GT5502
& GT5504 flush bolts
D Shaped Stainless Steel Tip

Material: Galvanised Steel Rod
Dimensions: 300mm

GT5504RODSTD300

S

10 YEAR WARRANTY



Flush Bolt Extension Kit
600mm Threaded Rod with 1 x coupler
and 2 x lock nuts

GTFBEXTKIT

S

10 YEAR WARRANTY



Flush Bolt Guide
Right Angle Flush Bolt Rod guide with 13mm
diameter hole

Dimensions: 23mm x 26mm

GTFBGUIDE

S

10 YEAR WARRANTY

All Measurements: Width x Height x Depth in mm

FLUSH BOLTS
Accessories



Dust Socket
For use with bottom flush bolt with 12mm
bolt in concrete and timber surfaces
Spring loaded plunger to keep socket clean

Dimensions: 45mm x 16mm x 40mm

GT5551SC

SC

10 YEAR WARRANTY

Flush Pulls



Flush Pull 126mm
Flush Pull Face Fix
Concealed Rear Screw
93mm Centres

Material: Aluminium
Dimensions: 126mm x 42mm x 16mm

GT95317SN

SN

GT95317SC

SC

GT95317BLK

B

10 YEAR WARRANTY



Flush Pull 158mm
Flush Pull Face Fix
Concealed Rear Screw
128mm Centres

Material: Aluminium
Dimensions: 158mm x 42mm x 16mm

GT95318SN

SN

GT95318SC

SC

GT95318BLK

B

10 YEAR WARRANTY



Flush Pull 190mm
Flush Pull Face Fix
Concealed Rear Screw
160mm Centres

Material: Aluminium
Dimensions: 190mm x 42mm x 16mm

GT95319SN

SN

GT95319SC

SC

GT95319BLK

B

10 YEAR WARRANTY



Cavity Slider Finger Pull Kit - Square
Square style

Material: Zinc
Dimensions: 30mm x 30mm x 19mm

EZ603SN

SN

EZ603SC

SC

EZ603BLK

B

10 YEAR WARRANTY

All Measurements: Width x Height x Depth in mm

Section 8.

Padlocks

Heavy Duty Solid Steel	116
Solid Steel Combination	118
Heavy Duty Stainless Steel	119
Heavy Duty Solid Brass	121
Brass Combination	122
Aluminium Combination	124
Thermoplastic Safety	126
Combination Key Boxes	128
Hasps	130
Shackles	133

PADLOCKS

Solid Steel Padlocks
Heavy Duty Solid Steel



Heavy Duty Solid Steel Rectangle AU700 Series Padlocks

- Anti-drilling and sliding plate design to protect cylinder
- Accepts 570 type barrel for restricted keying
- Cylinder mushroom / anti-bumping / anti-drill pins resistant to picking
- 2 Keys supplied

Body: Solid Steel Lock Body with electric coating
Shackle: Molybdenum shackle with quality plating
Locking Mechanism: Stainless Steel ball locking mechanism
Cylinder: Re-keyable C4 keyway with changeable 6 pin brass cylinder



Heavy Duty Solid Steel Padlock - 31

AU731 B

Lock Body: 82mm x 61mm x 32mm
Shackle
- Diameter: 11.1mm
- Internal height: 16.15mm
- Internal width: 27mm



Heavy Duty Solid Steel Padlock - 41

AU741 B

Lock Body: 103mm x 70mm x 34mm
Shackle
- Diameter: 14mm
- Internal height: 27mm
- Internal width: 48mm



Heavy Duty Solid Steel Double Padlock - 31DS

AU731DS B

Lock Body: 90mm x 61mm x 32mm
Shackle
- Diameter: 11.1mm
- Clearance: 16.15mm
- Internal width: 13mm



Heavy Duty Solid Steel Double Padlock - 41DS

AU741DS B

Lock Body: 103mm x 70mm x 34mm
Shackle
- Diameter: 14mm
- Clearance: 27mm
- Internal width: 16mm



PADLOCKS

Heavy Duty Solid Steel Padlocks



Heavy Duty Commercial Stepped Padlock
Lever locking mechanism

AUS900R B

Lock Body: 64mm x 57mm x 27mm
Shackle
- Diameter: 11mm
- Internal height: 27mm
- Internal width: 23mm



Heavy Duty Solid Steel Shackleless Padlock



Heavy Duty Shackleless Puk Padlock
Ideal for container security
For use with Hasps 3036-BK, 4050-BK

AUS401-BK B

Lock Body: 73mm x 22.7mm x 38mm
Locking Pin
- Diameter: 10.2mm
- Internal height: 15mm
- Internal width: 43.7mm



Heavy Duty Shackleless Stepped Puk Padlock
Ideal for container security
Stepped back cut-out for bar style hasps

AUS400-BK B

Lock Body: 73mm x 22.7mm x 38mm
Locking Pin
- Diameter: 10.2mm
- Internal height: 15mm
- Internal width: 43.7mm



Heavy Duty Resettable Combination Stepped Puk Padlock

Ideal for container security
Stepped back cut-out for bar style hasps
Auto back-sliding dust cover
4 number dial
For use with hasps

SR400 SS

Lock Body: 73mm x 22.7mm x 41mm
Locking Pin
- Diameter: 10.2mm
- Internal height: 15mm
- Internal width: 43.7mm



PADLOCKS

Combination Padlocks
Heavy Duty Solid Steel



Heavy Duty Solid Steel Resettable Combination Padlocks

- Hardened Steel Lock case
- Anti-Corrosion E-Coating and internal brass components
- Molybdenum Shackle
- Legible brass number wheels with satin nickel plated and black painting
- 4 dials with 10,000 combinations
- Reset from right side of lock body
- Keyless convenience

NOTE:

- It is important to ensure all numbers are perfectly in line when setting the combination.
- Avoid pulling on the lock body when in unlocked position as this may damage the lock function.



Heavy Duty Solid Steel Resettable Combination Padlock - 60

Lock Body: 62mm x 54mm x 34mm
Dial: 4 number dial
Shackle

- Diameter: 11mm
- Internal height: 25mm
- Internal width: 22mm

SR60

10 YEAR WARRANTY

B



Heavy Duty Solid Steel Resettable Combination Padlock - 62

Lock Body: 62mm x 54mm x 34mm
Dial: 4 number dial
Shackle

- Diameter: 11mm
- Internal height: 50mm
- Internal width: 22mm

SR62

10 YEAR WARRANTY

B



Heavy Duty Solid Steel Resettable Combination Padlock - Protected Shackle

Shackle guard for additional anti-cutting and anti-sawing protection

Lock Body: 62mm x 77mm x 34mm
Dial: 4 number dial
Shackle

- Diameter: 11mm
- Internal height: 25mm
- Internal width: 22mm

SR60P

10 YEAR WARRANTY

B

All Measurements: Width x Height x Depth in mm

PADLOCKS

Stainless Steel Padlocks
Heavy Duty Stainless Steel



Heavy Duty Stainless Steel Padlocks

- Stainless Steel Body and shackle
- Suitable for marine applications
- Dual stainless Steel ball locking mechanism
- Re-keyable C4 Keyway with changeable 6 pin brass Cylinder
- Accepts 570 type barrel for restricted keying
- Mushroom shaped anti-bumping, anti-drilling cylinder pins for additional security
- Additional shackle sizes available
- 2 keys supplied



Heavy Duty Stainless Steel Padlock - 40

Lock Body: 39mm x 46mm x 20mm
Shackle

- Diameter: 6.3mm
- Internal height: 26mm
- Internal width: 20mm

AU840

10 YEAR WARRANTY

SS



Heavy Duty Stainless Steel Padlock - 45

Lock Body: 44mm x 46mm x 23mm
Shackle

- Diameter: 8mm
- Internal Height: 27mm
- Internal width: 20mm

AU845

10 YEAR WARRANTY

SS



Heavy Duty Stainless Steel Padlock - 50

Lock Body: 51mm x 46mm x 25mm
Shackle

- Diameter: 9.5mm
- Internal height: 26mm
- Internal width: 20mm

AU850

10 YEAR WARRANTY

SS



Heavy Duty Stainless Steel Padlock - 60

Lock Body: 63mm x 51mm x 25mm
Shackle

- Diameter: 11mm
- Internal height: 28mm
- Internal width: 32mm

AU860

10 YEAR WARRANTY

SS

All Measurements: Width x Height x Depth in mm

PADLOCKS

Heavy Duty Stainless Steel Padlocks



Heavy Duty Stainless Steel Padlock 50

- Protected Shackle

Shackle guard for additional anti-cutting and anti-sawing protection

- Lock Body: 51mm x 76mm x 25mm
Shackle
- Diameter: 9.5mm
 - Internal height: 27mm
 - Internal width: 20mm

AU850P

SS

10 YEAR WARRANTY



Heavy Duty Stainless Steel Padlock 60

- Protected Shackle

Shackle guard for additional anti-cutting and anti-sawing protection

- Lock Body: 63mm x 85mm x 25mm
Shackle
- Diameter: 11mm
 - Internal height: 28mm
 - Internal width: 32mm

AU860P

SS

10 YEAR WARRANTY



Shielded Shackle Stainless Steel Disc Padlock

- Lock Body: 70mm x 70mm x 30mm
Shackle
- Diameter: 11mm
 - Clearance: 25mm
 - Internal width: 23mm

1000S

SS

1000SKA1



SS

10 YEAR WARRANTY



Solid Brass Rectangle Padlock



Solid Brass Rectangle Padlock

Solid brass lock body
Hardened steel shackle with quality plating
Lever locking mechanism
Precision pin tumbler brass cylinder
Not re-keyable
2 keys supplied

- Lock Body: 21mm x 20mm x 11mm
Supplied Shackle
- Diameter: 3.7mm
 - Clearance: 13mm
 - Internal width: 10mm

F606

BR

F606-KA1



BR

10 YEAR WARRANTY



PADLOCKS

Solid Brass Padlocks

Heavy Duty Brass



Solid Brass Padlocks

- Brass Lock Body
- Re-Keyable C4 keyway with changeable 6 Pin Brass Cylinder
- Anti-Cut Molybdenum Shackle
- Accepts 570 type barrel for restricted keying
- Dual Stainless Steel Ball Locking
- Mushroom shaped anti-bumping, anti-drilling cylinder pins for additional security
- Additional shackle sizes available
- 2 keys supplied



Solid Brass Padlock - 50

- Lock Body: 40mm x 54mm
Shackle
- Diameter: 6.35mm
 - Internal Height: 25mm
 - Internal width: 20mm



AU650DP

BR



AU650BP

BR



10 YEAR WARRANTY



Solid Brass Padlock - 60

- Lock Body: 45mm x 54mm
Shackle
- Diameter: 7.93mm
 - Internal Height: 26mm
 - Internal width: 20mm



AU660DP

BR



AU660BP

BR



10 YEAR WARRANTY



Solid Brass Padlock - 70

- Lock Body: 50mm x 54mm
Shackle
- Diameter: 9.5mm
 - Internal Height: 26mm
 - Internal width: 20mm



AU670DP

BR



AU670BP

BR



10 YEAR WARRANTY



Solid Brass Padlock - 70P

- Lock Body: 50mm x 87mm
Shackle
- Diameter: 9.5mm
 - Internal Height: 26mm
 - Internal width: 20mm



AU670PDP

BR



AU670PBP

BR



10 YEAR WARRANTY

PADLOCKS

Brass Combination Padlocks



Brass Resettable Combination Padlocks

- Padlock:** Brass padlock with brass internal components
- Shackle:** Molybdenum Shackle with quality plating shackle
Weather seal to avoid water getting into housing
- Resettable:** Easily reset your combination
4 dials with 10,000 combinations
- Reset from right side of lock body
 - Keyless convenience

NOTE:

- It is important to ensure all numbers are perfectly in line when setting the combination.
- Avoid pulling on the lock body when in unlocked position as this may damage the lock function.

PADLOCKS

Brass Combination Padlocks



Brass Resettable Combination Padlocks - RB Series

- Brass lock body
- Steel shackle with quality plating
- 3 and 4 number dials with 1,000 combinations
- Keyless convenience



Brass Resettable Combination Padlock - 50

- Lock Body: 51mm x 42mm x 25mm
- Shackle
- Diameter: 8mm
 - Internal height: 25mm
 - Internal width: 25mm

SRB50R



10 YEAR WARRANTY



Brass Resettable Combination Padlock - 52

- Lock Body: 51mm x 42mm x 25mm
- Shackle
- Diameter: 8mm
 - Internal height: 60mm
 - Internal width: 26mm

SRB52R



10 YEAR WARRANTY



Brass Resettable Combination Padlock RB20

- Lock Body: 20mm x 28mm x 11.5mm
- Shackle
- Diameter: 3.2mm
 - Internal height: 21mm
 - Internal width: 9mm

RB20



10 YEAR WARRANTY



Resettable Brass Combination Padlock RB30

- Lock Body: 30mm x 36mm x 13mm
- Shackle
- Diameter: 4.8mm
 - Internal height: 24mm
 - Internal width: 14mm

RB30



10 YEAR WARRANTY



Resettable Brass Combination Padlock RB40

- Lock Body: 40mm x 45mm x 16mm
- Shackle
- Diameter: 6mm
 - Internal height: 25mm
 - Internal width: 22mm

RB40



10 YEAR WARRANTY

PADLOCKS

Aluminium Combination Padlocks



Aluminium Resettable Combination Padlock RA Series

- Solid Anodized aluminium lock body
- Steel shackle with quality plating
- Keyless convenience
- 3 and 4 number dials with 1,000 combinations
- Available in 6 colours for easy identification



Aluminium Resettable Combination Padlock RA20

Lock Body: 20mm x 28mm x 11.5mm
Shackle
- Diameter: 3.2mm
- Internal height: 21mm
- Internal width: 9mm

RA20-R



RA20-B



RA20-BK



RA20-GN



RA20-Y



RA20-O



PADLOCKS

Aluminium Resettable Combination Padlocks



Aluminium Resettable Combination Padlock RA30

Lock Body: 30mm x 36mm x 13mm
Shackle
- Diameter: 4.8mm
- Internal Height: 24mm
- Internal width: 14mm

RA30-R



RA30-B



RA30-BK



RA30-GN



RA30-Y



RA30-O



Aluminium Resettable Combination Padlock RA40

Lock Body: 40mm x 45mm x 16mm
Shackle
- Diameter: 6mm
- Internal height: 25mm
- Internal width: 22mm

RA40-R



RA40-B



RA40-BK



RA40-GN



RA40-Y



RA40-O



PADLOCKS

Thermoplastic Safety Lock Out Padlocks



Plastic Safety Padlock

- Available with Steel or Non conductive Thermoplastic shackles
- Double Ball locking mechanism
- 6 pin brass cylinder with 1 key
- Key-Retaining to ensure padlock cannot be left unlocked
- Durable and light weight
- Use for lockout and tagout application
- Write-on labels supplied with 'Danger' and 'Property of...'
- Supplied with one key to ensure compliance with guideline of 'one employee, one padlock, one key'
- Non re-keyable to ensure safety lockout by preventing rekeying and additional keys being cut
- Available in 6 colours for easy identification



Thermoplastic Safety Padlock PL90PE
Plastic shackle.

Lock Body: 38mm x 46mm x 19mm
Shackle
- Diameter: 6.35mm
- Internal height: 38mm
- Internal width: 19mm

PL90PE/38-R

PL90PE/38-B

PL90PE/38-BK

PL90PE/38-GN

PL90PE/38-Y

PL90PE/38-O

R

BL

B

GN

Y

O

10 YEAR WARRANTY



PADLOCKS

Steel Safety Lock Out Padlock



Safety Padlock PL90
Molydenum shackle.

Lock Body: 38mm x 46mm x 19mm
Shackle
- Diameter: 6.35mm
- Internal height: 38mm
- Internal width: 19mm

PL90-R

PL90-B

PL90-BK

PL90-GN

PL90-Y

PL90-O

R

BL

B

GN

Y

O

10 YEAR WARRANTY



Safety Padlock PL90/76
Molydenum shackle.

Lock Body: 38mm x 46mm x 19mm
Shackle
- Diameter: 6.35mm
- Internal height: 76mm
- Internal width: 19mm

PL90/76-R

PL90/76-B

PL90/76-BK

PL90/76-GN

PL90/76-Y

PL90/76-O

R

BL

B

GN

Y

O

10 YEAR WARRANTY



PADLOCKS

Combination Key Boxes



Combination Key Boxes

- Zinc Alloy Powder Coated Black Finish
- Water resistant for outdoor, under cover use
- 4 number dial with 10,000 combination options
- Keyless Convenience
- Brass number wheels, satin nickel plated with black numbers
- Wall mounted boxes supplied with fixings
- RF Blocking Key Fob Protector Bag available



Combination Key Box - Small
Wall mounted
Fixings supplied

SKB-004

B

10 YEAR WARRANTY



Lock Body: 53mm x 70mm x 35mm



Combination Key Box - Large
Wall mounted
Fixings supplied

SKLB-004

B

10 YEAR WARRANTY



Lock Body: 68mm x 110mm x 43mm



Combination Key Box with Shackle - Small

Keybox Body: 53mm x 70mm x 35mm
Shackle
- Diameter: 8mm
- Internal Height: 40mm
- Internal Width: 30mm

SKSS-004

B

10 YEAR WARRANTY



PADLOCKS

Combination Key Boxes



RF Blocking Bag

RF Blocking bag secures your key fob from being accessed by remote devices and blocks signal amplification attacks on keyless entry systems

Bag Size: 100mm x 120mm

RFBB

CR

10 YEAR WARRANTY



Combination Key Box with Shackle and RF Blocking Bag - Large

Includes RF Blocking Key Fob Protector Bag to protect your electronic keys from being accessed and copied

Keybox Body: 68mm x 110mm x 43mm

Shackle

- Diameter: 10mm
- Internal Height: 42mm
- Internal Width: 40mm

SKS-004 (No Bag)

B

SKS-004-RF (With Bag)

B

10 YEAR WARRANTY



Combination Key Box with Cable Hasp

Includes RF Blocking Key Fob Protector Bag – protect your electronic keys from being accessed and copied

Keybox Body: 68mm x 110mm x 43mm

Cable

- Diameter: 7mm
- Length: 290mm

SKC-004 (No Bag)

B

SKC-004RF (With Bag)

B

10 YEAR WARRANTY



PADLOCKS

Padlock Hasps

Heavy Duty



- Heavy Duty Security Hasps**
- Hardened Steel with weather resistant black electric plating
 - Recessed and concealed mounting hardware
 - All fixings provided



Heavy Duty Padlock Hasp 92mm

Hasp: 92mm x 36mm
Staple Capacity: 10mm

1055BK



Heavy Duty Padlock Hasp 124mm

Hasp: 124mm x 45mm
Staple Capacity: 9.5mm

1065BK



Heavy Duty Padlock Hasp 185mm

Hasp: 185mm x 45mm
Staple Capacity: 13mm

2025BK



Heavy Duty Padlock Hasp 229mm

Hasp: 229mm x 75mm
Staple Capacity: 12mm

4025BK



PADLOCKS

Heavy Duty Padlock Hasps - High Security



Heavy Duty High Security Shrouded Hasp

Hasp: 50mm x 45mm
Staple Capacity: 12mm

3055L-BK



3055R-BK



Heavy Duty High Security Shrouded Hasp

For AUS400, AUS401 and SR400
Shackleless Padlocks

4050-BK



Hasp: 205mm x 113mm
Staple Capacity: 16mm



Heavy Duty Padlock Hasps - Hinged



Heavy Duty Padlock Hasp 160mm
Dual Flex hinged vari-positioning Hasp

Hasp: 160 x 45mm
Staple Capacity: 13mm

1076BK



Heavy Duty Padlock Hasp 200mm
Dual Flex hinged vari-positioning Hasp

Hasp: 200mm x 45mm
Staple Capacity: 13mm

1086BK



Locking Plates Hasp

Hasp: 131mm x 50mm
Staple Capacity: 13mm

3036-BK



Right Angle Hasp

Hasp: 120mm x 45mm
Staple Capacity: 13mm

2050-BK



PADLOCKS

Heavy Duty Padlock Hasps – Sliding Locking Bolt



Sliding Locking Bolt Hasp
3 Locking positions and can be locked open
26mm Square hardened steel bolt

Hasp: 215mm x 25mm
Staple Capacity: 11mm

5095-BK

10

↖

☀

B

Padlock Hasp Chain - Heavy Duty



Heavy Duty High Security Chain with end link - 3300 Series
Hardened Boron Alloy Steel Chain with vinyl cover
One end link inserts into the other to allow for the use of short protected shackle padlock
Anti-cutting

Chain Eye: 29.2mm x 14mm
Diameter: 11mm

900mm 33003L

1200mm 33004L

1800mm 33006L

10

↖

☀

B

B

B

Padlock Hasps – Security Lock Out



Safety Lock Out Hasp
Lockout by multiple workers at each lock point
Attach hasp to disconnected or switch-off switch
Switch cannot be turned on until the last workers padlock is removed from hasp
Keeps facilities inoperative while repairs or adjustments are made
Holds up to six padlocks
Galvanised Steel Body and shackle with red plastic coating

Hasp Body
Width: 62mm
Height: 29mm
Diameter: 9mm
Clearance: 38mm

SLH38

10

YEAR WARRANTY

☀

SS

PADLOCKS

Accessories - Shackles



Stainless Steel Shackle - 6.3mm
Suitable for AU840 and AU650

Internal Height: 50mm
Internal Height: 75mm
Internal Height: 102mm

Diameter: 6.35mm
Internal width: 20mm

635050S

635075S

635102S

5

YEAR WARRANTY

SS

SS

SS



Stainless Steel Shackle - 8mm
Suitable for AU845 and AU660

Internal Height: 25mm
Internal Height: 50mm
Internal Height: 75mm
Internal Height: 102mm

Diameter: 8mm
Internal width: 20mm

793025S

793050S

793075S

7930102S

5

YEAR WARRANTY

SS

SS

SS

SS



Stainless Steel Shackle - 9.5mm
Suitable for AU850 and AU670

Internal Height: 25mm
Internal Height: 50mm
Internal Height: 75mm
Internal Height: 102mm

Diameter: 9.5mm
Internal width: 20mm

950025S

950050S

950075S

950102S

5

YEAR WARRANTY

SS

SS

SS

SS

Section 9.

Mortice Locks

Sets	136
Lock Furniture & Bodies	138
Cylinders	139
Commercial	140
Accessories	142
Stock Colours	204

30mm Backset Short Bolt

Mortice Lock Sets

10 YEAR WARRANTY



30mm Backset Short Bolt Mortice Lock - Single Cylinder

Narrow style for Aluminium joinery
Complete with Door Furniture and Cylinder
Single Cylinder with snib on inside
Suitable for external use
3 Keys provided

Material:	Diecast Zinc
Handle Dimensions:	25mm (140mm incl handle) x 215mm
Lock dimensions:	25mm x 290mm x 45mm
Backset:	30mm
Bolt throw:	13mm
Latchbolt Throw:	10mm
Cylinder:	5 pin C4
Function:	Key & Turn

GT2062SBBLK

GT2062SBSPC

See Grid page 204



30mm Backset Short Bolt Mortice Lock - Double Cylinder

Narrow style for Aluminium joinery
Complete with Door Furniture and Cylinder
Double Cylinder - Keyed both sides
Suitable for external use
3 Keys provided

Material:	Diecast Zinc
Handle Dimensions:	25mm (140mm incl handle) x 215mm
Lock dimensions:	25mm x 290mm x 45mm
Backset:	30mm
Bolt throw:	13mm
Latchbolt Throw:	10mm
Cylinder:	5 pin C4
Function:	Key & Key

GT2061SBBLK

GT2061SBSPC

See Grid page 204



30mm Backset Long Bolt

Mortice Lock Sets

10 YEAR WARRANTY



30mm Backset Long Bolt Mortice Lock - Single Cylinder

Narrow style for Aluminium joinery
Complete with Door Furniture and Cylinder
Single Cylinder with snib on inside
Suitable for external use
3 Keys provided

Material:	Diecast Zinc
Handle Dimensions:	25mm (140mm incl handle) x 215mm
Lock dimensions:	25mm x 290mm x 45mm
Backset:	30mm
Bolt throw:	26mm
Latchbolt Throw:	10mm
Cylinder:	5 pin C4
Function:	Key & Turn

GT2062BLK

GT2062SPC

See Grid page 204



30mm Backset Long Bolt Mortice Lock - Double Cylinder

Narrow style for Aluminium joinery
Complete with Door Furniture and Cylinder
Double Cylinder - Keyed both sides
Suitable for external use
3 Keys provided

Material:	Diecast Zinc
Handle Dimensions:	25mm (140mm incl handle) x 215mm
Lock dimensions:	25mm x 290mm x 45mm
Backset:	30mm
Bolt throw:	26mm
Latchbolt Throw:	10mm
Cylinder:	5 pin C4
Function:	Key & Key

GT2061BLK

GT2061SPC

See Grid page 204



MORTICE LOCKS

Mortice Lock Furniture



Mortice Lock Furniture - Handle Set
Narrow Style handle set only
Suitable for GT206 30mm Backset mortice locks

Material: Diecast Zinc
Dimensions: 25mm (140mm incl handle)
x 215mm

GT206IHCXHCHNBLK

B

GT206IHCXHCHNSLV

S

See grid page 204

5 YEAR WARRANTY



30mm Backset Mortice Lock Body




30mm Backset Short Bolt Mortice Lock Body
Body Only
Short Bolt

Material: Stainless Steel
Length: 24mm x 290mm x 42mm
Backset: 30mm
Latchbolt Throw: 10mm
Bolt Throw: 13mm

GT206LBY4SB

SS

10 YEAR WARRANTY



30mm Backset Long Bolt Mortice Lock Body
Body Only
Long Bolt

Material: Stainless Steel
Length: 24mm x 290mm x 42mm
Backset: 30mm
Latchbolt Throw: 10mm
Bolt Throw: 26mm

GT206LBY4

SS

10 YEAR WARRANTY



MORTICE LOCKS

Mortice Lock Euro Single Cylinders



Euro 5 pin Key Turn Cylinder
30/30
5 Pin C4 Cylinder
Grub Screw Easy Rekey format

206TKCSDN

SN

206TKCSDNKA

KA

SN

5 YEAR WARRANTY



Material: Stainless Steel
Dimensions: 13mm x 33mm
x 80mm (including turn)



Euro 5 pin Key Turn Cylinder
35/35
5 Pin C4 Cylinder
Grub Screw Easy Rekey format

206TKC70SDN

SN

5 YEAR WARRANTY



Material: Stainless Steel
Dimensions: 13mm x 33mm
x 85mm (including turn)



Euro 6 pin Key Turn Cylinder
35/35
6 Pin C4 Cylinder
Grub Screw Easy Rekey format

206TKC6PSDN

SN

206TKC6PSDNKA

KA

SN

5 YEAR WARRANTY



Material: Stainless Steel
Dimensions: 13mm x 33mm
x 85mm (including turn)

Mortice Lock Euro Double Cylinders



Euro 5 pin Double Cylinder
30/30
5 Pin C4 Cylinder
Grub Screw Easy Rekey format

206KKCSDN

SN

206KKCSDNKA

KA

SN

5 YEAR WARRANTY



Material: Stainless Steel
Dimensions: 13mm x 33mm
x 80mm (including turn)



Euro 6 pin Double Cylinder
35/35
5 Pin C4 Cylinder
Grub Screw Easy Rekey format

206KKC6PSDN

SN

206KKC6SPDNKA

KA

SN

5 YEAR WARRANTY



Material: Stainless Steel
Dimensions: 13mm x 33mm
x 80mm (including turn)

MORTICE LOCKS

Commercial 23mm Backset

Mortice Locks

Commercial 23mm Backset Short Bolt Mortice Locks




Commercial 23mm Backset Short Bolt Mortice Lock - Single Cylinder
For commercial hinged doors
Key / Turn

Material: Zinc Coated Steel
Dimensions:
- Locking Bolt
Throw: 22mm
- Backset: 23mm
Cylinder: 570 Type - 2 Keys provided

GT2011CSCP



10 YEAR WARRANTY



Commercial 23mm Backset Short Bolt Mortice Lock - Double Cylinder
For commercial hinged doors
Key / Key

Material: Zinc Coated Steel
Dimensions:
- Locking Bolt
Throw: 22mm
- Backset: 23mm
Cylinder: 570 Type - 2 Keys provided

GT2011BSCP



10 YEAR WARRANTY



Commercial 23mm Backset Long Bolt Mortice Locks




Commercial 23mm Backset Long Bolt Mortice Lock - Single Cylinder
For commercial hinged doors
Key / Turn

Material: Zinc Coated Steel
Dimensions:
- Locking Bolt
Throw: 36mm
- Backset: 23mm
Cylinder: 570 Type - 2 Keys provided

GT2013CSCP



10 YEAR WARRANTY



MORTICE LOCKS

Commercial 23mm Backset Long Bolt Mortice Locks



Commercial 23mm Backset Long Bolt Mortice Lock - Double Cylinder
For commercial hinged doors
Key / Key

Material: Zinc Coated Steel
Dimensions:
- Locking Bolt
Throw: 36mm
- Backset: 23mm
Cylinder: 570 Type - 2 Keys provided

GT2013BSCP



10 YEAR WARRANTY



Commercial Sliding Door Mortice Locks



Commercial 23mm Backset Sliding Door Mortice Lock - Single Cylinder
Hooked Locking bolt
Key / Turn

Material: Zinc Coated Steel
Dimensions:
- Locking Bolt
Throw: 28mm
- Backset: 23mm
Cylinder: 570 Type - 2 Keys provided

GT2012CSCP



10 YEAR WARRANTY



Commercial 23mm Backset Sliding Door Mortice Lock - Double Cylinder
Hooked Locking bolt
Key / Key

Material: Zinc Coated Steel
Dimensions:
- Locking Bolt
Throw: 28mm
- Backset: 23mm
Cylinder: 570 Type - 2 Keys provided

GT2012BSCP



10 YEAR WARRANTY



MORTICE LOCKS

Accessories for Commercial Mortice Locks



Strike Plate
For GT2011 & GT2013 23mm Backset Mortice Locks
For commercial hinged doors

Material: Aluminium
Dimensions: 25mm x 124mm x 2.5mm

GT201SPSCP SC
GT201SPBLK B

5 YEAR WARRANTY



Face Plate for Aluminium Doors
For GT2011 23mm Backset Mortice Locks
Suitable for Aluminium Doors

Material: Aluminium
Dimensions: 25mm x 150mm x 2.5mm

GT201FP1SCP SC
GT201FP1BLK B

5 YEAR WARRANTY



Face Plate for Aluminium Sliding Doors
For GT2012 Sliding Door Mortice Locks
Suitable for Aluminium Doors

Material: Aluminium
Dimensions: 25mm x 156mm x 2.5mm

GT201FP2SCP SC
GT201FP2BLK B

5 YEAR WARRANTY



Face Plate for Aluminium Doors
For GT2013 23mm Backset Mortice Locks
Suitable for Aluminium Doors

Material: Aluminium
Dimensions: 25mm x 165mm x 2.5mm

GT201FP3SCP SC
GT201FP3BLK B

5 YEAR WARRANTY

MORTICE LOCKS

Accessories for Commercial Mortice Locks



Face Plate for Timber Doors
For GT2011, GT2012 and GT2013 23mm Backset
Mortice Locks
Suitable for Timber Doors

Material: Aluminium
Dimensions: 25mm x 222mm x 2.5mm

GT201FPTSCP SC
GT201FPTBLK B

5 YEAR WARRANTY



Mortice Lock Screwpack
For GT2011 & GT2013 23mm Backset Mortice Locks
2 Cylinder retaining screws
2 Face plate screws
3 Mounting screws

GT201SPK SC
5 YEAR WARRANTY

Accessories for Sliding Door Mortice Locks



Strike Box
For GT2012 Sliding door mortice locks
Suitable for aluminum and timber doors

Material: Aluminium
Dimensions: 185mm x 29mm x 31mm

GT201SBSCP SC
5 YEAR WARRANTY



Escutcheon
Rectangle Escutcheon for short bucket
sliding door mortice lock

Material: Aluminium
Dimensions: 51mm x 26mm x 9mm

GT201ESSC SC
5 YEAR WARRANTY

Section 10.

Door Fittings & Hooks

T- Handle Locks	146
Screen Door Locks	146
Sliding Door Locks	146
Other	148
Hooks	150

DOOR FITTINGS

T- Handle Locks

	Plastic T-Handle Lock 75mm Face Fix Supplied with two keys Face Fix	GTPTHFFKD B
		GTPTHFFKA  B
	Material: Plastic Spindle Length: 75mm Fixing spacing: 45.5mm Finish: Black	5 YEAR WARRANTY
	Plastic T-Handle Lock 75mm Rear Fix Supplied with two keys Rear Fix	GTPTHRFKD B
		GTPTHRFKA  B
	Material: Plastic Spindle Length: 75mm Fixing spacing: 45.5mm Finish: Black	5 YEAR WARRANTY
	Plastic T-Handle Lock 75mm with 38mm Base Rear Fix Supplied with two keys 38mm Centre to Centre fixing Rear Fix	GTPTHRF38KD B
		GTPTHRF38KA  B
	Material: Plastic Spindle Length: 75mm Fixing spacing: 45.5mm Finish: Black	5 YEAR WARRANTY

Screen Door Locks

	Screen Door Security Lock For hinged aluminium security screen doors 2 Action snib design for deadlocking Non-handed	GT207SDBLK B
		10 YEAR WARRANTY
	Material: Zinc Diecast Dimensions: 32mm x 180mm x 14.5mm Locking Bolt Throw: 16mm Cylinder: Wafer	

All Measurements: Width x Height x Depth in mm

DOOR FITTINGS

Screen Door Locks

	Screen Door 5 Pin Euro Cylinder with Floating Cam C4 Cylinder 5 Pin	GT186E/C B
---	---	--------------------------

Sliding Door Locks

	Sliding Door Lock - Single Cylinder Single Cylinder and snib function Non handed	GTSSD12206 B
	Material: Zinc Diecast Dimensions: 92mm x 190mm x 64mm Door width: 30mm - 40mm Cylinder: 5 Pin C Section Brass	10 YEAR WARRANTY 
	Sliding Door Lock - Double Cylinder Double Cylinder with snib function Non handed	GTSSD12216 B
	Material: Zinc Diecast Dimensions: 92mm x 190mm x 64mm Door Width: 30mm - 40mm Cylinder: 5 Pin C Section Brass	10 YEAR WARRANTY 
	Sliding Door Lock - Snib Only Snib only Non handed	GTSSD12201 B
	Material: Zinc Diecast Dimensions: 92mm x 190mm x 64mm Door width: 30mm - 40mm	10 YEAR WARRANTY 

Other

	Dust Socket Suits GT5511SCP Series flush bolts No fixing holes for concrete fix	GT5551SC SC
	Material: Brass Length: 47mm Flange Diameter: 21mm	10 YEAR WARRANTY

All Measurements: Width x Height x Depth in mm

DOOR FITTINGS
Other




Indicator Bolt
Indicator bolt for toilet doors

Material: Zinc Diecast
Interior: 85mm x 40mm
Dimensions: x 35mm
Exterior: 40mm x 85mm
Dimensions: x 35mm
Door thickness: 28mm – 45mm

GTIB001SCP SC

10 YEAR WARRANTY



Necked Bolts 08
Material: Brass
Bolt Diameter: 8mm
a. Dimensions: 75mm x 25mm x 26mm
b. Dimensions: 100mm x 25mm x 26mm

GT9269SC0875BP SC
GT9269SC08100BP SC

10 YEAR WARRANTY



Necked Bolt 10 x 150
Material: Brass
Bolt Diameter: 10mm
Dimensions: 150mm x 32mm x 33mm

GT9269SC10150 SC

10 YEAR WARRANTY



Rebate Kit
For rebated doors
Rebate must be exactly 12.5mm

Material: Brass
a. Dimensions: 23mm x 61mm x 12mm
b. Dimensions: 12mm x 68mm x 15mm
c. Dimensions: 47mm x 70mm x 15mm

GT9291BR PB
GT9291SC SC
GT9291FB BRNZ

10 YEAR WARRANTY



Magnetic Door Catch Pair
Countersunk
Fixings supplied
Door bumps supplied

Material: Ferromagnetic materials
Dimensions: 22mm x 5mm

GTMAGNET SC

10 YEAR WARRANTY

DOOR FITTINGS
Other



Jexis Door Ejector
Pocket / Cavity door opener

Material: Glass fibre filled nylon
Length: 126mm
Plunger out: 105mm
Length: 33mm x 60mm
Plunger In: 14mm
Face plate: 14mm
Plunge Diameter: 14mm

GTJEXIS G

10 YEAR WARRANTY



Door Viewer
180 degree viewing angle
Adjustable to fit 35mm - 50mm door widths
Drill hole size 17mm

Material: Brass
Dimensions: 44mm Length
x 30mm Diameter
Door Thickness: 35mm - 50mm

GTDV004SC SC

10 YEAR WARRANTY

35-50MM



Roller Catch
Adjustable brass roller
Fixings supplied

Material: Brass
Roller: 22mm x 54mm x 57mm
Dimensions: 22mm x 56mm
Strike: 22mm x 56mm

GT9333BR PB
GT9333SC SC

10 YEAR WARRANTY



3mm Packer for Sliding Door Lock
For fitting sliding door lock onto narrow aluminium

Material: Plastic
Dimensions: 32mm x 192mm x 3mm

GTSDPACKER3MM B

5 YEAR WARRANTY



6mm Strike Packer for Sliding Door Lock
Packer for use behind sliding door striker plate

Material: Plastic
Dimensions: 15mm x 190mm x 6mm

GTSDPACKER6MM B

5 YEAR WARRANTY

HOOKS

Cabin Hooks



Cabin Hooks

Suitable for interior and exterior use
for holding gates and doors open.
Stainless Steel fixings supplied

Material: Forged Solid Brass

50mm GT9276SC0850BP

75mm GT9276SC0875BP

100mm GT9276SC08100BP

GT9276PC08100

150mm GT9276SC10150

GT9276PC10150



200mm GT9276SC10200



5 YEAR WARRANTY



Coat and Hat Hooks



Hat and Coat Hook

Suitable for internal use in bathrooms, wardrobes and hallways for both commercial and residential applications.
Fixings supplied

Material: Aluminium

Dimensions: 18.8mm x 91.5mm x 46mm

GT9273SC

Hat or Coat Hook

Suitable for internal use in bathrooms, wardrobes and hallways for both commercial and residential applications.
Fixings supplied

Material: Aluminium

Dimensions: 19.2mm x 59.4mm x 45.8mm

GT9274SC

SC

5 YEAR WARRANTY

NOTES

[illegible]

Section 11.

Window Fittings

Handles	154
Stays	160

Handles

Wedge Fasteners



Standard Wedge Fastener
For use on casement windows

Material: Zinc alloy
Dimensions: 47mm x 90mm x 35mm

- GT9916BR PB
- GT9916CP CP
- GT9916FB BRNZ
- GT9916SC SC

10 YEAR WARRANTY



Brass Wedge Fastener
For use on casement windows

Material: Brass
Dimensions: 50mm x 80mm x 40mm

- GT9918BR PB
- GT9918CP CP
- GT9918FB BRNZ
- GT9918PW W
- GT9918SC SC

10 YEAR WARRANTY



Windlock Window Fastener 266
For top (awning) and side hinged (casement) windows
Thicker base with allowance for sealed windows

Material: Brass
Dimensions: 47mm x 90mm with 29mm protrusion

- GT9266BR PB
- GT9266CP CP
- GT9266FB BRNZ
- GT9266SC SC
- GT9266PB B
- GT9266SN SN
- GT9266SG SG

10 YEAR WARRANTY

Wedge Fasteners



Styleline 2 Standard Face Fix Window Handle
For aluminium, uPVC or timber awning or casement windows
Single Tongue offset 9mm
Screw fixing
Closing wedge sold separately

Material: Zinc Diecast
Dimensions: 100mm x 32mm x 32mm
Hole Centres: 32mm

- Left GT7H205 B
- Right GT7H204 B

10 YEAR WARRANTY



Styleline 2 Slimline Profile Face Fix Window Handle
For aluminium, uPVC or timber awning or casement windows fitted adjacent to sliding door panels
Low profile fastener for use in by-pass situations
Single Tongue offset 9mm
Screw fixing
Closing wedge sold separately

Material: Zinc diecast
Dimensions: 90mm x 32mm x 18mm
Hole Centres: 32mm

- Left GT7H243 B
- Right GT7H242 B

10 YEAR WARRANTY



Sub Fixing Window Handle
For Aluminium Awning or casement windows
Single Tongue offset 9mm
Screw fixing
Closing wedge sold separately

Material: Zinc diecast
Dimensions: 100mm x 30mm x 40mm
Hole Centres: 30mm

- Left GT7H275 B
- Right GT7H274 B

10 YEAR WARRANTY

WINDOW FITTINGS

Wedges



Window Handle Self Adhesive Wedge 3mm
For use with wedge fasteners

GT7H103 **B**

Material: Nylon
Dimensions: 50mm x 12mm x 3mm

10 YEAR WARRANTY



Window Handle Rivet On Wedge 3mm
For use with wedge fasteners

GT7H105 **B**

Material: Nylon
Dimensions: 43mm x 14mm x 3mm

10 YEAR WARRANTY



Window Handle Pin Type Wedge 3mm
For use with wedge fasteners

GT7H112 **B**

Material: Nylon
Dimensions: 43mm x 13mm x 3mm
30mm stud centres

10 YEAR WARRANTY

Wedgeless Fasteners



Wedgeless Face Fix Window Handle
For aluminium, uPVC or timber awning or casement windows
Wedge is incorporated as a folding flap attached to the base of the handle
Screw Fixing

Left GT7H331 **B**

Right GT7H330 **B**

10 YEAR WARRANTY



Material: Zinc diecast
Dimensions: 120mm x 35mm x 34mm
Hole Centres: 32mm



Aria Wedgeless Face Fix Window Handle
For aluminium, uPVC or timber awning or casement windows
Wedge is incorporated as a folding flap attached to the base of the handle
Screw Fixing

Left GT7H531 **B**

Right GT7H530 **B**

10 YEAR WARRANTY



Material: Zinc diecast
Dimensions: 130mm x 36mm x 34mm
Hole Centres: 32mm

WINDOW FITTINGS

Split Rail Fasteners



Brass Split Rail Fastener - 236
For use on awning and casement windows

Material: Brass
Dimensions: 81mm x 29mm with 29mm protrusion



Left Hand GT9236BRL **PB**

Right Hand GT9236BRR **PB**



Left Hand GT9236CPL **CP**

Right Hand GT9236CPR **CP**



Left Hand GT9236SCL **SC**

Right Hand GT9236SCR **SC**

Left Hand GT9236SGL **SG**

Right Hand GT9236SGR **SG**

10 YEAR WARRANTY



Zinc Split Rail Fastener - 055
For use on top and side hinged windows

Material: Zinc Diecast
Dimensions: 81mm x 29mm with 29mm protrusion



Left Hand GT9055BRL **PB**

Right Hand GT9055BRR **PB**



Left Hand GT9055CPL **CP**

Right Hand GT9055CPR **CP**



Left Hand GT9055SCL **SC**

Right Hand GT9055SCR **SC**

Left Hand GT9055FBL **BRNZ**

Right Hand GT9055FBR **BRNZ**

10 YEAR WARRANTY

WINDOW FITTINGS

Spur Fasteners



Spur Fastener
For use on smaller top hinged windows

Material: Zinc alloy
Dimensions: 47mm x 24mm x 60mm
Flange Diameter: 50mm

- GT9915CP
- CP
- GT9915FB
- BRNZ
- GT9915SC
- SC
- 10 YEAR WARRANTY



Oval Spur Fastener
For use on smaller top hinged windows

Material: Solid brass
Dimensions: 47mm x 35mm x 45mm
Flange Diameter: 40mm

- GT948CP4320
- CP
- GT948FB4320
- BRNZ
- GT948SC4320
- SC
- GT948PB4320
- B
- 10 YEAR WARRANTY

Sash Fasteners & Lift



Sash Fastener
For use on vertical sliding windows

Material: Solid brass
Dimensions: 70mm x 50mm x 25mm
Flange Diameter: 60mm

- GT948BR4036
- PB
- GT948CP4036
- CP
- GT948SC4036
- SC
- 10 YEAR WARRANTY



Sash Fitch Fastener
For use on vertically sliding windows

Material: Solid brass
Dimensions: 70mm x 50mm x 25mm
Flange Diameter: 60mm

- GT948BR4217
- PB
- GT948CP4217
- CP
- GT948SC4217
- SC
- 10 YEAR WARRANTY

WINDOW FITTINGS

Sash Fasteners & Lift



Sash Lift
For use on vertically sliding windows

Material: Solid brass
Dimensions: 50mm x 40mm x 30mm

- GT948BR4015
- PB
- GT948CP4015
- CP
- GT948SC4015
- SC
- 10 YEAR WARRANTY

Sliding Window Camlocks



Truth Slimline Camlock NL
9200 Series sliding window sash lock including anti lift lugs
Latch strike supplied separately

Locking: No
Material: Zinc alloy
Dimensions: 27mm x 72mm x 20mm
Hole centres: 53mm

- GT7H155
- B
- 10 YEAR WARRANTY



Truth Slimline Camlock Keeper
9200 Series sliding window sash lock strike
Use with - H155 & H155K sliding window locks

Material: Zinc alloy
Dimensions: 11mm x 66mm x 8mm
Hole centres: 55mm

- GT7H155K
- B
- 10 YEAR WARRANTY

WINDOW FITTINGS

Stays



Quadrant Stay Zinc
For use on awning windows, three locating positions

Material: Zinc diecast
Dimensions: 152mm x 54mm x 13mm

GT9033FB	BRNZ	GT9033BR	PB
GT9033SC	SC	GT9033CP	CP
GT9033PB	B		

10 YEAR WARRANTY



Quadrant Stay Brass
For use on top hinged windows

Material: Solid brass
Dimensions: 157mm x 37mm x 13mm

GT9233FB	BRNZ	GT9233PB	B
GT9233SC	SC	GT9233BR	PB
GT9233SG	SG	GT9233CP	CP

10 YEAR WARRANTY



Friction Stay with interlock
Support and control of standard weight projected top hung (PTH) sashes
Supplied per pair
Opening 45 degrees
No sliding Channels

Max sash height: 750mm
Max sash weight: 6kgs
Length: 230mm
Material: Extruded Aluminium

GT7P1502	B
----------	---

10 YEAR WARRANTY

All Measurements: Width x Height x Depth in mm

WINDOW FITTINGS

Stays



Thumb Screw Telescopic Stay – Brass 245mm
For use on side-hinged/casement windows
Thicker base with allowance for window seals
245mm-378mm extended

Material: Solid brass
Dimensions: 245mm x 41mm x 50mm

GT9246BR	PB	GT9246SC	SC
GT9246CP	CP	GT9246SG	SG
GT9246FB	BRNZ	GT9246PB	B

10 YEAR WARRANTY



Telescopic Stay - Brass Restricted 140
For use on casement windows
Thicker base with allowance for window seals
140mm-200mm extended

Material: Solid brass
Dimensions: 140mm x 41mm x 50mm

GT9248BR	PB	GT9248FB	BRNZ
GT9248CP	CP	GT9248SC	SC

10 YEAR WARRANTY



Spring Action Telescopic Stay – Brass 245mm
For use on side/casement windows
Extended base for sealed windows
245mm-378mm extended

Material: Solid brass
Dimensions: 245mm x 41mm x 35mm


GT9264BR	PB	GT9264SC	SC
GT9264CP	CP	GT9264SG	SG
GT9264FB	BRNZ	GT9264PB	B

10 YEAR WARRANTY

All Measurements: Width x Height x Depth in mm

WINDOW FITTINGS

Stays



Casement Stay

For use on awning or casement windows
Suitable for weather sealed windows

Material: Solid brass
Length: 300mm or 350mm
Dimensions: 12.7mm x 44mm
(300mm or 350mm L)
Locking set: 38.1mm W x 53.9mm H

300mm	GT9463BR300	PB
350mm	GT9463BR350	PB
300mm	GT9463CP300	CP
350mm	GT9463CP350	CP
300mm	GT9463FB300	BRNZ
350mm	GT9463FB350	BRNZ
300mm	GT9463SC300	SC
350mm	GT9463SC350	SC
300mm	GT9463PB300	B
350mm	GT9463PB350	B

10 YEAR WARRANTY



Casement Stay Solid Brass 355mm

For use on awning or casement windows
Suitable for weather sealed windows

Material: Zinc alloy components
with brass rod
Length: 355mm
Dimensions: 12.7mm x 369mm x 44mm


GT9912BR355	PB
GT9912CP355	CP
GT9912FB355	BRNZ
GT9912SC355	SC

10 YEAR WARRANTY

All Measurements: Width x Height x Depth in mm

WINDOW FITTINGS

Stays




Fanlight Stay 300mm

For use on awning or casement windows.
Bottom sill fixing

Material: Solid brass
Length: 300mm
Dimensions: 315mm x 22mm x 12.5mm

GT9465BR	PB
GT9465CP	CP
GT9465FB	BRNZ
GT9465SC	SC
GT9465PB	B

10 YEAR WARRANTY



Fanlight Stay 305mm

For awning and casement windows
Bottom sill fixing

Material: Zinc alloy components with brass rod
Length: 305mm
Dimensions: 330mm x 22mm x 15mm

GT9913CP305	CP
GT9913FB305	BRNZ
GT9913SC305	SC

10 YEAR WARRANTY



Restrictor Stay (pair)

Restricts opening to 150mm
Can be screwed or riveted on
Sash clearance required when closed 13mm

Material: Stainless Steel

GTRS1SS	SS
---------	----

Restrictor Stay Packer

Material: Plastic
Dimensions: 56mm x 25mm x 4mm

GTRSPACKER	B
------------	---

10 YEAR WARRANTY

All Measurements: Width x Height x Depth in mm

Section 12.

Rollers

Door Wheels	166
Door Carriage & Wheels	170
Door Other	176
Door Axle Kits	177
Window Carriage & Wheels	178

ROLLERS

Sliding Door Wheels



Offset Axle Sliding Door Wheel - Narrow
Iraundi or Anthony wheel
Nylon grooved tyre on ZP steel bearing
Fitted in conjunction with appropriate length
adjusting axle
Check wheel width and axle length required
prior to ordering

9.6mm x 36.8mm
diameter

GT7W3703

12mm x 36.2mm
diameter

GT7W3705

Max Weight: 35kgs
Tyre Width: 8mm
Axle Diameter: 6.4mm

10 YEAR WARRANTY



32mm Grooved Sliding Door Wheel
OIK wheel
Nylon grooved tyre on ZZ precision ground bearing

GT7W3700

10 YEAR WARRANTY

Max Weight: 30kgs
Dimensions: 9.6mm x 32mm diameter
Tyre Width: 8mm
Axle Diameter: 6.2m



37mm Grooved Sliding Door Wheel
OIK wheel
Nylon grooved tyre on ZP steel bearing

GT7W3701

10 YEAR WARRANTY

Max Weight: 30kgs
Dimensions: 9.6mm x 36.8mm diameter
Tyre Width: 8mm
Axle Diameter: 6.4mm

ROLLERS

Sliding Door Wheels



Lockwood Sliding Door Wheel
Antony wheel
Nylon grooved tyre on ZP steel bearing
Stainless Steel adjusting bolt

GT7W3702

10 YEAR WARRANTY

Max Weight: 30kgs
Dimensions: 31.6mm x 36.8mm diameter
Tyre Width: 8mm
Axle Diameter: 6.5mm



32mm Sliding Door Wheel with Axle
Kegler wheel
Nylon grooved tyre on ZP steel bearing
with removable axle

GT7W3706

10 YEAR WARRANTY

Max Weight: 30kgs
Dimensions: 9.5mm x 32mm diameter
Tyre Width: 8mm
Axle Diameter: 6.3mm



28mm Flat Profile Sliding Door Wheel
Anthony wheel
Nylon tyre on ZP steel bearing
Flat profile wheel

GT7W3707

10 YEAR WARRANTY

Max Weight: 25kgs
Dimensions: 9.5mm x 27.9mm diameter
Tyre Width: 7mm
Axle Diameter: 6.4mm



36.8mm Grooved Sliding Door Wheel
Anthony wheel
Nylon grooved tyre on ZP steel bearing

GT7W3710

10 YEAR WARRANTY

Max Weight: 55kgs
Dimensions: 12mm x 36.8mm diameter
Tyre Width: 9.6mm
Axle Diameter: 9.5mm
Groove: 5mm

ROLLERS

Sliding Door Wheels



Fixed Axle Grooved Sliding Door Wheel
Anthony wheel
Nylon grooved tyre on ZP steel bearing
Fixed axle replacement roller to fit old Panarol adjustable carriage (G7TW3728)

Max Weight: 35kgs
Dimensions: 8.9mm x 35.8mm diameter
Tyre Width: 8mm
Fixed Axle
Diameter: 5.5mm

GT7W3711
10 YEAR WARRANTY



33mm Steel Sliding Door Wheel
OIK wheel
Steel grooved tyre on ZZ precision ground bearing
Use as a replacement roller in carriages with a separate removable axle

Max Weight: 50kgs
Dimensions: 9.6mm x 33mm diameter
Tyre Width: 8mm
Axle Diameter: 6.4mm

GT7W3712
10 YEAR WARRANTY



32mm Fixed Axle Sliding Door Wheel – 40kg
Anthony wheel
Nylon grooved tyre on ZP steel bearing
40kg wheel to fit 5000 series carriages
GT7W3746 – GT7W3751

Max Weight: 40kgs
Dimensions: 8.8mm x 32mm
Tyre Width: 8mm
Fixed Axle
Diameter: 6.3mm

GT7W3713
10 YEAR WARRANTY



32mm Fixed Axle Sliding Door Wheel – 50kg
Anthony wheel
Nylon grooved tyre on ZP steel bearing
50kg wheel to fit 5000 series carriages
GT7W3746 and GT7W3751

Max Weight: 50kgs
Dimensions: 8.8mm x 32mm diameter
Tyre Width: 8mm
Fixed Axle
Diameter: 6.3mm

GT7W3714G
10 YEAR WARRANTY

ROLLERS

Sliding Door Wheels



26mm Fixed Axle Sliding Door Wheel
OIK wheel
Nylon grooved tyre on ZP steel bearing
Use with GT7W3728 Carriage

Max Weight: 15kgs
Dimensions: 6.5mm x 26.6mm
Tyre Width: 6.3mm
Fixed Axle
Diameter: 4.8mm

GT7W3716
10 YEAR WARRANTY



36mm Fletcher Insert Sliding Door Wheel
Anthony wheel
ZP steel with nylon wheel on steel bearing
Use with GT7W3732 bracket

Carriage
Dimensions: 39mm x 21mm x 20mm
Wheel Diameter: 36mm
Tyre Width: 8mm

GT7W3717
10 YEAR WARRANTY



37mm Offset Nylon Sliding Door Wheel
Altherm replacement wheel manufactured from self lubricating nyloil nylon (Oil filled nylon) specifically designed for bushes and bearings

Width Overall: 19mm
Axle Bore
Diameter: 10mm

GT7W3718
10 YEAR WARRANTY



16mm Grooved Fixed Axle Sliding Door Wheel
Doric wheel
Nylon grooved tyre on ZZ bearing
Fits the old Nulook sliding doors

Max Weight: 10kgs
Dimensions: 5.2mm x 16mm diameter
Tyre Width: 5.4mm
Fixed Axle
Diameter: 3mm

GT7W3722
10 YEAR WARRANTY

ROLLERS

Sliding Door Wheels



Fletcher Instile Roller – Nylon
Fisher & Rylock wheel
Zinc diecast carriage and nylon grooved wheel

Max Weight: 25kgs
Carriage
Dimensions: 29mm x 36mm x 19mm
Wheel Diameter: 32mm
Tyre Width: 8mm
Axle Diameter: 6.5mm

GT7W3745

10 YEAR WARRANTY



Fletcher Instile Roller – Stainless Steel
Fisher & Rylock wheel
Zinc diecast carriage and stainless steel grooved wheel

Max Weight: 50kgs
Carriage
Dimensions: 29mm x 36mm x 19mm
Wheel Diameter: 32mm
Tyre Width: 8mm
Axle Diameter: 6.5mm

GT7W3745SS

10 YEAR WARRANTY

Sliding Door Carriage & Wheel



Adjustable Nylon Sliding Door Carriages
Anthony 5000 series carriage
Corrosion resistant engineered plastic



Max Weight: 25kgs



Dimensions:
112mm x 32mm x 17.5mm



112mm x 32mm x 21mm

112mm x 32mm x 24.8mm

112mm x 32mm x 27mm

GT7W3746

GT7W3747

GT7W3748

GT7W3749

10 YEAR WARRANTY

ROLLERS

Carriage and Wheel



External Adjustable Carriage and Wheel - 25kg
Fletcher aluminium nylon wheel
To fit Fisher & Rylock sliding doors

Max Weight: 25kg (50kg door panel)
Carriage
Dimensions: 66mm x 71mm x 23mm
Axle Diameter: 6.4mm

GT7W3744

10 YEAR WARRANTY



External Stainless Steel Adjustable Carriage and Wheel - 50kg
Fletcher aluminium stainless steel wheel
To fit Fisher & Rylock sliding doors

Max Weight: 50kg (100kg door panel)
Carriage
Dimensions: 66mm x 71mm x 23mm
Axle Diameter: 6.4mm

GT7W3744SS

10 YEAR WARRANTY



Interlock Adjustable Carriage and Wheel – 25kg
Interlock nylon wheel

Max Weight: 25kgs (50kg Door panel)
Carriage
Dimensions: 43mm x 55mm x 23mm
Wheel Diameter: 32mm

GT7W3726

10 YEAR WARRANTY



Interlock Carriage and Wheel – 50kg
Interlock ZP steel wheel

Max Weight: 50kgs (100kg Door panel)
Carriage
Dimensions: 43mm x 55mm x 23mm
Wheel Diameter: 32mm

GT7W3726HD

10 YEAR WARRANTY



Carriage and Wheel - Non Adjustable
Anthony carriage with nylon grooved roller

Max Weight: 15kgs
Dimensions: 47.5mm x 18.8mm x 9.45mm
Wheel Diameter: 26.6mm

GT7W3733

10 YEAR WARRANTY

ROLLERS

Sliding Door Carriage & Wheel



Fixed Wheel Carriage

Fletcher aluminium and nylon wheel
To fit old Californian sliding door

Dimensions: 38mm x 25mm x 9mm
Wheel Diameter: 22mm

GT7W3729

10 YEAR WARRANTY



Trimview Carriage and Wheel

ZP Steel carriage with nylon grooved wheel
Use GT7W3707 wheel as replacement for carriage with flat profile wheel

Dimensions: 73mm x 40mm x 21mm
Wheel Diameter: 32mm

GT7W3730

10 YEAR WARRANTY



Interlock Adjustable Carriage and Wheel – Nylon

Interlock zinc diecast carriage with nylon
Grooved Wheel

Max Weight: 25kgs
Carriage
Dimensions: 65mm x 32mm x 21mm
Carriage base
to centre of
fixing hole: 30mm
Wheel Diameter: 32mm
Axle Diameter: 6.4mm

GT7W3727

10 YEAR WARRANTY



Fletcher Offset Carriage and Wheel 25kg
– no side wing

Corrosion resistant engineered plastic with nylon tyre
The existing side wing can be unclipped & used with this replacement roller or select a GT7W3750W replacement wing if required.

Max Weight: 25Kg
Dimensions: 146mm x 33mm x 28mm
Wheel Diameter: 32mm

GT7W3750R

10 YEAR WARRANTY

ROLLERS

Sliding Door Carriage & Wheel



Fletcher Offset Carriage and Wheel 25kg
– with side wing

Corrosion resistant engineered plastic with nylon tyre

Max weight: 25Kg
Dimensions: 146mm x 33mm x 28mm
Wheel Diameter: 32mm

GT7W3750RKIT

10 YEAR WARRANTY



Fletcher Offset Carriage and Wheel 50kg
– no side wing

Corrosion resistant engineered plastic with nylon tyre
The existing side wing can be unclipped & used with this replacement roller or select a GT7W3750W replacement wing if required.

Max weight: 50Kg
Dimensions: 146mm x 33mm x 28mm
Wheel Diameter: 32mm

GT7W3751R

10 YEAR WARRANTY



Fletcher Offset Carriage and Wheel 50kgs
– with side wing

Corrosion resistant engineered plastic with nylon roller

Max weight: 50Kg
Dimensions: 146mm x 33mm x 28mm
Wheel Diameter: 32mm

GT7W3751RKIT

10 YEAR WARRANTY



Nu look Instile Carriage Rolle

Adjustable Nu Look and Bradnams roller

Max weight: 25kgs
Carriage
Dimensions: 33mm x 50mm x 41mm
Wheel Diameter: 32mm

GT7W3759

10 YEAR WARRANTY



Heavy Duty Adjustable Carriage & Wheel

Kegler adjustable engineered nylon and brass carriage and wheel
For bottom rolling timber or aluminium doors

Max Weight: 115kg
Dimensions: 137mm x 33mm x 36.5mm
Wheel Diameter: 38mm

GT7W3795

10 YEAR WARRANTY

ROLLERS

Sliding Door Carriage and Wheel

	Commercial Sliding Door Wheel Henderson adjustable ZP steel and brass wheel For bottom rolling timber or aluminium doors	GT7W3794 10 YEAR WARRANTY
	Max Weight: 115kg Dimensions: 110mm x 46mm x 38.2mm Wheel Diameter: 44mm	
	32mm Tandem Wheel Carriage Universal adjustable roller with grooved nylon wheels for use on a 6mm radius track	GT7W3757 10 YEAR WARRANTY
	Max Weight: 80kg Dimensions: 137mm x 33mm x 17.5mm Wheel Diameter: 32mm	
	Tandem Wheel Carriage Doric tandem wheel carriage	GT7W3758 10 YEAR WARRANTY
	Max Weight: 80kg Dimensions: 100mm x 37mm 26.5mm Wheel Diameter: 32mm	
	Panarol Tandem Roller Anthony wheel on stainless steel bracket Tandem wheel replacement roller suitable for double glazed sliding door panels No panel modification required	GT7W3728-KIT 10 YEAR WARRANTY
	Max Weight: 80 kgs (160kg door panel) Dimensions: 163mm x 35mm x 19mm Adjustment: 12mm	
	Fairview Tandem Wheel Roller Anthony machined polymer wheel to suit 6mm track diameter	GT7W3816 10 YEAR WARRANTY
	Adjustment: 11.5mm Max Panel Weight: 80kg Dimensions: 137mm x 33mm x 26.5mm	

ROLLERS

Sliding Door Tandem Carriage & Wheel

	Fletchers Tandem Wheel 100kgs Fletcher aluminium adjustable roller with grooved nylon wheels for use on 6mm radius track Nylon tyre on ball bearing	GT7W3818 10 YEAR WARRANTY
	Max weight: 100Kg Dimensions: 137mm x 33mm x 25.2mm Wheel Diameter: 32mm	
	Nu Look Tandem Wheel Roller Nu Look adjustable roller with grooved nylon wheels suitable for use on 6mm radius track Nylon side fins can be altered to suit different width door rails	GT7W3820 10 YEAR WARRANTY
	Max Weight: 50kgs Dimensions: 152mm x 32.5mm x 25.5mm Adjustment: 11.5mm	
	Adjustable Carriage and Wheel - Tab Kegler series ZP steel carriage with grooved nylon wheel on precision bearing	GT7W3754 10 YEAR WARRANTY
	Max Weight: 25kgs Carriage Dimensions: 65mm x 25mm 21mm Wheel Diameter: 32mm Axle Diameter: 6.4mm	
	Adjustable Carriage and Wheel - No Tab Kegler series ZP steel carriage with nylon grooved wheel	GT7W3755 10 YEAR WARRANTY
	Max Weight: 25kgs Carriage Dimensions: 65mm x 30mm x 21mm Wheel Diameter: 32mm Axle Diameter: 6.4mm	

ROLLERS

Sliding Door Tandem Carriage & Wheel



Adjustable Carriage and Wheel - Short Tab
Kegler series
ZP steel carriage with nylon grooved wheel

Max Weight: 25kgs
Carriage
Dimensions: 65mm x 30mm x 21mm
Wheel Diameter: 32mm
Axle Diameter: 6.4mm

GT7W3724

10 YEAR WARRANTY



Adjustable Carriage and Wheel - Long Tab
Kegler series
ZP steel carriage with nylon grooved wheel

Max Weight: 25kgs
Carriage
Dimensions: 65mm x 35mm x 21mm
Wheel Diameter: 32mm
Axle Diameter: 6.4mm

GT7W3725

10 YEAR WARRANTY

Sliding Door Other



Nulook Roller Carriage
Nulook nylon carriage with 3 roller positions

Dimensions: 70mm x 24mm x 10mm

GT7W3731

10 YEAR WARRANTY



Roller Bracket and Corner stake
Doric ZP steel bracket and corner stake
Use with GT7W3717 wheel

Dimensions: 45mm x 34mm x 18mm

GT7W3732

10 YEAR WARRANTY

ROLLERS

Sliding Door Axle Kits



Axle Kit 22mm
Axle and locking aluminium pin kit
Firm even pressure is required to press locking pin into axle to ensure the door panel is adjustable when installation is completed
Use with GT7W3703 & GT7W3705

Door Thickness: 20mm
Dimensions: 18mm x 22mm
(27mm with pin)
Pin: 6.3mm

GT7W3738

10 YEAR WARRANTY



Axle Kit 28mm
Axle and locking aluminium pin kit
Firm even pressure is required to press locking pin into axle to ensure the door panel is adjustable when installation is completed
Use with GT7W3703 & GT7W3705

Door Thickness: 25mm
Material: Aluminium
Dimensions: 18mm x 28mm
(33mm with pin)
Pin: 6.3mm

GT7W3739

10 YEAR WARRANTY



Adjusting Axle
Adjusting aluminium axle
Replaces black nylon axle with stainless steel sleeve
Use with GT7W3710

Dimensions: 18mm x 21mm
Pin: 9.35mm

GT7W3740

10 YEAR WARRANTY



Lockwood Wheel Axle
Adjusting stainless steel axle and nut
To fit Lockwood GT7W3702 wheel

Dimensions: 41.5mm x 6.23mm Diameter
Pin: 6.23mm Diameter

GT7W3741

10 YEAR WARRANTY

ROLLERS

Sliding Window Carriage & Wheel

	Sliding Window Carriage Roller Anthony nylon carriage and wheel	GT7W3769 10 YEAR WARRANTY
	Max Weight: 12kg Dimensions: 31.9mm x 14.4mm x 7.9mm Wheel Diameter: 12.4mm	
	Sliding Window Carriage Roller Anthony nylon carriage and wheel	GT7W3770 10 YEAR WARRANTY
	Max Weight: 12kg Dimensions: 38mm x 12.6mm x 9.5mm Wheel Diameter: 14.3mm	
	Sliding Window Carriage Roller Anthony nylon carriage only For GT7W3772	GT7W3771 10 YEAR WARRANTY
	Dimensions: 29.2mm x 13mm x 9.3mm	
	14.7mm Sliding Window Carriage Roller Anthony nylon carriage and wheel	GT7W3773 10 YEAR WARRANTY
	Max Weight: 12kg Dimensions: 29.2mm x 13.8mm x 10.8mm Wheel Diameter: 14.7mm	
	16mm Sliding Window Carriage Roller Anthony nylon carriage and ZP Steel & Nylon (Ball bearing wheel) IR bearing wheel	GT7W3774 10 YEAR WARRANTY
	Max Weight: 12kg Dimensions: 38.2mm x 14.1mm x 10.8mm Wheel Diameter: 16mm	
	16mm Sliding Window Carriage Roller Anthony nylon carriage and wheel IR bearing wheel	GT7W3775 10 YEAR WARRANTY
	Max Weight: 12kg Dimensions: 38.1mm x 14.1mm x 8.8mm Wheel Diameter: 16mm	

ROLLERS

Sliding Window Carriage & Wheel

	14.9mm Sliding Window Carriage Roller Anthony nylon carriage and wheel Replaces roller in stainless steel clip	GT7W3776 10 YEAR WARRANTY
	Max Weight: 12kg Dimensions: 38.1mm x 14.1mm x 8.8mm Wheel Diameter: 14.9mm	
	Nu Look Door & Window Roller Anthony nylon carriage and wheel	GT7W3777 10 YEAR WARRANTY
	Max Weight: 12kg Dimensions: 29.1mm x 17.2mm x 10.7mm	
	Sliding Window Roller Anthony nylon carriage and wheel	GT7W3778 10 YEAR WARRANTY
	Max Weight: 12kg Dimensions: 29.1mm x 13mm x 9.4mm	
	Sliding Window Roller Anthony nylon carriage and wheel with stainless steel Ball Bearings	GT7W3779 10 YEAR WARRANTY
	Max Weight: 12kg Dimensions: 29.5mm x 15.7mm x 10.3mm	
	Sliding Window Roller Carriage Antony nylon wheel Anthony nylon carriage and stainless steel ball bearings. Rollers can be clipped together for heavy windows	GT7W3767 10 YEAR WARRANTY
	Max Weight: 12kg Dimensions: 38.2mm x 14.1mm x 15.2mm Wheel Diameter: 15.2mm	

Section 13.

Hinges

Commercial	182
Ball Bearing	183
Altherm/Vantage/First	184
Fairview	186
Fisher/Rylock/	
Nebulite/Vistalite	187
Nulook	188

HINGES

Hinges



10 YEAR WARRANTY



Swinger Hinge

GT7D1509

B

Markings: None
Material: Zinc diecast
Dimensions: 150mm x 50mm x 16mm

10 YEAR WARRANTY



Swinger Hinge

GT7D1510

B

Markings: None
Material: Zinc diecast
Dimensions: 100mm x 50mm x 16mm

10 YEAR WARRANTY

Commercial Quick Fix



Quick Fix Heavy Duty Commercial Door Hinge

4mm tapered leaf
Quick fix extruded single leaf hinge
Hole spacings the same as standard quick-fix hinge

Material: Zinc diecast
Dimensions: 103mm x 70mm x 15mm

GT7D1501

B

GT7D1501SIL

S

10 YEAR WARRANTY



Quick Fix Commercial Door Hinge

4mm tapered leaf
Quick fix extruded single leaf hinge

Material: Zinc diecast
Dimensions: 103mm x 70mm x 15mm


GT7D1500

SS

10 YEAR WARRANTY

HINGES

Stainless Steel Ball Bearing



Ball Bearing Hinge 100mm x 75mm

Suitable for interior and exterior use
Fixed pin
Square edge
Ball bearing hinge

Material: 304 grade stainless steel
Dimensions: 105mm x 75mm x 12mm

GT4030-SSS

SS

10 YEAR WARRANTY



Ball Bearing Hinge 100mm x 100mm

Suitable for interior and exterior use
Fixed pin
Square edge
Ball bearing hinge

Material: 304 grade stainless steel
Dimensions: 105mm x 100mm x 12mm

GT4040-SSS

SS

10 YEAR WARRANTY



Fast Fix Sinter Ball Bearing Hinge

Square edge
Flush fast fix
Fixed pin sinter bearing hinge

Material: 304 grade stainless steel
Dimensions: 105mm x 71mm x 12mm

GT9981071FFBSS

SS

10 YEAR WARRANTY



Quick Fix Ball Bearing Hinge

Fixed pin
Square edge
Ball bearing hinge

Material: 304 grade stainless steel
Dimensions: 105mm x 71mm x 2.5mm

GT4015QF-SSS

SS

10 YEAR WARRANTY



Security Door



100mm Timber or Aluminium Door Hinge

Whitco 75mm security door hinge
To suit all hinged security doors

Material: Zinc diecast
Dimensions: 75mm x 45mm x 8mm

GT7D1508

B

GT7D1508W

W

GT7D1508P



10 YEAR WARRANTY

HINGES

Altherm / Vantage / First



Swinging Aluminium Door / Alu Frame Hinge
Suitable for old Vantage and First Doors
For aluminium door and frame
To suit 30mm doors

Markings: None
Panel blade: 28.0mm (width)
Material: Zinc diecast
Dimensions: 92mm x 82mm x 15mm

GT7D0500 **B**

10 YEAR WARRANTY



Swinging Aluminium Door / Alu Frame Hinge
Suitable for Altherm, Vantage and First Doors
For aluminium door and frame

Markings: APL30510
Material: Zinc diecast
Dimensions: 100mm x 110mm x 20mm

GT7D0510 **B**

10 YEAR WARRANTY



Swinging Timber Door / Alu Frame Hinge
Suitable for Altherm, Vantage and First Doors
For timber door and aluminium frame

Markings: APL30520
Material: Zinc diecast
Dimensions: 100mm x 116mm x 20mm

GT7D0520 **B**

10 YEAR WARRANTY



Swinging Door Aluminium Door / Alu Frame Hinge - First
Suitable for Altherm, Vantage and First Doors
For aluminium door and frame
Marking on frame blade – st
Marking on panel blade – 1st

Material: Zinc diecast
Dimensions: 90mm x 95mm x 18mm

GT7D0550 **B**

10 YEAR WARRANTY



Swinging Door Timber Door / Alu Frame Hinge - First
Suitable for Altherm, Vantage and First Doors
For timber door and aluminium frame
Marking on frame blade – st
Marking on panel blade – TIM

Material: Zinc diecast
Dimensions: 90mm x 95mm x 16mm

GT7D0575 **B**

10 YEAR WARRANTY

HINGES

Altherm / Vantage / First



Swinging Door Aluminium Door/ Alu Frame Hinge
Suitable for Altherm, Vantage and First Doors
For aluminium door and frame

Markings: APL30580
Material: Zinc diecast
Dimensions: 100mm x 105mm x 18mm

GT7D0580 **B**

10 YEAR WARRANTY



Swinging Door Aluminium Door/ Alu Frame Hinge
Suitable for Altherm, Vantage and First Doors
For aluminium door and frame

Markings: APL30590
Material: Zinc diecast
Dimensions: 100mm x 100mm x 18mm

GT7D0590 **B**

10 YEAR WARRANTY



Swinging Door Aluminium Door / Alu Frame Hinge – APL Adjustable 100mm Hinge
For aluminium door and frame

Markings: None
Material: Zinc diecast
Dimensions: 105mm x 110mm x 18mm

GT7D0680 **B**

10 YEAR WARRANTY




Swinging Door Timber Door / Timber Frame Hinge – APL Adjustable 100mm Hinge
For timber door and frame

Markings: None
Material: Zinc diecast
Dimensions: 108mm x 115mm x 18mm

GT7D0690 **B**

10 YEAR WARRANTY

HINGES
Fairview



105mm FSL Aluminium Door / Alu Frame Hinge
Aluminium doors with aluminium frame
To suit Fairview doors 2001 - 2006

Markings: None
Material: Zinc diecast
Dimensions: 111mm x 103mm

GT7D1380 **B**
10 YEAR WARRANTY



105mm FSL Timber Door / Alu Frame Hinge
Timber doors with aluminium frame

Markings: None
Material: Zinc diecast
Dimensions: 117mm x 105mm x 13mm

GT7D1382 **B**
10 YEAR WARRANTY



90mm FSL Timber Door / Alu Frame Hinge
ASL door hinge fits Fairview up to 2001
Timber door with aluminium frame

Markings: None
Material: Zinc diecast
Dimensions: 90mm x 97mm x 16mm

GT7D1385 **B**
10 YEAR WARRANTY



90mm FSL Aluminium Door / Alu Frame Hinge
ASL door hinge fits Fairview 2006
Aluminium door with aluminium frame

Markings: None
Material: Zinc diecast
Dimensions: 112mm x 90mm x 16mm

GT7D1386 **B**
10 YEAR WARRANTY



105mm FSL Timber Hinge
Timber doors only
To suit Fairview doors from 2006

Markings: None
Material: Zinc diecast
Dimensions: 105mm x 95mm x 12mm

GT7D1387 **B**
10 YEAR WARRANTY

HINGES
Fisher / Rylock



90mm Universal Hinge
Universal hinge to suit Fisher & Rylock aluminium
or timber framed doors
Open in and open out

Markings: Open in - I
Markings: Open out - O
Material: Extruded Aluminium
Dimensions: 90mm x 103mm x 26mm

GT7D1104-5 **B**
10 YEAR WARRANTY

Vistalite / Nebulite / Fisher / Rylock



105mm Timber Door / Alu Frame Hinge
To suit Vistalite, Nebulite, Fisher and Rylock joinery
For timber door and aluminium frame

Markings: None
Material: Zinc diecast
Dimensions: 105mm x 95mm x 16mm

GT7D1107 **B**
10 YEAR WARRANTY



105mm Aluminium Door / Alu Frame Hinge
To suit Vistalite, Nebulite, Fisher and Rylock joinery
For aluminium door and frame

Markings: None
Material: Zinc diecast
Dimensions: 105mm x 90mm x 16mm

GT7D1108 **B**
10 YEAR WARRANTY

Vistalite / Nebulite



90mm Door Hinge
Fletcher 90mm door hinge
Replaces all Vistalite/Nebulite door hinges
including hinges marked
ALF7007, ALF7040, ALF Timber
Replaces obsolete 110mm 3piece hinge

Material: Zinc diecast
Dimensions: 92mm x 87mm x 13mm

GT7D1106 **B**
10 YEAR WARRANTY

HINGES
Nulook



100mm Timber or Aluminium Door Hinge

To suit Nulook doors up to 2005
For timber and aluminium doors and frame

Frame type: aluminium Flat
 Markings: None
 Material: Zinc diecast
 Dimensions: 100mm x 97mm x 14mm

GT7D1401



GT7D1401P



10 YEAR WARRANTY



Aluminium Door / Alu Frame Hinge

To suit Nulook weather tight series
aluminium joinery
For aluminium door and aluminium frame

Markings: Frame blade HD-100;
Panel blade 21100 & HD-101

Material: Zinc diecast

Dimensions: 105mm x 110mm x 18mm

GT7D1403



10 YEAR WARRANTY



Timber Door / Alu Frame Hinge

To suit Nulook weather tight series
aluminium joinery
For timber door and aluminium frame

Markings: Frame blade HD-100;
Panel blade 21101 & HD-102

Material: Zinc diecast

Dimensions: 115mm x 115mm x 18mm

GT7D1404



10 YEAR WARRANTY



Aluminium Door / Alu Frame Hinge

To suit Nulook weather tight series
aluminium joinery
For aluminium door and frame

Frame Type:	Flat
Markings:	Frame blade HD-104; Panel blade 21102 & HD-101
Material:	Zinc diecast
Dimensions:	115mm x 108mm x 12mm

GT7D1406



10 YEAR WARRANTY

HINGES
Nulook



Altus Parliament Hinge

To suit Nulook and Bradnams range
For door to swing clear of time and lay flat
when opened

Material: Zinc diecast
Dimensions: 135mm x 178mm x 28mm

GT7D1407



10 YEAR WARRANTY

NOTES

Section 14.

Sprays & Lubricants

Heavy Duty Lubricants 192

Lubricants & Degreasers 193

SPRAYS & LUBRICANTS

Sprays & Lubricants



Heavy Duty Lubricant

a.



Lanox MX4 Lanolin Heavy Duty Lubricant
Heavy duty anti-moisture, anticorrosion and waterproofing
Designed for extreme climatic and humid conditions
High grade lubricating oil and refined pure lanolin base
with specialised chemical compounds
Won't dry out, gum up or wash off with water
Non-conductive, non-static, non-corrosive and non-toxic
Contains no silicon or kerosene type solvents
Neutral properties and low flammability for non-aerosols

b.



a. 300g Aerosol Can INMX4-300

c.



b. 5 ltr Bottle with applicator bottle INMX4-5

c. 20 ltr Drum with applicator and tap INMX4-20

d.



d. 500ml Applicator Bottle Only INMX4-A



SPRAYS & LUBRICANTS

Lubricant

a.



b.



c.



Inox MX3 Lubricant
Anti-corrosion and anti-moisture
Will not harm metal points or surfaces, plastics, paints, enamels, fibreglass, formica or neoprene seals
Non-conductive, non-static, non-toxic, non-corrosive and non-staining
Contains no silicon or kerosene type solvents
Won't dry out, gum up or wash off with water

d.



a. 100g Aerosol Can INMX3-100

b. 300g Aerosol Can INMX3-300

e.



c. 125ml Pump Bottle INMX3-125

d. 5 ltr Bottle with applicator bottle INMX3-5

e. 20 ltr Drum with applicator and tap INMX3-20

f.



f. 500ml Applicator Bottle Only INMX3-A



Spray Degreaser and Lubricant



Chain and Brake Clean
Removes oil, grease and brake fluid without disassembly
Quick drying
No residue

500g Aerosol Can INMX11-500




Section 15.

Panic Exit Devices

Panic Exit Devices

10 YEAR WARRANTY



Rim Touch Bar Panic Exit Device 5701

Exit Only
For door widths 650mm to 910mm
Non-handed and reversible
Slight pressure anywhere on the bar retracts the latch bolts
Fire rated

Material: Stainless Steel
Dimensions: 835mm x 64mm x 110mm

GT5701SLV

S

GT5701SSS

SS

10

650-910MM



Vertical Rod Touch Bar Panic Exit Device 5711

Exit Only
Suitable for door widths 650mm to 910mm
Non-handed and reversible
Slight pressure anywhere on the bar retracts the latch bolts
Fire rated
Max door height: 2000mm

Material: Stainless Steel
Dimensions
- Touch Bar: 835mm x 64mm x 110mm
- Rod 1: 870mm x 26mm x 20mm
- Rod 2: 1140mm x 26mm x 20mm

GT5711SLV

S

GT5711SSS

SS

10

650-910MM

Accessories



Exterior Rim Cylinder 6 pin

Finish: Satin Chrome
Cylinder: C4 Keyway
2 keys supplied
Cylinder Diameter: 45mm

201RC6PSCP

SC

201RC6PSCPKA

SC



5 YEAR WARRANTY



Panic Exit Device Exterior Key Locking Knob

Material: Stainless Steel
Rose Diameter: 77mm
Projection: 70mm

GT57LKSCP

SC

5 YEAR WARRANTY



Panic Exit Device Exterior Key Locking Lever

Material: Stainless Steel
Rose Diameter: 77mm
Projection: 70mm

GT57LLSCP

SC

5 YEAR WARRANTY

All Measurements: Width x Height x Depth in mm

Accessories



Panic Exit Device Top Latch 5711

Material: Stainless Steel
Dimensions: 133mm x 48mm x 35mm

GT5711TLSLV

S

GT5711TLSSS

SS

5 YEAR WARRANTY



Panic Exit Device Bottom Latch 5711

Material: Stainless Steel
Dimensions: 133mm x 48mm x 35mm

GT5711BLSLV

S

GT5711BLSSS

SS

5 YEAR WARRANTY



Panic Exit Device Top Strike Plate 5711

Top strike plate with two shims

Material: Steel
Dimensions: 60mm x 35mm x 20mm

GT5711TSP

S

5 YEAR WARRANTY



Panic Exit Device Bottom Strike Plate 5711

Bottom Strike Plate with two shims

Material: Steel
Dimensions: 56mm x 45mm x 10mm

GT5711BSP

S

5 YEAR WARRANTY



Panic Exit Device Rim Strike Plate 5701

Rim Strike Plate with shim

Material: Steel
Dimensions: 83mm x 28mm x 18mm

GT5701SP

S

5 YEAR WARRANTY



Double Door Strike Plate 5701


Suitable for GT5701
Used when putting a GT5711 on the fixed leaf of a set of double doors and a GT5701 on the active leaf
Fixed onto the fixed leaf so that the latch of GT5701 picks up on the strike when closing

GT57DDS

S

5 YEAR WARRANTY

Material: Steel
Dimensions: 70mm x 70mm x 17mm



Vertical Rod Extension 5711

For use with GT5711 for fitting to an over height door
Max Door height: 2400mm

GT5711EXTSLV

S

GT5711EXTSSS

SS

5 YEAR WARRANTY

Material: Stainless Steel
Dimensions: 1446mm x 26mm x 20mm